S1200-1

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-FOURTH REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1981

Issued by

THE STATE DEPARTMENT OF HEALTH SERVICES

HARTFORD

Published by the State

Price $10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, May 30, 1985

To His Excellency, Willaim A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-fourth report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1981.

Very respectifully,
DOUGLAS S. LLOYD, M.D., M.P.H.
Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1981, prepared by the Statistical Analysis Unit of the Division of Health Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

CHRISTINE PATTEE, Dr. P.H.
Acting Chief, Statistical Analysis Unit
Staff Director, Vital Records

ROSALIND S. BENNETT, B.S.
Research Analyst, Statistical Analysis Unit

MERTON S. HONEYMAN, Ph.D.
Acting Registrar

CONTENTS

	Page
Vital Statistics for 1981	4
Summary for Year	4
Population Estimate, 1981	5
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	6
Infant Mortality	6
Marriages	6
Divorces	6

TABLES

Table No.		
1	Population Estimate, 1981, by age and sex	7
2	Estimate of population and vital statistics by towns of residence	8
3	Live births, Connecticut residents by age of mother	15
4	Live births to residents of Connecticut towns by race, low birthweight and maternal age	16
5	Fetal deaths occurring in Connecticut	29
6	Causes of fetal deaths occurring in Connecticut	30
7	Causes of death, Connecticut residents	31
8	Causes of death among nonwhites	35
9	Deaths under one year of age (infants)	39
10	Selected causes of infant deaths	43
11	Leading causes of death by age groups	46
12	Number of present marriage for brides and grooms	48
13	Previous marital status of brides and grooms	48
14	Dissolution of marriages	49
15	Children under 18 involved in dissolution of marriages	49
16	Duration of marriages dissolved in 1981	49
	Glossary	50
	Rates, calculation of	51

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1981, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration
The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of-Death Data
The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1981 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates
Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Further Information
Further information can be obtained by contacting the Statistics and Demography Unit of the Division of Health Statistics, 150 Washington Street, Hartford, Connecticut 06106, Telephone numbers 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1981 was 3,115,520. This reflects a natural increase (difference between births and deaths) of 13,643, and a net out-of-Connecticut migration of 5,699. The population estimated for 1981 is an increase of 0.26% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration as estimated by school enrollment and housing unit changes.

BIRTHS

In 1981 the number of resident live births was 39,999. This represents an increase of 1,249 from 1980 and an increase in the birth rate from 12.5 to 12.8 per 1,000 population. Only 974 births, or 2.4% of all births to Connecticut residents, occurred out-of-state. There were 4,384 births to teenage mothers (19 years of age or less). This was 11.0% of all births, a decrease from 11.4% in 1980.

Fetal Deaths

The fetal death ratio increased in 1981 with a total count of 326 or 8.2 deaths per 1,000 live births compared to 301 deaths and a ratio of 7.8 in 1980, occurring in Connecticut.

DEATHS

The number of registered deaths among Connecticut residents for 1981 was 26,356, for a crude rate of 8.5 per 1,000 population. Of the total number of resident deaths, 13,713 were males and 12,643 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 9,144 in 1981, or 34.7% of the total number of resident deaths. The median age at death was 74.1. Death for females occurred at an older age than males, a median of 78.0, compared to median of 70.7, respectively.

Leading Causes of Death

In 1981, as in 1980, the five leading causes of death, in the order of their proportional share, of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and pneumonia and influenza. Equal to pneumonia and influenza as causes of death is Chronic Obstructive Pulmonary Disease and allied conditions. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,214 resident deaths in 1981, for a total proportional share of 38.8%. This reflects an increase from the proportional share of 37.9% for this cause in 1980. The median age at death from heart disease was 77.3. Acute myocardial infarction claimed a 33.3% share of total heart disease mortality with a 42.4% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 73.1; for other ischemic heart disease, median age was 80.9.

Malignant Neoplasms

There were 6,205 deaths attributed to malignant neoplasms in 1981, a proportional share of 23.5% of all resident mortality. The median age at death due to cancer was 69.5. Malignant neoplasms of the digestive organs accounted for 27.8% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (24.3%), of the genitourinary system (15.0%) of the breast (9.2%) and of the lymphatic and hematopoietic tissue (8.4%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 2,036 resident deaths in Connecticut. This cause of death had a proportional share of 7.7% of total resident deaths, almost no change from 1980 when this cause accounted for 7.6% of total resident deaths. The median age at death from cerebrovascular disease was 81.0.

Accidents

A total of 997 accidents, of all types, accounted for 3.8% of all resident deaths in 1981. Of this total 51.4% was attributed to resident motor vehicle accidents. Almost half (47.7%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 15.3% share of the total accidents.

Pneumonia and Influenza

There were 765 deaths from these causes, or 2.9% of total resident deaths. The crude mortality rate per 100,000 population, decreased from 29.1 in 1980 to 24.6 in 1981.

Chronic Obstructive Pulmonary Disease and Allied Conditions

There were 765 deaths from these causes, equal to pneumonia and influenza and amounting to 2.9% of all resident deaths. The crude mortality rate per 100,000 population was 24.6.

Infant Deaths

There were 480 resident infant deaths in Connecticut in 1981, a rate of 12.0 per 1,000 live births, compared to the previous year's total of 429, or 11.1 deaths per 1,000 live births. From 1980, this represents an increase in infant deaths of 11.9%. Connecticut exceeded the national rate of 11.7 infant deaths per 1,000 live births. Of all resident infant deaths, 50.0% occurred within the first day of life, 71.0% within the first week and 78.5% within the first month. Neonatal deaths showed a 20.8% increase from 312 in 1980 to 377 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 25,747 in 1981, a decrease of 301 or 1.2% from the previous year. The current year's total represents a marriage rate of 14.8 persons marrying per 1,000 population compared to 16.8/1,000 in 1980. The median age at marriage for grooms was 26.0, and for brides, 24.9, an increase from 1980 when the median age for grooms was 25.7 and for brides 23.5.

MARRIAGE DISSOLUTIONS

There were 13,639 marriages dissolved in Connecticut during 1981, for a marriage dissolution rate of 8.8 persons per 1,000 population. The current rate is an increase of 1.1% over the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1981 was 8.9 years, compared to a median duration in 1980 of 8.0 years.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT AS OF JULY 1, 1981

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,500,250	1,615,270	3,115,520
*Under 1 yr.	19,919	18,831	38,750
0- 4	95,510	91,650	187,160
5- 9	100,480	95,880	196,360
10-14	128,340	123,010	251,350
15-19	144,830	140,080	284,910
20-24	133,010	135,400	268,410
25-29	123,570	127,430	251,000
30-34	123,520	128,620	252,140
35-39	101,930	108,040	209,970
40-44	81,400	87,000	168,400
45-49	76,210	81,210	157,420
50-54	84,860	90,380	175,240
55-59	84,480	92,680	177,160
60-64	74,020	84,240	158,260
65-69	57,680	71,160	128,840
70-74	39,430	56,580	96,010
75-79	25,280	42,620	67,900
80-84	14,390	30,810	45,200
85 and over	11,310	28,480	39,790
Median age	31.0	33.7	32.4
65 and over	148,090	229,650	377,740

*Births of preceding calendar year.

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,115,520	39,913	326	26,818	25,747	39,999	5,619	7,744	3,074	310	49	26,356	1,441	22,391	23,592	12.8	8.5	14.8
HSA I, Southwestern	626,860	8,130	70	5,437	5,269	7,486	1,572	1,713	874	68	18	5,601	433	4,180	4,564	11.9	8.9	14.0
Bridgeport	142,060	4,272	37	2,501	1,080	2,642	812	1,064	539	23	7	1,636	221	1,178	1,130	18.6	11.5	16.3
Darien	18,900	-	-	43	231	152	-	4	-	1	-	130	-	93	117	8.0	6.9	11.1
Easton	5,990	-	-	16	40	62	-	1	-	-	-	44	-	22	36	10.4	7.4	9.7
Fairfield	54,960	1	-	256	427	431	12	27	1	4	-	520	2	291	361	7.8	9.5	11.9
Greenwich	59,600	829	11	522	628	474	16	26	1	5	-	493	4	340	405	8.0	8.3	12.5
Monroe	14,200	1	-	16	55	145	6	3	-	2	1	62	-	69	75	10.2	4.4	10.1
New Canaan	18,100	-	-	54	177	126	5	7	2	2	-	134	-	64	103	7.0	7.4	9.2
Norwalk	77,770	1,352	9	830	635	1,069	250	203	110	9	2	677	74	619	665	13.8	8.7	16.5
Stamford	102,200	1,674	13	868	894	1,337	394	279	183	13	7	843	95	791	852	13.1	8.3	16.1
Stratford	50,900	-	-	145	392	506	63	71	36	5	1	546	33	329	363	9.9	10.7	13.6
Trumbull	32,700	1	-	100	285	223	6	10	2	1	-	252	1	163	186	6.8	7.7	10.7
Weston	8,400	-	-	14	72	45	-	3	-	1	-	47	-	28	38	5.4	5.6	7.9
Westport	25,530	-	-	52	261	169	2	11	-	1	-	152	2	132	159	6.6	6.0	11.4
Wilton	15,550	-	-	20	92	105	6	4	-	1	-	65	1	61	74	6.8	4.2	8.7
HSA II,South Central	598,610	8,222	76	5,804	4,672	7,785	1,384	1,720	831	52	11	5,260	354	4,293	4,514	13.0	8.8	14.7
Ansonia	19,000	1	-	28	153	279	33	61	14	-	-	186	11	141	147	14.7	9.8	15.2
Bethany	4,360	1	-	4	24	45	1	5	-	-	-	22	2	40	35	10.3	5.1	17.2
Branford	23,600	-	-	584	182	289	6	30	1	-	-	198	2	207	197	12.3	8.4	17.1
Derby	12,400	633	2	412	132	166	10	25	2	2	-	129	2	111	101	13.4	10.4	17.1
East Haven	25,000	-	-	20	195	260	6	37	-	1	1	178	-	210	233	10.4	7.1	17.7
Guilford	17,600	-	-	79	129	236	5	19	1	2	-	121	-	103	117	13.4	6.9	12.5
Hamden	51,040	-	-	217	366	500	47	48	14	2	1	530	18	305	345	9.8	10.4	12.7
Madison	14,100	2	-	53	106	163	-	5	-	-	-	111	-	74	91	11.6	7.9	11.7
Meriden	57,470	1,042	13	603	446	851	56	123	24	6	-	501	11	442	460	14.8	8.7	15.7
Milford	51,100	448	4	338	456	619	9	62	-	4	-	403	2	397	410	12.1	7.9	15.8
New Haven	125,900	6,090	57	2,634	1,081	2,086	1,027	1,026	711	20	8	1,320	277	864	895	16.6	10.5	14.0
North Branford	11,700	-	-	8	83	125	3	12	1	2	-	64	-	51	72	10.7	5.5	10.5
North Haven	22,010	-	-	37	149	199	11	13	2	1	-	148	3	144	143	9.0	6.7	13.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Orange	13,250	-	-	24	117	90	6	2	-	1	-	98	-	57	78	6.8	7.4	10.2
Oxford	6,700	-	-	11	54	88	1	9	1	1	-	43	-	32	50	13.1	6.4	12.2
Seymour	13,500	-	-	22	84	150	3	23	-	-	-	115	-	104	101	11.1	8.5	15.2
Shelton	31,380	3	-	112	181	379	10	47	2	1	-	219	2	224	225	12.1	7.0	14.3
Wallingford	37,400	-	-	149	321	456	6	36	-	5	-	320	3	285	306	12.2	8.6	15.8
West Haven	53,300	2	-	461	329	754	144	135	58	4	1	509	20	473	462	14.2	9.6	17.5
Woodbridge	7,800	-	-	8	84	50	-	2	-	-	-	45	1	29	46	6.4	5.8	9.6
HSA III, Eastern	499,770	5,311	38	3,812	4,438	6,747	438	811	140	51	4	4,000	94	3,879	3,987	13.5	8.0	15.7
Ashford	3,250	-	-	3	38	37	1	6	-	-	-	22	-	29	24	11.4	6.8	16.3
Bozrah	2,150	-	-	1	9	23	-	1	-	-	-	14	-	8	13	10.7	6.5	9.8
Brooklyn	5,770	-	-	24	40	57	1	14	1	-	-	42	-	40	45	9.9	7.3	14.7
Canterbury	3,450	2	-	4	30	54	1	4	-	-	-	13	-	24	33	15.7	3.8	16.5
Chaplin	1,820	-	-	3	18	13	-	1	-	-	-	20	1	14	17	7.1	11.0	17.0
Chester	3,080	-	-	21	30	37	2	3	-	1	-	23	-	25	25	12.0	7.5	16.2
Clinton	11,200	-	-	28	70	164	3	8	-	1	-	73	-	79	75	14.6	6.5	13.8
Colchester	7,720	1	1	34	56	153	5	10	-	1	-	60	2	71	80	19.8	7.8	19.6
Columbia	3,420	-	-	5	42	33	-	3	-	-	-	25	-	19	20	9.7	7.3	11.4
Coventry	8,950	2	-	6	38	120	1	10	-	-	-	44	1	50	51	13.4	4.9	11.3
Cromwell	10,370	-	-	50	75	148	10	9	1	2	-	77	-	81	85	14.3	7.4	16.0
Deep River	3,990	1	-	7	2	61	1	3	-	-	-	35	-	18	20	15.3	8.8	9.5
Durham	5,150	1	-	10	62	55	1	3	-	4	-	30	-	38	35	10.7	5.8	14.2
Eastford	1,030	-	-	2	13	8	-	-	-	-	-	9	-	11	9	7.8	8.7	19.4
East Haddam	5,720	1	-	16	46	86	1	6	-	-	-	38	-	44	40	15.0	6.6	14.7
East Hampton	8,600	1	-	42	62	127	5	1	-	1	-	71	1	66	68	14.8	8.3	15.6
East Lyme	13,950	-	-	12	149	154	6	11	-	1	-	89	-	89	108	11.0	6.4	14.1
Essex	5,050	1	-	62	79	49	2	4	-	-	-	66	-	36	42	9.7	13.1	15.5
Franklin	1,620	-	-	3	4	17	-	2	-	-	-	10	-	17	11	10.5	6.2	17.3
Griswold	9,040	-	-	27	75	124	4	14	1	-	-	89	-	79	77	13.7	9.9	17.3
Groton	40,830	893	5	157	446	739	56	59	13	4	-	257	4	402	357	18.1	6.3	18.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

	Population estimated as of July 1, 1981	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Haddam	6,410	1	-	11	44	85	1	3	-	1	-	46	-	40	49	13.3	7.2	13.9
Hampton	1,350	-	-	2	11	14	-	1	-	-	-	14	-	9	16	10.4	10.4	18.5
Killingly	14,700	3	-	115	138	199	3	39	-	1	-	132	3	127	127	13.5	9.0	17.3
Killingworth	4,030	-	-	8	30	45	-	3	-	1	-	29	-	28	22	11.2	7.2	12.4
Lebanon	4,830	1	-	6	39	69	1	3	-	-	-	37	-	31	34	14.3	7.7	13.5
Ledyard	13,900	1	-	4	80	201	8	11	1	3	-	51	3	89	115	14.5	3.7	14.7
Lisbon	3,340	-	-	4	15	39	-	5	-	1	-	17	-	21	34	11.7	5.1	16.5
Lyme	1,840	-	-	5	4	15	1	2	-	-	-	27	-	16	13	8.2	14.7	15.8
Mansfield	20,740	-	-	11	122	117	18	11	2	1	-	69	-	83	71	5.6	3.3	7.4
Middlefield	3,760		NO	REPORT		35	-	1	-	1	-	21	-	21	17	9.3	5.6	10.1
Middletown	38,930	926	13	731	295	469	82	58	28	9	3	358	26	323	302	12.1	9.2	16.1
Montville	16,530	1	-	11	111	241	6	21	-	1	-	99	-	130	152	14.6	6.0	17.1
New London	28,730	1,231	6	638	423	493	116	132	60	1	-	258	26	300	290	17.2	9.0	20.5
North Stonington	4,270	-	-	5	50	55	1	4	-	1	-	20	-	41	37	12.9	4.7	18.3
Norwich	38,190	1,113	6	757	403	666	50	122	15	5	-	443	15	367	386	17.4	11.6	19.7
Old Lyme	6,240	1	-	25	81	63	1	5	-	-	-	71	-	43	50	10.1	11.4	14.9
Old Saybrook	9,350	1	-	76	96	92	8	7	1	-	-	83	2	73	74	9.8	8.9	15.7
Plainfield	12,850	-	-	36	112	191	2	30	1	2	1	125	-	108	116	14.9	9.7	17.4
Pomfret	2,790	1	-	9	47	41	-	3	-	-	-	27	-	20	14	14.7	9.7	12.2
Portland	8,400	-	-	48	81	73	4	6	3	3	-	91	1	57	50	8.7	10.8	12.7
Preston	4,660	1	-	20	36	19	-	1	-	-	-	31	-	21	22	4.1	6.7	9.2
Putnam	8,640	678	3	278	58	131	2	27	1	-	-	106	-	46	57	15.2	12.3	11.9
Salem	2,360	-	-	-	12	23	-	2	-	-	-	5	-	15	14	9.8	2.1	12.3
Scotland	1,080	-	-	1	9	10	-	1	-	-	-	6	-	5	8	9.3	5.6	12.0
Sprague	3,020	-	-	4	22	59	-	5	-	-	-	29	-	23	22	19.5	9.6	14.9
Sterling	1,780	-	-	6	13	20	-	4	-	-	-	20	-	11	11	11.2	11.2	12.4
Stonington	16,580	2	-	37	203	179	2	14	1	1	-	130	2	103	112	10.8	7.8	13.0
Thompson	8,190	1	-	20	84	111	3	17	2	-	-	66	-	52	59	13.6	8.1	13.6
Union	550	-	-	-	1	7	-	-	-	-	-	10	-	3	5	12.7	18.2	14.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Voluntown	1,630	-	-	2	23	37	-	4	-	-	-	26	1	16	14	22.7	16.0	18.4
Waterford	17,920	-	-	104	121	139	7	16	2	-	-	149	2	137	162	7.8	8.3	16.7
Westbrook	5,220	1	-	7	53	67	1	2	-	-	-	48	-	36	41	12.8	9.2	14.8
Willington	4,730	1	-	8	25	65	1	5	-	1	-	19	-	46	44	13.7	4.0	19.0
Windham	20,900	444	4	298	174	357	20	72	7	3	-	183	4	165	185	17.1	8.8	16.8
Woodstock	5,170	-	-	8	38	'61	-	2	-	-	-	47	-	33	27	11.8	9.1	11.6
HSA IV,North Central	895,550	12,615	102	7,520	7,495	11,781	1,792	2,457	1,010	93	10	7,290	443	6,714	7,069	13.2	8.1	15.4
Andover	2,200	-	-	4	12	28	1	1	-	-	-	16	-	19	14	12.7	7.3	15.0
Avon	11,400	-	-	57	103	117	3	6	-	1	-	73	-	71	71	10.3	6.4	12.5
Berlin	15,220	-	-	32	125	156	3	9	-	-	-	109	-	107	125	10.3	7.2	15.2
Bloomfield	18,700	1	-	113	125	180	74	38	28	2	1	163	29	107	125	9.6	8.7	12.4
Bolton	4,010	-	-	2	37	63	2	3	-	1	-	20	-	38	29	15.7	5.0	16.7
Bristol	57,500	664	7	456	568	694	20	78	11	9	-	481	1	541	579	12.1	8.4	19.5
Burlington	5,790	-	-	8	49	88	2	5	-	1	-	29	-	28	35	15.2	5.0	10.9
Canton	7,650	1	-	11	50	119	3	9	-	3	-	54	-	67	57	15.6	7.1	16.2
East Granby	4,120	-	-	4	19	59	-	4	-	1	-	23	-	30	33	14.3	5.6	15.3
East Hartford	52,270	1	-	130	392	631	92	103	29	5	-	440	12	469	510	12.1	8.4	18.7
East Windsor	8,940	-	-	29	144	125	6	15	2	-	-	83	3	120	119	14.0	9.3	26.7
Ellington	9,820	-	-	8	59	148	1	8	1	1	-	55	2	77	72	15.1	5.6	15.2
Enfield	42,500	-	-	122	437	540	14	53	1	4	-	256	5	292	339	12.7	6.0	14.9
Farmington	16,650	605	10	330	134	180	12	8	-	2	-	112	1	108	123	10.8	6.7	13.9
Glastonbury	24,500	-	-	67	202	254	6	16	3	-	-	152	2	130	147	10.4	6.2	11.3
Granby	8,050	-	-	11	53	122	3	7	-	-	-	43	-	36	48	15.2	5.3	10.4
Hartford	135,350	7,359	50	2,956	1,136	2,746	1,246	1,551	843	18	8	1,307	332	1,065	1,008	20.3	9.7	15.3
Hartland	1,440	-	-	4	11	22	-	1	-	-	-	9	-	8	4	15.3	6.3	8.3
Hebron	5,570	-	-	2	30	103	-	6	-	-	-	21	-	36	43	18.5	3.8	14.2
Manchester	49,570	1,402	12	590	479	638	40	56	8	9	-	449	-	386	420	12.9	9.1	16.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

	Population estimated as of July 1, 1981	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV,North Central Cont'd.																		
Marlborough	4,800	-	-	5	33	64	-	2	-	1	-	21	-	28	28	13.3	4.4	11.7
New Britain	72,700	1,968	17	820	636	1,048	105	206	47	8	-	705	30	680	691	14.4	9.7	18.9
Newington	28,900	1	-	273	208	278	5	15	2	1	-	217	1	183	194	9.6	7.5	13.0
Plainville	16,400	-	-	49	122	197	6	17	1	1	-	129	2	141	111	12.0	7.9	15.4
Plymouth	10,780	-	-	19	66	129	-	9	-	-	-	82	-	86	91	12.0	7.6	16.4
Rocky Hill	14,600	-	-	190	94	163	8	9	1	2	-	118	2	149	136	11.2	8.1	19.5
Simsbury	21,250	-	-	55	182	231	6	6	1	2	-	105	-	89	129	10.9	4.9	10.3
Somers	8,570	-	-	6	104	93	6	5	-	-	-	43	1	52	64	10.9	5.0	13.5
Southington	36,850	1	-	185	279	436	7	21	3	1	-	266	-	247	237	11.8	7.2	13.1
South Windsor	17,600	-	-	28	184	191	9	12	4	2	-	79	3	152	162	10.9	4.5	17.8
Stafford	9,410	1	-	129	70	165	1	13	-	1	-	76	-	81	82	17.5	8.1	17.3
Suffield	9,450	-	-	17	107	92	4	9	2	2	-	65	-	62	76	9.7	6.9	14.6
Tolland	9,800	1	-	2	71	130	4	12	-	1	-	27	-	51	62	13.3	2.8	11.5
Vernon	28,290	608	6	287	229	419	23	47	6	2	-	213	4	273	264	14.8	7.5	19.0
West Hartford	61,300	1	-	273	462	454	24	24	4	6	-	732	4	275	371	7.4	11.9	10.5
Wethersfield	25,900	-	-	61	162	201	2	17	1	-	-	247	-	131	172	7.8	9.5	11.7
Windsor	25,500	-	-	161	230	327	50	38	12	4	1	179	9	183	189	12.8	7.0	14.6
Windsor Locks	12,200	1	-	24	91	150	4	18	-	2	-	91	-	116	109	12.3	7.5	18.4
HSA V,Northwestern	494,730	5,635	40	4,245	3,873	6,200	433	1,043	219	46	6	4,205	117	3,325	3,458	12.5	8.5	13.7
Barkhamsted	2,950	-	-	1	12	40	1	3	1	1	-	14	-	20	16	13.6	4.8	12.2
Beacon Falls	4,000	-	-	2	19	51	-	7	-	-	-	24	-	29	30	12.8	6.0	14.8
Bethel	16,120	1	-	19	97	238	4	47	1	5	-	99	-	100	102	14.8	6.1	12.5
Bethlehem	2,650	2	-	4	26	39	-	1	-	-	-	19	-	21	19	14.7	7.2	15.1
Bridgewater	1,570	-	-	5	13	11	-	2	-	-	-	13	-	9	5	7.0	8.3	8.9
Brookfield	13,000	-	-	9	88	129	6	23	2	2	-	72	-	51	64	9.9	5.5	8.9
Canaan	1,010	-	-	6	6	26	1	3	1	-	-	19	-	7	11	25.7	18.8	17.8
Cheshire	22,000	-	-	77	136	255	6	8	-	2	-	157	-	114	130	11.6	7.1	11.1
Colebrook	1,220	-	-	5	15	10	-	-	-	-	-	8	-	9	7	8.2	6.6	13.1

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,300	-	-	4	14	19	-	3	-	-	-	16	-	7	8	14.6	12.3	11.5
Danbury	60,720	1,700	14	828	490	848	93	225	39	5	1	502	21	458	469	14.0	8.3	15.3
Goshen	1,750	1	-	5	28	21	-	1	-	-	-	22	-	15	6	12.0	12.6	12.0
Harwinton	4,950	-	-	9	24	57	-	1	-	-	-	32	-	28	23	11.5	6.5	10.3
Kent	2,520	1	-	9	23	31	1	4	-	-	-	26	-	12	15	12.3	10.3	10.7
Litchfield	7,750	-	-	34	104	93	1	11	-	-	-	67	-	54	63	12.0	8.7	15.1
Middlebury	6,030	-	-	25	52	51	-	3	-	1	-	53	-	25	34	8.5	8.8	9.8
Morris	1,910	-	-	2	12	21	-	2	-	-	-	13	-	11	18	11.0	6.8	15.2
Naugatuck	26,600	1	-	57	187	362	8	24	-	5	-	227	1	201	197	13.6	8.5	15.0
New Fairfield	11,420	-	-	5	77	137	1	29	-	-	-	66	-	54	75	12.0	5.8	11.3
New Hartford	4,960	-	-	4	51	63	1	5	-	-	-	22	-	33	32	12.7	4.4	13.1
New Milford	19,700	333	2	268	127	294	5	45	-	1	-	140	1	129	131	14.9	7.1	13.2
Newtown	19,370	2	-	81	114	205	4	28	-	1	-	106	1	102	110	10.6	5.5	10.9
Norfolk	2,190	2	-	9	16	39	-	3	-	-	-	21	1	17	10	17.8	9.6	12.3
North Canaan	3,200	-	-	42	31	26	2	4	1	-	-	25	1	18	18	8.1	7.8	11.3
Prospect	6,820	-	-	25	59	55	3	2	-	-	-	49	-	29	43	8.1	7.2	10.6
Redding	7,320	-	-	9	79	71	4	5	-	-	-	49	-	35	44	9.7	6.7	10.8
Ridgefield	20,180	1	-	33	224	182	2	16	-	2	1	123	2	118	119	9.0	6.1	11.7
Roxbury	1,500	-	-	1	10	20	-	2	-	1	-	18	-	8	5	13.3	12.0	8.7
Salisbury	3,910	-	-	21	41	47	-	4	-	-	-	42	-	18	24	12.0	10.7	10.7
Sharon	2,610	370	3	182	33	28	-	2	-	1	-	38	1	13	15	10.7	14.6	10.7
Sherman	2,330	-	-	3	18	19	-	3	-	-	-	16	-	18	21	8.2	6.9	16.7
Southbury	14,200	1	-	69	97	128	3	8	-	2	-	145	2	59	63	9.0	10.2	8.6
Thomaston	6,280	-	-	20	63	81	2	10	-	-	-	52	1	59	51	12.9	8.3	17.5
Torrington	31,300	805	6	418	237	404	7	44	1	3	1	325	6	266	265	12.9	10.4	17.0
Warren	1,040	1	-	2	19	16	-	-	-	-	-	7	-	6	9	15.4	6.7	14.4
Washington	3,700	-	-	8	41	47	-	3	-	-	-	39	1	24	25	12.7	10.5	13.2
Waterbury	103,800	2,413	15	1,701	783	1,464	271	412	172	11	3	1,133	76	773	796	14.1	10.9	15.1
Watertown	19,800	1	-	73	153	205	1	12	-	1	-	146	-	134	132	10.4	7.4	13.4

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1981

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1981	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Non-white	All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Winchester	10,850	-	-	125	110	164	3	19	1	1	-	122	1	94	104	15.1	11.2	18.3
Wolcott	13,100	-	-	32	100	126	2	11	-	1	-	79	1	87	92	9.6	6.0	13.7
Woodbury	7,100	-	-	13	44	77	1	8	-	-	-	59	-	60	57	10.9	8.3	16.5
OUT-OF-STATE		974		637		888	51	95	17	16	2	1,099	54	3,356	2,155			

TABLE 3: CONNECTICUT BIRTHS, 1981

	ALL RACES											NONWHITE										
		AGE OF MOTHER											AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL...............	39,999	63	4,321	11,121	13,750	8,421	2,052	247	16	-	8	5,619	42	1,279	1,882	1,373	767	232	38	4	-	2
MALE................	20,424	34	2,175	5,687	7,108	4,235	1,049	126	7	-	3	2,832	23	615	950	724	383	117	16	3	-	1
FEMALE..............	19,575	29	2,146	5,434	6,642	4,186	1,003	121	9	-	5	2,787	19	664	932	649	384	115	22	1	-	1
PLACE OF DELIVERY																						
HOSPITAL............	39,884	63	4,311	11,098	13,711	8,388	2,043	246	16	-	8	5,601	42	1,273	1,876	1,370	765	231	38	4	-	2
OTHER...............	104	-	9	21	34	30	9	1	-	-	-	15	-	5	6	2	1	1	-	-	-	-
UNKNOWN.............	11	-	1	2	5	3	-	-	-	-	-	3	-	1	-	1	1	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	32,255	2	1,692	8,352	12,319	7,808	1,847	220	13	-	2	2,545	2	176	751	839	563	178	31	4	-	1
MOTHER UNMARRIED ...	7,744	61	2,629	2,769	1,431	613	205	27	3	-	6	3,074	40	1,103	1,131	534	204	54	7	-	-	1
PERIOD OF GESTATION																						
UNDER 20 WEEKS......	13	1	3	5	4	-	-	-	-	-	-	5	1	1	3	-	-	-	-	-	-	-
20-27 WEEKS.........	229	-	40	69	72	36	12	-	-	-	-	68	-	18	20	16	9	5	-	-	-	-
28-31 WEEKS.........	248	-	40	76	82	37	11	2	-	-	-	53	-	15	18	15	5	-	-	-	-	-
32-35 WEEKS.........	838	5	107	257	270	143	48	5	3	-	-	215	3	45	78	54	28	4	2	1	-	-
36 WEEKS............	785	2	112	221	253	153	39	4	1	-	-	174	2	41	55	42	21	13	-	-	-	-
37-39 WEEKS.........	8,930	13	853	2,320	3,069	2,057	545	68	2	-	3	1,349	10	269	459	309	213	73	15	-	-	1
40 WEEKS OR OVER....	23,499	28	2,477	6,623	8,167	4,927	1,129	137	8	-	3	2,753	16	626	907	721	363	102	15	2	-	1
NOT STATED..........	5,457	14	689	1,550	1,833	1,068	268	31	2	-	2	1,002	10	264	342	216	128	35	6	1	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS..	290	2	57	91	85	40	15	-	-	-	-	105	2	31	35	23	9	5	-	-	-	-
1001-1500 GRAMS.....	242	1	41	72	23	37	7	1	-	-	-	69	-	17	20	22	8	1	1	-	-	-
1501-2000 GRAMS.....	499	2	56	148	171	93	25	3	1	-	-	143	1	27	47	39	25	4	-	-	-	-
2001-2500 GRAMS.....	1,706	6	280	466	545	308	89	9	1	-	2	423	6	120	129	93	56	15	4	-	-	-
2501-3000 GRAMS.....	6,356	18	931	1,990	1,984	1,137	255	37	2	-	2	1,359	10	364	477	301	151	44	10	1	-	1
3001-3500 GRAMS.....	15,088	24	1,705	4,344	5,218	2,993	715	79	8	-	2	2,158	17	486	761	513	281	84	13	2	-	1
3501-4000 GRAMS.....	11,515	7	993	3,006	4,106	2,674	642	82	4	-	1	1,086	4	185	342	298	189	60	7	1	-	-
4001-4500 GRAMS.....	3,472	3	218	848	1,274	896	209	23	-	-	1	219	2	40	59	67	34	14	3	-	-	-
4501 GRAMS AND OVER.	666	-	33	134	237	184	59	9	-	-	-	52	-	8	10	16	13	5	-	-	-	-
UNKNOWN.............	165	-	7	22	47	59	26	4	-	-	-	5	-	1	2	1	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE..............	39,148	62	4,268	10,931	13,400	8,228	1,995	243	14	-	7	5,482	41	1,260	1,841	1,334	743	223	34	4	-	2
TWINS...............	836	1	53	187	341	190	57	4	2	-	1	137	1	19	41	39	24	9	4	-	-	-
TRIPLETS............	15	-	-	3	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	39,999	2,737	165	63	183	498	879	1,207	1,554	11,121	13,750	8,421	2,052	247	16	8
NONWHITE	5,619	740	5	42	79	200	253	349	398	1,882	1,373	767	232	38	4	2
HSA 1 SOUTHWESTERN																
ALL RACES	7,486	521	101	22	43	107	183	242	292	1,934	2,354	1,711	513	82	3	-
NONWHITE	1,572	192	1	16	18	57	75	113	103	518	364	215	79	13	1	-
BRIDGEPORT																
ALL RACES	2,642	242	3	10	29	68	119	147	173	979	696	325	85	10	1	-
NONWHITE	812	113	-	8	12	37	48	69	54	307	181	72	21	3	-	-
DARIEN																
ALL RACES	152	5	3	-	-	-	1	1	1	11	49	65	23	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON																
ALL RACES	62	-	1	-	-	-	-	-	-	5	23	26	7	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD																
ALL RACES	431	26	2	-	-	3	4	2	7	69	174	136	32	4	-	-
NONWHITE	12	1	-	-	-	-	-	-	-	2	7	3	-	-	-	-
GREENWICH																
ALL RACES	474	20	24	-	-	1	4	5	3	64	148	170	66	13	-	-
NONWHITE	16	2	-	-	-	-	1	-	-	3	3	5	4	-	-	-
MONROE																
ALL RACES	145	7	-	-	-	-	-	3	-	17	55	52	15	3	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-
NEW CANAAN																
ALL RACES	126	2	9	-	-	-	3	2	1	16	36	37	28	3	-	-
NONWHITE	5	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-
NORWALK																
ALL RACES	1,069	64	10	7	4	15	20	34	37	283	329	269	59	12	-	-
NONWHITE	250	27	-	3	1	9	9	13	16	70	60	47	20	2	-	-
STAMFORD																
ALL RACES	1,337	92	33	5	6	13	20	34	46	311	477	318	87	19	1	-
NONWHITE	394	40	1	5	3	9	13	23	26	117	95	72	23	8	-	-
STRATFORD																
ALL RACES	506	32	3	-	4	5	9	12	19	121	198	107	27	4	-	-
NONWHITE	63	8	-	-	2	2	3	8	7	16	14	7	4	-	-	-
TRUMBULL																
ALL RACES	223	16	1	-	-	2	-	1	4	27	83	82	24	-	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	2	2	1	1	-	-	-
WESTON																
ALL RACES	45	3	2	-	-	-	-	1	-	3	10	20	10	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WESTPORT																
ALL RACES..........	169	7	8	-	-	-	1	-	1	21	54	50	34	8	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WILTON																
ALL RACES..........	105	5	2	-	-	-	2	-	-	7	22	54	16	3	1	-
NONWHITE...........	6	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-
HSA 2 SOUTH CENTRAL																
ALL RACES..........	7,785	540	17	17	43	111	169	235	304	2,083	2,701	1,680	397	39	5	1
NONWHITE...........	1,384	190	2	12	21	56	58	84	99	467	356	172	51	7	1	-
ANSONIA																
ALL RACES..........	279	20	-	-	-	3	6	13	14	83	103	44	12	1	-	-
NONWHITE...........	33	2	-	-	-	2	1	3	3	8	7	9	-	-	-	-
BETHANY																
ALL RACES..........	45	1	-	-	-	-	1	-	-	5	17	17	4	1	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BRANFORD																
ALL RACES..........	289	27	-	-	2	2	2	3	4	71	112	73	20	-	-	-
NONWHITE...........	6	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-
DERBY																
ALL RACES..........	166	9	1	-	-	1	3	5	3	61	55	27	11	-	-	-
NONWHITE...........	10	1	-	-	-	-	-	-	-	4	3	1	2	-	-	-
EAST HAVEN																
ALL RACES..........	260	14	-	1	1	3	3	7	14	65	102	54	8	2	-	-
NONWHITE...........	6	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-
GUILFORD																
ALL RACES..........	236	11	-	-	-	-	2	2	4	26	87	96	18	1	-	-
NONWHITE...........	5	1	-	-	-	-	-	-	1	-	1	3	-	-	-	-
HAMDEN																
ALL RACES..........	500	28	1	-	1	3	6	3	9	80	231	136	28	2	1	-
NONWHITE...........	47	6	-	-	-	1	2	-	3	9	16	12	3	1	-	-
MADISON																
ALL RACES..........	163	9	1	-	-	-	-	1	2	19	38	76	25	2	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN																
ALL RACES..........	851	48	1	1	6	18	26	32	32	283	291	132	26	3	1	-
NONWHITE...........	56	9	-	-	2	4	4	4	3	17	15	5	2	-	-	-
MILFORD																
ALL RACES..........	619	27	3	-	-	7	10	15	16	142	262	135	31	1	-	-
NONWHITE...........	9	-	-	-	-	-	-	-	-	1	3	3	2	-	-	-
NEW HAVEN																
ALL RACES..........	2,086	215	6	14	27	57	80	106	138	698	549	314	87	13	2	1
NONWHITE...........	1,027	147	1	12	17	43	46	70	82	371	242	105	33	5	1	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH BRANFORD																
ALL RACES.........	125	8	-	-	-	1	1	2	3	25	43	34	15	-	1	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
NORTH HAVEN																
ALL RACES.........	199	6	-	-	-	-	1	3	5	24	81	62	20	3	-	-
NONWHITE..........	11	-	-	-	-	-	-	-	-	3	3	3	2	-	-	-
ORANGE																
ALL RACES.........	90	2	1	-	-	-	-	1	-	11	30	41	7	-	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
OXFORD																
ALL RACES.........	88	4	-	-	-	-	-	-	1	18	30	33	6	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SEYMOUR																
ALL RACES.........	150	9	-	-	-	-	3	2	2	43	68	26	6	-	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
SHELTON																
ALL RACES.........	379	21	-	-	-	2	5	7	11	61	161	112	17	3	-	-
NONWHITE..........	10	3	-	-	-	-	-	2	-	1	5	1	1	-	-	-
WALLINGFORD																
ALL RACES.........	456	24	-	1	2	1	2	11	15	127	162	106	27	2	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-
WEST HAVEN																
ALL RACES.........	754	55	3	-	4	13	18	22	31	239	262	140	22	3	-	-
NONWHITE..........	144	21	1	-	2	5	5	5	7	48	45	21	5	1	-	-
WOODBRIDGE																
ALL RACES.........	50	2	-	-	-	-	-	-	-	2	17	22	7	2	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 3 EASTERN																
ALL RACES.........	6,747	372	6	1	18	56	134	233	308	2,182	2,316	1,173	297	29	-	-
NONWHITE..........	438	40	-	-	3	8	13	27	38	156	113	66	12	2	-	-
ASHFORD																
ALL RACES.........	37	2	-	-	-	-	1	-	1	10	11	14	-	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
BOZRAH																
ALL RACES.........	23	2	-	-	-	-	-	-	1	5	12	3	1	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES.........	57	5	-	-	-	-	1	1	7	19	14	12	2	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CANTERBURY																
ALL RACES.........	54	2	-	-	-	-	2	-	1	15	23	9	3	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CHAPLIN																
ALL RACES..........	13	2	-	-	-	-	-	-	-	3	8	1	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES..........	37	1	-	-	-	1	1	2	1	10	9	11	2	-	-	-
NONWHITE..........	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
CLINTON																
ALL RACES..........	164	8	1	-	-	-	4	5	3	37	56	50	8	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
COLCHESTER																
ALL RACES..........	153	12	-	-	-	2	2	2	4	52	49	34	8	-	-	-
NONWHITE..........	5	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
COLUMBIA																
ALL RACES..........	33	1	-	-	-	-	1	1	-	7	14	5	5	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY																
ALL RACES..........	120	6	-	-	-	-	2	1	2	35	46	30	4	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CROMWELL																
ALL RACES..........	148	11	-	-	-	-	2	1	2	25	62	52	4	-	-	-
NONWHITE..........	10	2	-	-	-	-	1	-	-	2	2	5	-	-	-	-
DEEP RIVER																
ALL RACES..........	61	4	-	-	-	-	2	-	4	18	21	13	3	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
DURHAM																
ALL RACES..........	55	-	-	-	-	1	-	1	1	11	23	15	2	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EASTFORD																
ALL RACES..........	8	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES..........	86	4	-	-	-	-	-	4	3	28	26	17	7	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST HAMPTON																
ALL RACES..........	127	9	-	-	-	1	-	3	3	26	54	33	7	-	-	-
NONWHITE..........	5	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-
EAST LYME																
ALL RACES..........	154	10	-	-	1	2	-	2	2	37	59	37	14	-	-	-
NONWHITE..........	6	1	-	-	-	-	-	-	-	1	1	2	2	-	-	-
ESSEX																
ALL RACES..........	49	4	-	-	-	-	-	2	1	10	17	12	7	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
FRANKLIN																
ALL RACES.........	17	1	-	-	-	-	-	2	-	6	7	1	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES.........	124	4	-	-	-	1	1	4	9	46	44	15	3	1	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
GROTON																
ALL RACES.........	739	47	1	-	2	7	3	15	29	297	264	94	27	1	-	-
NONWHITE..........	56	5	-	-	-	1	-	3	2	19	21	7	3	-	-	-
HADDAM																
ALL RACES.........	85	4	-	-	-	-	-	-	2	13	28	35	6	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HAMPTON																
ALL RACES.........	14	-	-	-	-	-	-	-	1	4	5	4	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES.........	199	7	-	-	1	1	11	9	13	70	51	36	7	-	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
KILLINGWORTH																
ALL RACES.........	45	3	-	-	-	-	1	1	1	8	15	14	5	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES.........	69	[illegible]	-	-	-	1	-	2	-	14	32	17	3	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LEDYARD																
ALL RACES.........	201	4	-	-	-	-	2	6	6	54	89	31	12	1	-	-
NONWHITE..........	8	-	-	-	-	-	-	1	-	5	2	-	-	-	-	-
LISBON																
ALL RACES.........	39	2	-	-	-	-	1	-	2	13	15	6	1	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES.........	15	1	-	-	-	1	-	1	-	3	5	3	2	-	-	-
NONWHITE..........	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MANSFIELD																
ALL RACES.........	117	6	-	-	-	-	-	2	2	25	42	33	11	2	-	-
NONWHITE..........	18	-	-	-	-	-	-	-	-	3	10	5	-	-	-	-
MIDDLEFIELD																
ALL RACES.........	35	1	1	-	-	-	2	-	-	7	21	3	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN																
ALL RACES.........	469	36	1	-	1	3	13	21	23	149	158	84	17	-	-	-
NONWHITE..........	82	12	-	-	1	2	5	5	9	29	17	13	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MONTVILLE																
ALL RACES.........	241	8	-	1	1	-	1	7	13	92	86	30	7	3	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-
NEW LONDON																
ALL RACES.........	493	32	-	-	1	7	14	31	33	200	133	56	15	3	-	-
NONWHITE..........	116	12	-	-	-	3	4	9	15	47	27	9	2	-	-	-
N STONINGTON																
ALL RACES.........	55	2	-	-	-	1	-	2	-	15	26	9	2	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NORWICH																
ALL RACES.........	666	30	-	-	6	9	20	38	43	268	182	78	21	1	-	-
NONWHITE..........	50	4	-	-	2	-	3	4	6	17	14	4	-	-	-	-
OLD LYME																
ALL RACES.........	63	5	-	-	-	-	-	1	1	15	23	14	9	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OLD SAYBROOK																
ALL RACES.........	92	4	-	-	-	-	4	2	3	34	26	14	8	1	-	-
NONWHITE..........	8	1	-	-	-	-	-	-	1	5	-	1	-	1	-	-
PLAINFIELD																
ALL RACES.........	191	11	-	-	-	5	5	10	14	69	66	14	7	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
POMFRET																
ALL RACES.........	41	3	-	-	-	-	2	2	-	12	16	7	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES.........	73	1	-	-	-	-	2	2	1	19	29	16	3	1	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
PRESTON																
ALL RACES.........	19	2	-	-	-	-	1	-	1	5	8	2	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES.........	131	14	-	-	2	1	7	7	9	50	38	10	7	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
SALEM																
ALL RACES.........	23	-	-	-	-	-	-	-	1	3	9	7	3	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES.........	10	-	-	-	-	1	-	-	-	1	5	3	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES.........	59	3	-	-	-	1	1	2	7	24	14	5	4	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
STERLING																
ALL RACES.........	20	2	-	-	-	2	-	1	-	7	6	3	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES.........	179	13	1	-	-	2	4	8	4	45	68	40	8	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THOMPSON																
ALL RACES.........	111	8	-	-	-	1	1	6	8	43	34	15	3	-	-	-
NONWHITE..........	3	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
UNION																
ALL RACES.........	7	1	-	-	-	-	-	-	1	1	3	2	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES.........	37	2	-	-	-	-	-	2	3	15	12	4	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD																
ALL RACES.........	139	4	-	-	-	-	4	4	1	45	50	30	4	1	-	-
NONWHITE..........	7	-	-	-	-	-	-	2	-	1	2	2	-	-	-	-
WESTBROOK																
ALL RACES.........	67	5	-	-	-	-	1	2	4	19	21	16	4	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WILLINGTON																
ALL RACES.........	65	6	-	-	-	1	1	-	5	12	31	10	4	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WINDHAM																
ALL RACES.........	357	13	1	-	3	4	14	17	30	120	116	46	5	2	-	-
NONWHITE..........	20	-	-	-	-	-	-	2	3	7	4	4	-	-	-	-
WOODSTOCK																
ALL RACES.........	61	-	-	-	-	-	-	1	2	10	32	15	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES.........	11,781	917	14	18	65	176	291	343	444	3,263	4,109	2,475	533	57	4	3
NONWHITE..........	1,792	262	2	13	32	67	90	103	125	596	430	257	66	10	2	1
ANDOVER																
ALL RACES.........	28	-	-	-	-	-	-	1	-	2	15	8	2	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
AVON																
ALL RACES.........	117	12	1	-	-	-	-	2	-	9	53	44	8	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
BERLIN																
ALL RACES.........	156	12	-	-	-	-	1	2	2	22	80	42	7	-	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BLOOMFIELD																
ALL RACES	180	13	-	-	3	2	1	6	5	30	56	59	17	1	-	-
NONWHITE	74	7	-	-	3	2	1	4	3	20	17	20	4	-	-	-
BOLTON																
ALL RACES	63	4	-	-	-	-	-	1	1	7	30	20	4	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
BRISTOL																
ALL RACES	694	55	-	-	-	7	13	23	36	248	228	119	17	3	-	-
NONWHITE	20	2	-	-	-	-	3	2	2	4	3	5	-	1	-	-
BURLINGTON																
ALL RACES	88	8	1	-	1	-	-	-	-	10	40	33	3	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
CANTON																
ALL RACES	119	8	-	-	-	-	-	-	5	15	55	36	8	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
EAST GRANBY																
ALL RACES	59	-	-	-	-	-	1	1	1	10	25	20	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD																
ALL RACES	631	59	1	-	1	5	10	18	31	216	206	119	22	3	-	-
NONWHITE	92	15	1	-	-	2	2	5	6	28	27	18	4	-	-	-
EAST WINDSOR																
ALL RACES	125	7	-	-	-	2	3	-	4	48	42	21	4	1	-	-
NONWHITE	6	2	-	-	-	-	-	-	-	3	2	1	-	-	-	-
ELLINGTON																
ALL RACES	148	4	-	-	1	-	-	2	4	40	62	30	9	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ENFIELD																
ALL RACES	540	24	-	-	2	3	10	17	23	149	215	103	15	3	-	-
NONWHITE	14	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-
FARMINGTON																
ALL RACES	180	13	-	-	-	-	1	-	2	24	76	66	11	-	-	-
NONWHITE	12	3	-	-	-	-	-	-	-	1	6	3	2	-	-	-
GLASTONBURY																
ALL RACES	254	12	-	-	1	1	1	3	4	26	88	104	24	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
GRANBY																
ALL RACES	122	9	-	-	-	-	-	-	1	20	50	39	11	1	-	-
NONWHITE	3	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-
HARTFORD																
ALL RACES	2,746	332	3	17	46	115	160	159	199	1,000	644	298	89	14	4	1
NONWHITE	1,246	191	1	12	26	57	73	79	101	466	271	120	30	8	2	1

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HARTLAND																
ALL RACES..........	22	-	-	-	-	-	-	1	-	8	6	7	-	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES..........	103	3	-	-	-	-	-	-	2	19	51	26	4	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANCHESTER																
ALL RACES..........	638	36	1	-	2	3	13	19	16	197	251	109	27	1	-	-
NONWHITE...........	40	6	-	-	1	-	1	4	1	8	12	9	4	-	-	-
MARLBOROUGH																
ALL RACES..........	64	9	-	-	-	-	-	-	1	6	31	25	1	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES..........	1,048	80	4	1	7	19	39	39	36	368	377	136	20	4	-	2
NONWHITE...........	105	13	-	1	1	4	8	5	5	41	22	16	2	-	-	-
NEWINGTON																
ALL RACES..........	278	20	-	-	-	-	2	3	3	54	126	74	15	1	-	-
NONWHITE...........	5	1	-	-	-	-	-	-	-	2	-	2	1	-	-	-
PLAINVILLE																
ALL RACES..........	197	9	1	-	-	1	3	5	1	56	80	45	5	1	-	-
NONWHITE...........	6	1	-	-	-	-	-	-	-	2	3	1	-	-	-	-
PLYMOUTH																
ALL RACES..........	129	9	-	-	-	-	3	4	3	36	53	27	2	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL																
ALL RACES..........	163	16	-	-	-	-	1	1	2	29	68	46	13	3	-	-
NONWHITE...........	8	4	-	-	-	-	-	-	-	1	3	4	-	-	-	-
SIMSBURY																
ALL RACES..........	231	10	1	-	-	1	-	1	1	22	68	104	30	4	-	-
NONWHITE...........	6	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
SOMERS																
ALL RACES..........	93	2	-	-	-	1	-	1	5	29	27	28	2	-	-	-
NONWHITE...........	6	-	-	-	-	1	-	-	-	-	2	2	1	-	-	-
SOUTHINGTON																
ALL RACES..........	436	26	1	-	-	1	4	4	11	86	188	117	23	2	-	-
NONWHITE...........	7	1	-	-	-	-	-	1	1	1	1	1	2	-	-	-
SOUTH WINDSOR																
ALL RACES..........	191	11	-	-	-	1	3	-	5	29	77	60	15	1	-	-
NONWHITE...........	9	2	-	-	-	-	-	-	1	1	4	2	1	-	-	-
STAFFORD																
ALL RACES..........	165	13	-	-	-	2	3	5	3	56	69	21	5	1	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES.........	92	5	-	-	-	-	3	1	2	24	34	20	7	1	-	-
NONWHITE..........	4	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-
TOLLAND																
ALL RACES.........	130	5	-	-	-	1	-	1	1	21	56	39	10	1	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
VERNON																
ALL RACES.........	419	27	-	-	1	2	9	9	18	140	134	84	22	-	-	-
NONWHITE..........	23	5	-	-	1	-	-	-	1	4	5	7	5	-	-	-
WEST HARTFORD																
ALL RACES.........	454	19	-	-	-	1	1	-	4	61	172	170	43	2	-	-
NONWHITE..........	24	4	-	-	-	1	-	-	1	5	10	5	2	-	-	-
WETHERSFIELD																
ALL RACES.........	201	15	-	-	-	5	-	4	3	34	69	70	15	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
WINDSOR																
ALL RACES.........	327	17	-	-	-	1	5	8	5	60	141	87	18	2	-	-
NONWHITE..........	50	3	-	-	-	-	2	2	2	4	18	18	4	-	-	-
WINDSOR LOCKS																
ALL RACES.........	150	13	-	-	-	2	1	2	4	52	66	19	4	-	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES.........	6,200	387	27	5	14	48	102	154	206	1,659	2,270	1,382	312	40	4	4
NONWHITE..........	433	56	-	1	5	12	17	22	33	145	110	57	24	6	-	1
BARKHAMSTED																
ALL RACES.........	40	3	1	-	-	-	-	1	2	6	9	17	5	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BEACON FALLS																
ALL RACES.........	51	2	-	-	-	-	3	-	2	9	22	13	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES.........	238	1[illegible]	1	-	-	-	-	5	1	46	106	60	17	2	-	1
NONWHITE..........	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
BETHLEHEM																
ALL RACES.........	39	1	-	-	-	-	1	-	-	4	18	12	4	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES.........	11	-	-	-	-	-	-	-	-	2	2	6	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES.........	129	7	1	-	-	-	1	3	1	26	54	37	7	-	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CANAAN																
ALL RACES	26	-	-	-	-	-	1	-	-	6	12	4	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHESHIRE																
ALL RACES	255	3	1	-	-	-	4	1	2	42	91	105	8	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
COLEBROOK																
ALL RACES	10	-	-	-	-	-	-	-	-	3	5	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	19	3	1	-	-	-	1	1	-	6	7	4	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES	848	56	3	1	2	4	11	17	39	239	302	177	43	9	1	3
NONWHITE	93	11	-	1	1	2	6	2	8	28	18	15	7	4	-	1
GOSHEN																
ALL RACES	21	-	-	-	-	-	-	-	-	4	8	8	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES	57	8	-	-	-	-	-	1	1	12	25	14	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES	31	1	1	-	-	-	-	2	1	9	8	6	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
LITCHFIELD																
ALL RACES	93	2	-	-	-	1	2	3	4	27	35	13	7	-	1	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLEBURY																
ALL RACES	51	2	-	-	-	-	2	-	1	10	15	20	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES	21	-	-	-	-	-	1	-	1	4	10	5	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK																
ALL RACES	362	20	-	-	-	3	2	6	6	130	138	62	14	1	-	-
NONWHITE	8	-	-	-	-	-	-	1	-	4	2	-	1	-	-	-
NEW FAIRFIELD																
ALL RACES	137	4	2	1	-	-	2	3	2	15	62	42	10	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NEW HARTFORD																
ALL RACES	63	2	1	-	-	-	-	3	-	19	16	24	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NEW MILFORD																
ALL RACES.........	294	18	-	-	1	5	4	2	13	72	111	63	22	1	-	-
NONWHITE..........	5	1	-	-	-	-	-	-	-	-	2	2	1	-	-	-
NEWTOWN																
ALL RACES.........	205	11	1	-	-	1	1	3	5	34	79	66	14	-	2	-
NONWHITE..........	4	1	-	-	-	-	-	-	-	3	1	-	-	-	-	-
NORFOLK																
ALL RACES.........	39	-	-	-	-	1	-	1	-	7	9	15	5	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES.........	26	-	-	-	-	-	-	-	-	9	9	7	1	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
PROSPECT																
ALL RACES.........	55	2	-	-	-	-	1	1	-	10	24	14	5	-	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
REDDING																
ALL RACES.........	71	3	2	-	-	-	-	1	-	10	23	29	8	-	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
RIDGEFIELD																
ALL RACES.........	182	11	5	-	-	-	-	2	3	19	54	81	21	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
ROXBURY																
ALL RACES.........	20	2	-	-	-	-	-	-	-	4	9	6	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES.........	47	1	1	-	-	3	-	-	1	10	19	8	6	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON																
ALL RACES.........	28	4	1	-	-	-	-	-	3	7	8	9	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN																
ALL RACES.........	19	2	-	-	-	-	-	-	-	4	5	7	1	2	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES.........	128	13	1	-	-	1	1	5	1	19	57	32	10	2	-	-
NONWHITE..........	3	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-
THOMASTON																
ALL RACES.........	81	5	-	1	-	-	-	4	4	29	25	15	1	2	-	-
NONWHITE..........	2	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TORRINGTON																
ALL RACES.........	404	31	1	-	-	2	4	17	12	122	164	68	12	3	-	-
NONWHITE..........	7	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1981-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WARREN																
ALL RACES	16	2	-	-	-	-	-	1	-	4	4	7	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES	47	3	-	-	-	-	1	-	1	12	16	13	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES	1,464	119	-	1	9	26	45	63	88	538	472	179	36	7	-	-
NONWHITE	271	40	-	-	4	9	11	18	25	99	67	29	7	2	-	-
WATERTOWN																
ALL RACES	205	12	1	1	-	-	5	1	4	39	86	56	12	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WINCHESTER																
ALL RACES	164	16	1	-	1	1	5	4	4	39	74	27	6	3	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
WOLCOTT																
ALL RACES	126	6	-	-	1	-	2	3	3	35	54	21	7	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WOODBURY																
ALL RACES	77	2	1	-	-	-	2	-	1	17	23	28	5	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1981

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	326	12	24	93	100	70	24	2	1	-	-	51	4	11	14	9	10	2	-	1	-	-
Sex:																						
Male	151	8	14	49	47	26	5	2	-	-	-	28	3	9	9	4	3	-	-	-	-	-
Female	171	3	10	44	52	43	18	-	1	-	-	23	1	2	5	5	7	2	-	1	-	-
Unknown	4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	323	12	23	93	100	70	22	2	1	-	-	51	4	11	14	9	10	2	-	1	-	-
Other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	3	1	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
20-27 weeks	83	2	7	25	24	16	9	-	-	-	-	16	1	4	4	3	3	1	-	-	-	-
28-31 weeks	30	1	3	10	10	6	-	-	-	-	-	4	-	2	1	-	1	-	-	-	-	-
32-35 weeks	28	-	4	6	9	6	3	-	-	-	-	8	-	4	1	1	2	-	-	-	-	-
36 weeks	18	-	1	4	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37-39 weeks	32	2	2	8	9	11	-	-	-	-	-	4	1	-	2	-	1	-	-	-	-	-
40 weeks or over	42	1	2	14	12	8	4	-	1	-	-	6	-	-	2	1	2	-	-	1	-	-
Unknown	90	5	4	26	31	15	7	2	-	-	-	12	2	-	4	4	1	1	-	-	-	-
Weight at birth:																						
1000 grams or less	133	4	11	40	40	27	11	-	-	-	-	24	2	6	6	4	5	1	-	-	-	-
1001-1500 grams	36	1	3	12	11	8	1	-	-	-	-	8	-	3	2	2	1	-	-	-	-	-
1501-2000 grams	26	1	2	4	9	6	3	-	1	-	-	3	-	-	-	2	-	-	-	1	-	-
2001-2500 grams	21	-	2	8	5	5	1	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-
2501-3000 grams	29	1	2	8	10	6	2	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-
3001-3500 grams	27	-	2	8	7	8	1	1	-	-	-	3	-	1	1	-	1	-	-	-	-	-
3501-4000 grams	12	-	-	6	1	3	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
4001-4500 grams	6	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	4	-	-	-	1	2	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Unknown	32	5	2	5	13	4	2	1	-	-	-	4	2	-	1	-	-	1	-	-	-	-
Plural births:																						
Single	293	11	22	85	89	60	23	2	1	-	-	47	4	9	13	8	10	2	-	1	-	-
Twins	28	-	2	5	11	9	1	-	-	-	-	4	-	2	1	1	-	-	-	-	-	-
Triplets	4	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

-No fetal deaths reported

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1981

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total all causes	326
741	Spinal bifida	1
748	Congenital anomalies of respiratory system	1
751	Other congenital anomalies of digestive system	1
756	Other congenital musculoskeletal anomalies	1
757	Congenital anomalies of integument	1
758	Chromosomal anomalies	2
759	Other and unspecified congenital anomalies	11
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	6
761	Fetus affected by maternal complications of pregnancy	26
762	Fetus affected by complications of placenta, cord and membranes	130
763	Fetus affected by other complications of labor and delivery	17
765	Disorders relating to short gestation and unspecified low birthweight	14
768	Intrauterine hypoxia and birth asphyxia	20
769	Respiratory distress syndrome	1
772	Fetal hemorrhage	2
773	Hemolytic disease of fetus, due to isoimmunization	1
775	Endocrine and metabolic disturbances specific to the fetus	2
778	Conditions involving the integument and temperature regulation of fetus	4
779	Other and ill-defined conditions originating in perinatal period	85

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	26356	480	25	16	6	11	538	54	37	208	280	261	237	309	379	576	968	1,800	2,309	2,837	3,198	3,478	3,436	5,708	2
MALE	13713	280	9	9	5	8	311	31	19	152	209	206	168	206	253	337	580	1,223	1,652	1,694	1,866	1,769	1,473	2,021	2
FEMALE	12643	200	16	7	1	3	227	23	18	56	71	55	69	103	126	239	388	577	657	1,143	1,332	1,709	1,963	3,687	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
10-18 TUBERCULOSIS																									
MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	1	1	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	1	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	5	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE	6	1	1	-	-	1	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	80	-	-	1	-	-	1	-	-	1	-	1	1	1	-	3	-	6	9	9	10	10	18	10	-
FEMALE	101	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	1	5	4	8	11	12	14	36	-
90-97 SYPHILIS																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	31	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	1	1	2	8	4	2	2	7	-
FEMALE	29	-	1	-	-	-	1	1	-	-	-	1	-	2	-	1	2	1	2	1	3	2	3	9	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,230	-	-	1	-	-	1	6	2	3	7	11	21	30	37	102	173	331	460	512	536	437	295	264	-
FEMALE	2,975	-	1	2	-	-	3	4	3	8	4	8	18	32	50	103	196	263	374	433	398	377	346	355	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	33	-	-	1	-	-	1	-	-	-	1	-	1	-	-	1	2	2	5	7	2	3	4	4	-
FEMALE	44	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	3	4	9	11	9	-
250 DIABETES MELLITIS																									
MALE	183	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	10	10	15	28	27	37	23	26	-
FEMALE	245	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	7	8	22	35	31	38	36	60	-
280-285 ANEMIAS																									
MALE	15	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	2	1	1	-	4	4	-
FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	3	9	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	65	-	-	-	-	-	-	-	-	-	1	1	1	6	8	8	11	14	4	4	5	2	-	-	-
FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	6	4	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
320-322 MENINGITIS																									
MALE	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,511	3	2	-	-	1	6	1	2	3	8	17	11	47	70	128	265	453	697	830	946	914	851	1,262	-
FEMALE	6,596	3	1	-	-	-	4	1	1	4	8	2	8	10	30	56	89	162	282	488	655	999	1,203	2,594	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	5,290	2	2	-	-	1	5	1	1	1	7	12	9	36	62	121	235	389	614	705	784	719	648	941	-
FEMALE	4,924	2	1	-	-	-	3	1	-	1	7	1	6	6	19	45	74	134	221	391	531	751	871	1,862	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	4	5	2	-
FEMALE	59	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	7	15	11	9	4	3	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	137	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	8	15	23	15	21	21	14	9	-
FEMALE	139	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	9	15	18	30	20	32	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	10	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	4,083	-	-	-	-	-	-	-	-	-	1	-	5	25	45	91	179	303	477	567	628	544	491	727	-
FEMALE	3,653	-	-	-	-	-	-	-	-	-	1	-	2	2	7	27	49	90	160	278	600	565	651	1,421	-
415-429 OTHER HEART DISEASE																									
MALE	1,040	2	2	-	-	1	5	1	1	1	6	11	3	9	11	28	48	70	111	120	131	147	135	202	-
FEMALE	1,056	2	1	-	-	-	3	1	-	1	6	1	4	3	8	14	18	35	44	82	101	146	193	396	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	6	6	11	8	15	-
FEMALE	58	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	4	8	6	4	9	23	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	812	1	-	-	-	-	1	-	1	1	1	4	2	10	6	7	18	45	57	86	114	126	128	205	-
FEMALE	1,224	1	-	-	-	-	1	-	1	2	1	1	2	1	10	10	12	24	47	73	88	191	247	513	-
440 ATHEROSCLEROSIS																									
MALE	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	4	4	13	22	29	81	-
FEMALE	273	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	7	5	13	32	55	158	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	185	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	3	9	17	29	29	36	38	20	-
FEMALE	117	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	3	11	17	21	21	38	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
480-486 PNEUMONIA																									
MALE	361	-	-	-	-	-	-	2	1	2	1	-	-	4	2	3	3	13	16	27	46	62	59	120	-
FEMALE	354	-	-	-	-	1	1	-	-	-	-	2	-	1	3	2	3	-	9	13	22	33	69	196	-
487 INFLUENZA																									
MALE	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	3	2	6	-
FEMALE	34	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	4	3	5	18	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	468	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	2	23	40	55	82	112	65	77	-
FEMALE	297	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	7	16	34	34	57	53	53	40	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	30	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	4	2	2	4	6	3	5	-
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	5	5	3	7	15	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	5	4	8	-
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	6	5	9	17	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	255	-	-	-	-	-	-	-	-	-	-	3	7	22	13	18	27	34	36	42	25	19	9	-	-
FEMALE	141	-	-	-	-	-	-	-	-	-	1	-	5	5	4	14	20	15	23	17	16	11	8	2	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	129	1	-	-	-	-	1	-	-	-	1	-	1	1	2	2	4	5	11	12	22	22	14	31	-
FEMALE	78	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	3	4	6	11	17	14	20	-
590 INFECTIONS OF KIDNEY																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	3	-
600 HYPERPLASIA OF PROSTATE																									
MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-
740-759 CONGENITAL ANOMALIES																									
MALE	91	66	2	1	-	1	70	2	1	2	2	2	2	1	-	1	-	-	3	1	1	1	1	1	-
FEMALE	83	60	3	-	-	1	64	1	1	3	2	1	-	3	-	-	1	2	2	1	-	1	1	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	176	175	-	-	-	-	175	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	113	111	-	-	-	-	111	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	20	20	-	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	13	13	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E800-E949 ACCIDENTS																									
MALE	687	4	1	3	3	2	13	16	23	96	121	77	46	35	24	25	29	25	30	26	26	19	19	36	1
FEMALE	310	2	3	1	1	-	7	7	5	25	33	17	15	15	7	9	13	13	17	17	22	27	18	43	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	371	1	-	1	-	1	3	9	7	74	96	53	26	25	11	8	8	11	9	7	9	6	3	6	-
FEMALE	141	1	1	1	-	-	3	1	3	23	25	14	8	9	5	5	8	5	4	6	6	15	1	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	24	-	-	2	1	-	3	2	2	4	2	1	1	-	2	-	3	1	2	-	-	-	-	-	1
FEMALE	8	-	-	-	1	-	1	1	1	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	220	-	-	-	-	-	-	-	4	16	27	25	25	11	18	11	11	15	14	8	12	10	7	6	-
FEMALE	69	-	-	-	-	-	-	-	-	3	6	6	3	5	6	8	8	6	8	5	2	-	2	1	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	112	1	-	-	-	-	1	2	2	11	17	19	16	17	7	5	3	5	3	-	2	1	-	-	1
FEMALE	32	2	1	-	-	-	3	2	2	4	5	1	1	3	3	1	2	1	1	-	-	3	-	-	-
ALL OTHER CAUSES																									
MALE	944	10	4	2	1	4	21	-	4	11	21	45	35	28	15	17	35	57	90	119	108	101	91	146	-
FEMALE	983	4	5	3	-	-	12	6	4	8	12	14	17	21	15	35	28	64	62	72	83	112	157	261	-

- NO DEATHS REPORTED

NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	1,441	121	13	1	1	-	136	8	8	20	25	32	43	64	76	77	92	140	126	146	123	111	103	111	-
MALE	826	73	4	1	1	-	79	5	3	14	14	25	31	44	42	50	55	86	82	82	80	47	48	39	-
FEMALE	615	48	9	-	-	-	57	3	5	6	11	7	12	20	34	27	37	54	44	64	43	64	55	72	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	2	-
90-97 SYPHILIS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	173	-	-	-	-	-	-	-	-	-	1	1	1	4	3	11	14	24	29	28	29	12	12	4	-
FEMALE	131	-	1	-	-	-	1	-	2	-	1	1	1	5	9	9	12	17	16	14	11	10	12	10	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
250 DIABETES MELLITIS																									
MALE	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	3	-	2	1	-	-
FEMALE	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	8	1	4	3	-	-
280-285 ANEMIAS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	2	7	4	5	2	-	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
320-322 MENINGITIS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	268	1	2	-	-	-	3	-	-	2	1	5	1	6	13	14	22	31	28	33	37	24	21	27	-
FEMALE	245	-	1	-	-	-	1	-	-	-	-	-	2	4	8	10	12	17	18	34	24	38	32	45	-
390-398, 402, 404-429 DISEASES OF THE HEART																									
MALE	200	-	2	-	-	-	2	-	-	-	1	1	1	3	13	14	17	24	21	23	27	19	15	19	-
FEMALE	187	-	1	-	-	-	1	-	-	-	-	-	1	2	6	8	12	15	12	22	18	27	27	36	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	19	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	3	2	2	-	1	1	-	-
FEMALE	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	-	3	1	3	4	-	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	128	-	-	-	-	-	-	-	-	-	-	-	-	-	7	10	10	17	14	16	21	12	10	11	-
FEMALE	116	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	7	7	8	14	12	15	15	32	-
415-429 OTHER HEART DISEASE																									
MALE	53	-	2	-	-	-	2	-	-	-	1	1	-	2	2	3	4	4	5	5	6	6	4	8	-
FEMALE	48	-	1	-	-	-	1	-	-	-	-	-	1	1	2	3	2	7	4	4	5	9	6	3	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	46	1	-	-	-	-	1	-	-	1	-	3	-	3	-	-	2	5	5	7	10	2	4	3	-
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	6	7	4	10	3	5	-
440 ATHEROSCLEROSIS																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	3	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	3	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	12	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	3	-	1	1	2	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
480-486 PNEUMONIA																									
MALE........................	24	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	2	3	3	3	2	2	1	-
FEMALE......................	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	1	4	-
487 INFLUENZA																									
MALE........................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE........................	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	3	1	1	3	1	-
FEMALE......................	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	1	1	1	-	1	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE........................	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE........................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE........................	29	-	-	-	-	-	-	-	-	-	-	1	1	9	3	3	1	5	3	2	-	1	-	-	-
FEMALE......................	14	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	1	2	1	1	-	1	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE........................	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	4	2	-
FEMALE......................	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-
590 INFECTIONS OF KIDNEY																									
MALE........................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
600 HYPERPLASIA OF PROSTATE																									
MALE........................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																									
MALE........................	9	9	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	12	9	1	-	-	-	10	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE........................	51	51	-	-	-	-	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	33	33	-	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE........................	7	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E800-E949 ACCIDENTS																									
MALE	56	2	-	-	1	-	3	3	2	6	5	5	6	3	4	5	4	4	2	3	-	-	-	1	-
FEMALE	26	1	1	-	-	-	2	1	1	-	2	1	1	3	3	1	1	1	2	1	1	-	2	1	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	24	1	-	-	-	-	1	2	1	2	4	1	2	2	3	1	1	1	-	1	-	-	-	-	-
FEMALE	10	-	1	-	-	-	1	-	1	-	1	1	-	1	2	-	-	1	1	1	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	4	-	-	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	49	1	-	-	-	-	1	1	-	3	5	8	10	10	5	2	-	2	-	-	1	1	-	-	-
FEMALE	12	-	1	-	-	-	1	1	-	1	3	1	1	1	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER CAUSES																									
MALE	76	2	2	1	-	-	5	-	-	-	1	5	10	7	1	2	6	9	8	6	7	2	4	3	-
FEMALE	67	2	3	-	-	-	5	1	-	2	4	1	5	3	5	2	7	9	3	3	2	5	3	7	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT.........	480	121	240	101	36	39	64	126	286	59	12	33	35
HSA 1 SOUTHWESTERN..	82	30	44	19	6	6	7	18	55	14	3	4	5
BRIDGEPORT	43	21	25	10	1	1	6	6	31	11	3	3	3
DARIEN	2	-	-	1	-	1	-	1	1	-	-	-	-
EASTON	1	-	-	-	-	-	1	-	-	-	-	-	1
FAIRFIELD	4	-	1	2	-	1	-	2	2	-	-	-	-
GREENWICH	2	-	1	-	-	1	-	1	1	-	-	-	-
MONROE	1	-	-	-	1	-	-	1	-	-	-	-	-
NEW CANAAN	1	-	-	-	1	-	-	-	1	-	-	-	-
NORWALK	12	4	9	-	2	1	-	2	8	2	-	1	1
STAMFORD	11	4	5	4	1	1	-	5	6	1	-	-	-
STRATFORD	1	1	-	1	-	-	-	-	1	-	-	-	-
TRUMBULL	2	-	2	-	-	-	-	-	2	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON	2	-	1	1	-	-	-	-	2	-	-	-	-
HSA 2 SOUTH CENTRAL.	97	29	45	19	3	12	18	25	54	11	2	9	9
ANSONIA	2	-	1	-	-	-	1	-	1	-	-	1	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	7	-	4	1	1	-	1	3	4	-	-	-	-
DERBY	3	1	2	1	-	-	-	-	3	1	-	-	-
EAST HAVEN	2	-	1	-	-	1	-	-	1	1	-	1	-
GUILFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMDEN	6	-	2	1	1	1	1	3	1	-	-	-	2
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	7	1	3	2	-	-	2	1	4	1	-	1	1
MILFORD	7	-	1	4	-	2	-	1	4	-	1	1	1
NEW HAVEN	39	22	20	7	-	4	8	9	24	5	1	2	4
NORTH BRANFORD......	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	2	-	1	-	-	-	1	-	1	-	-	1	-
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	1	-	1	-	-	-	-	-	1	-	-	-	-
SEYMOUR	1	-	-	-	-	-	1	1	-	-	-	-	-
SHELTON	4	1	2	1	-	-	1	3	1	-	-	-	-
WALLINGFORD	3	-	-	1	-	1	1	1	1	-	-	-	1
WEST HAVEN	12	3	7	1	1	2	1	3	8	3	-	1	-
WOODBRIDGE	1	1	-	-	-	1	-	-	-	-	-	1	-
HSA 3 EASTERN.......	78	7	41	15	7	6	9	22	44	7	3	6	6
ASHFORD	1	-	-	-	-	-	1	1	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
COLCHESTER	5	1	3	-	-	1	1	2	3	2	-	-	-
COLUMBIA	1	-	1	-	-	-	-	1	-	-	-	-	-
COVENTRY	-	-	-	-	-	-	-	-	-	-	-	-	-
CROMWELL	1	-	-	1	-	-	-	-	1	-	-	-	-
DEEP RIVER	2	-	2	-	-	-	-	-	2	-	-	-	-
DURHAM	1	-	-	-	-	1	-	-	-	-	-	1	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	2	-	1	-	-	-	1	1	1	-	-	-	-
EAST HAMPTON	2	-	1	-	1	-	-	1	1	-	-	-	-
EAST LYME	1	-	1	-	-	-	-	-	1	1	-	-	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	2	-	1	-	1	-	-	-	2	-	-	-	-
GROTON	9	-	5	1	1	-	2	1	5	-	-	1	2
HADDAM	2	-	-	1	-	1	-	1	-	-	-	-	1
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	3	-	2	-	-	-	1	-	2	-	-	1	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	1	-	-	1	-	-	-	-	1	-	-	-	-
LEDYARD	2	-	-	1	1	-	-	2	-	-	-	-	-
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	3	-	3	-	-	-	-	-	3	-	-	-	-
MIDDLEFIELD	1	-	-	1	-	-	-	1	-	-	-	-	-
MIDDLETOWN	9	4	5	2	1	-	1	3	5	2	-	-	1
MONTVILLE	4	-	3	-	-	1	-	2	2	-	1	-	-
NEW LONDON	5	1	3	1	1	-	-	1	4	2	-	-	-
N STONINGTON	1	-	1	-	-	-	-	-	1	-	-	-	-
NORWICH	5	1	-	2	-	1	2	1	2	-	1	1	1
OLD LYME	1	-	-	1	-	-	-	-	-	-	-	1	-
OLD SAYBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAINFIELD	2	-	-	1	1	-	-	-	2	-	-	-	-
POMFRET	2	-	1	1	-	-	-	1	1	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	1	-	1	-	-	-	-	-	1	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	-	1	-	-	-	-	-	-	-	-	-	1
THOMPSON	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	2	-	-	1	-	1	-	-	1	-	-	1	-
WATERFORD	2	-	2	-	-	-	-	2	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	4	-	4	-	-	-	-	1	3	-	1	-	-
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL.	143	43	72	32	12	9	18	34	88	18	2	11	10
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	2	-	2	-	-	-	-	-	2	2	-	-	-
BERLIN	2	-	-	1	1	-	-	-	1	-	-	-	1
BLOOMFIELD	1	-	1	-	-	-	-	-	1	1	-	-	-
BOLTON	1	-	1	-	-	-	-	-	1	-	-	-	-
BRISTOL	9	-	4	2	-	2	1	-	6	-	-	2	1
BURLINGTON	1	-	1	-	-	-	-	1	-	-	-	-	-
CANTON	1	-	1	-	-	-	-	-	1	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	12	4	8	1	2	-	1	3	8	1	-	1	-
EAST WINDSOR	1	-	1	-	-	-	-	-	1	1	-	-	-
ELLINGTON	1	-	-	1	-	-	-	1	-	-	-	-	-
ENFIELD	3	-	1	2	-	-	-	-	2	1	-	1	-
FARMINGTON	3	-	-	2	1	-	-	2	1	-	-	-	-
GLASTONBURY	3	-	-	1	-	-	2	2	1	-	-	-	-
GRANBY	1	-	-	-	-	-	1	1	-	-	-	-	-
HARTFORD	47	31	19	13	2	5	8	8	26	3	1	5	8
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	-	-	-	-	-	-	-	-	-	-	-	-	-
MANCHESTER	6	-	5	-	-	-	1	4	2	-	1	-	-
MARLBOROUGH	1	-	1	-	-	-	-	1	-	-	-	-	-
NEW BRITAIN	24	4	16	3	3	1	1	4	19	3	-	1	-
NEWINGTON	4	-	1	-	2	-	1	3	1	-	-	-	-
PLAINVILLE	1	-	1	-	-	-	-	1	-	-	-	-	-
PLYMOUTH	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL	3	1	1	2	-	-	-	-	3	1	-	-	-
SIMSBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	3	-	1	1	1	-	-	1	2	1	-	-	-
SOUTH WINDSOR	1	-	-	-	-	-	1	1	-	-	-	-	-
STAFFORD	2	-	1	-	-	-	1	-	1	-	-	1	-
SUFFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	5	2	5	-	-	-	-	-	5	3	-	-	-
WEST HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
WETHERSFIELD	2	-	-	2	-	-	-	1	1	-	-	-	-
WINDSOR	1	1	1	-	-	-	-	-	1	-	-	-	-
WINDSOR LOCKS	2	-	-	1	-	1	-	-	2	1	-	-	-
HSA 5 NORTHWESTERN.	80	12	38	16	8	6	12	27	45	9	2	3	5
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1981-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
BEACON FALLS	2	-	1	-	-	-	1	1	1	-	-	-	-
BETHEL	1	-	1	-	-	-	-	-	1	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	5	-	2	3	-	-	-	1	4	-	-	-	-
CANAAN	1	-	-	1	-	-	-	1	-	-	-	-	-
CHESHIRE	1	-	1	-	-	-	-	1	-	-	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	14	3	4	3	3	1	3	6	7	1	-	-	1
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	1	-	-	-	-	-	1	-	-	-	-	-	1
LITCHFIELD	1	-	1	-	-	-	-	1	-	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	1	-	-	-	-	1	-	-	1	-	-	-	-
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	1	-	-	1	-	-	-	1	-	-	-	-	-
NEW MILFORD	3	-	3	-	-	-	-	2	1	-	-	-	-
NEWTOWN	2	-	-	-	-	1	1	-	-	-	-	1	1
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	1	-	-	1	-	-	-	1	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	1	-	-	-	1	-	-	-	1	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	1	1	-	-	-	-	-	1	1	-	-	-
THOMASTON	1	1	1	-	-	-	-	-	1	1	-	-	-
TORRINGTON	5	-	3	1	-	1	-	2	3	-	1	-	-
WARREN	1	-	-	-	-	-	1	-	-	-	-	1	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	30	6	19	3	3	2	3	6	22	6	1	1	1
WATERTOWN	3	-	1	1	-	-	1	1	1	-	-	-	1
WINCHESTER	3	1	-	1	1	-	1	3	-	-	-	-	-
WOLCOTT	1	-	-	1	-	-	-	-	1	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1981

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	480	240	101	26	6	4	377	20	19	16	12	10	5	11	5	-	2	3
MALE	280	132	65	19	4	3	223	9	13	7	8	7	3	5	3	-	-	2
FEMALE	200	108	36	7	2	1	154	11	6	9	4	3	2	6	2	-	2	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	66	19	19	7	2	2	49	4	2	2	-	4	1	3	-	-	-	1
FEMALE	60	21	16	4	2	1	44	2	3	4	2	1	1	1	1	-	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	175	110	43	11	1	1	166	3	5	-	-	-	-	1	-	-	-	-
FEMALE	111	86	17	3	-	-	106	2	-	2	-	-	-	1	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	31	27	4	-	-	-	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE	28	28	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	4	-	3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1981-Continued

ALL RACES

ICD 9TH REVISION	TOTAL UNDER 1 YEAR	AGE AT DEATH																
		UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.........................	8	4	4	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.........................	20	-	-	-	-	-	-	2	6	2	5	3	1	-	1	-	-	-
FEMALE.......................	13	-	3	-	-	-	3	5	1	2	1	-	1	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE.........................	4	-	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE......................	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE.........................	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.........................	12	3	2	-	1	-	6	-	-	2	2	-	-	-	1	-	-	1
FEMALE.......................	7	1	-	-	-	-	1	1	2	-	1	-	-	1	-	-	1	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1981-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	121	70	18	2	2	-	92	5	4	4	4	4	3	3	1	-	-	1
MALE	73	41	12	-	2	-	55	1	4	2	3	3	1	2	1	-	-	1
FEMALE	48	29	6	2	-	-	37	4	-	2	1	1	2	1	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	9	2	2	-	1	-	5	-	-	-	-	2	-	1	-	-	-	1
FEMALE	9	2	2	2	-	-	6	1	-	1	-	-	1	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	51	38	9	-	1	-	48	-	2	-	-	-	-	1	-	-	-	-
FEMALE	33	26	4	-	-	-	30	1	-	1	-	-	-	1	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	16	15	1	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	11	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	7	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	4	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1981

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (under 1 year)*	480	12.0	100.0	280	13.7	100.0	200	10.2	100.0
Certain conditions originating in perinatal period (760-779)	286	7.2	59.6	175	8.6	62.5	111	5.7	55.5
Congenital Anomalies (740-759)	126	3.2	26.2	66	3.2	23.6	60	3.1	30.0
Sudden infant death syndrome (798.0)	33	0.8	6.9	20	1.0	7.1	13	0.7	6.5
Accidents, total (E800-E949)	6	0.2	1.3	4	0.2	1.4	2	0.1	1.0
All other causes	29	0.7	6.0	15	0.7	5.4	14	0.7	7.0
All Causes (1-14 years)	169	28.4	100.0	101	33.2	100.0	68	23.4	100.0
Accidents, total (E800-E949)	65	10.9	38.5	48	15.8	47.5	17	5.8	25.0
Malignant neoplasms (140-208)	19	3.2	11.2	9	3.0	8.9	10	3.4	14.7
Congenital Anomalies (740-759)	13	2.2	7.7	7	2.3	6.9	6	2.1	8.8
Homicide and legal intervention (E960-E978)	9	1.5	5.3	4	1.3	4.0	5	1.7	7.3
Diseases of the heart (390-398, 402, 404-429)	7	1.2	4.1	5	1.6	4.9	2	0.7	2.9
Pneumonia and influenza (480-487)	5	0.8	3.0	3	1.0	3.0	2	0.7	2.9
Suicide (E950-E959)	4	0.7	2.4	4	1.3	4.0	-	-	-
All other causes	47	7.9	27.8	21	6.9	20.8	26	8.9	38.4
All Causes (15-24 years)	488	88.2	100.0	361	129.9	100.0	127	46.1	100.0
Accidents, total (E800-E949)	275	49.7	56.4	217	78.1	60.1	58	21.1	45.7
Suicide (E950-E959)	52	9.4	10.7	43	15.5	11.9	9	3.3	7.1
Homicide and legal intervention (E960-E978)	37	6.7	7.6	28	10.1	7.8	9	3.3	7.1
Malignant neoplasms (140-208)	22	4.0	4.5	10	3.6	2.8	12	4.4	9.4
Diseases of the heart (390-398, 402, 404-429)	16	2.9	3.3	8	2.9	2.2	8	2.9	6.3
Congenital anomalies (740-759)	9	1.6	1.8	4	1.4	1.1	5	1.8	3.9
Cerebrovascular accidents (430-438)	5	0.9	1.0	2	0.7	0.6	3	1.1	2.4
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	5	0.9	1.0	4	1.4	1.1	1	0.4	0.8
All other causes	67	12.1	13.7	45	16.2	12.4	22	8.0	17.3
All Causes (25-44)	1136	128.9	100.0	783	181.9	100.0	353	78.3	100.0
Accidents, total (E800-E959)	236	26.8	20.8	182	42.3	23.2	54	12.0	15.3
Malignant neoplasms (140-209)	207	23.5	18.2	99	23.0	12.6	108	23.9	30.6
Diseases of the heart (390-398, 402, 404-429)	151	17.1	13.3	119	27.6	15.2	32	7.1	9.1
Suicide (E950-E959)	99	11.2	8.7	79	18.4	10.1	20	4.4	5.7
Homicide and legal intervention (E960-E978)	67	7.6	5.9	59	13.7	7.5	8	1.8	2.3
Chronic liver disease and cirrhosis (571)	59	6.7	5.2	45	10.5	5.7	14	3.1	4.0
Cerebrovascular disease (430-438)	36	4.1	3.2	22	5.1	2.8	14	3.1	4.0
Alcohol dependence syndrome (303)	19	2.2	1.7	16	3.7	2.0	3	0.7	0.8
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	18	2.0	1.6	17	3.9	2.2	1	0.2	0.3
Pneumonia and influenza (480-487)	13	1.5	1.1	7	1.6	0.9	6	1.3	1.7
All other causes	231	26.2	20.3	138	32.1	17.8	93	20.6	26.2

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1981, cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (45-64)	5424	811.9	100.0	3363	1052.4	100.0	2061	591.4	100.0
Malignant neoplasms (140-208)	2002	299.7	36.9	1066	333.6	31.7	936	268.6	45.4
Diseases of the heart (390-398, 402, 404-429)	1833	274.4	33.8	1359	425.3	40.4	474	136.0	23.0
Cerebrovascular diseases (430-438)	220	32.9	4.1	127	39.7	3.8	93	26.7	4.5
Chronic liver disease and cirrhosis (571)	187	28.0	3.4	115	36.0	3.4	72	20.7	3.5
Accidents, total (E800-E949)	161	24.1	3.0	109	34.1	3.2	52	14.9	2.5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	129	19.3	2.4	71	22.2	2.1	58	16.6	2.8
Suicide (E950-E959)	81	12.1	1.5	51	16.0	1.5	30	8.6	1.5
Diabetes Mellitus (250)	79	11.8	1.5	38	11.9	1.1	41	11.8	2.0
Pneumonia and influenza (480-487)	53	7.9	1.0	37	11.6	1.1	16	4.6	0.8
Alcohol dependence syndrome (303)	52	7.8	1.0	37	11.6	1.1	18	5.2	0.9
All other causes	627	93.9	11.4	353	110.5	10.6	271	77.8	13.1
All Causes (65 years and over)	18657	4939.1	100.0	8823	5957.9	100.0	9834	4282.2	100.0
Diseases of the heart (390-398, 402, 404-429)	8203	2171.6	44.0	3797	2564.0	43.0	4406	1918.6	44.8
Malignant neoplasms (140-208)	3955	1047.0	21.2	2046	1381.6	23.2	1909	831.3	19.4
Cerebrovascular Diseases (430-438)	1771	468.8	9.5	659	445.0	7.5	1112	484.2	11.3
Pneumonia and influenza (480-487)	691	182.9	3.7	327	220.8	3.7	364	158.5	3.7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	628	166.3	3.4	391	264.0	4.4	237	103.2	2.4
Atherosclerosis (440)	412	109.1	2.2	149	100.6	1.7	263	114.5	2.7
Diabetes Mellitus (250)	339	89.7	1.8	139	93.9	1.6	200	87.1	2.0
Accidents, total (E800-E949)	253	67.0	1.4	126	85.1	1.4	127	55.3	1.3
All other causes	2405	636.7	12.8	1189	802.9	13.5	1216	529.5	12.4

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1981

Number for Bride	TOTAL	Number For Groom First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Unknown
TOTAL	25,747	17,628	6,966	1,005	97	12	-	-	1	38
First	18,260	15,161	2,804	252	22	2	-	-	-	19
Second	6,409	2,213	3,579	561	47	5	-	-	-	4
Third	893	189	512	168	21	3	-	-	-	-
Fourth	80	13	39	21	5	2	-	-	-	-
Fifth	13	4	4	3	2	-	-	-	-	-
Sixth	4	1	3	-	-	-	-	-	-	-
Seventh	-	-	-	-	-	-	-	-	-	-
Eighth	1	-	-	-	-	-	-	-	1	-
Unknown	87	47	25	-	-	-	-	-	-	15

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1981

Previous Marital Status of Bride	TOTAL	Previous Marital Status of Groom Single	Widowed	Divorced	Annulled	Unknown
TOTAL	25,747	17,748	844	7,077	77	1
Single	18,421	15,363	112	2,900	46	-
Widowed	797	113	381	299	4	-
Divorced	6,402	2,201	344	3,839	18	-
Annulled	125	70	7	39	9	-
Unknown	2	1	-	-	-	1

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1981

COUNTY	TOTAL
CONNECTICUT, TOTAL	13,639
Fairfield	2,841
Hartford	3,593
Litchfield	621
Middlesex	644
New Haven	3,484
New London	1,390
Tolland	582
Windham	484
Sex of Complainant:	
Male	4,110
Female	9,172
Not Stated	357

Table 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1981

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	13,639
No children	6,040
One child	3,285
Two children	2,886
Three children	956
Four children	256
Five children	70
Six or more children	9
Unknown	137

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1981

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	13,639	1965	327
1981	52	1964	297
1980	541	1963	264
1979	1,019	1962	249
1978	1,134	1961	219
1977	950	1960	211
1976	845	1959-1955	803
1975	889	1954-1950	467
1974	725	1949-1945	249
1973	730	1944-1940	107
1972	652	1939-1935	21
1971	546	1934-1930	9
1970	528	Prior to 1930	7
1969	536	Unknown	73
1968	442		
1967	400		
1966	347		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1,000$
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1,000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1,000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1,000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1,000$
Infant Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1,000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1,000$

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-FIFTH REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1982

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price $10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, May 30, 1985

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-fifth report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1982.

Very respectifully,
DOUGLAS S. LLOYD, M.D., M.P.H.
Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1982, prepared by the Statistical Analysis Unit of the Division of Health Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

CHRISTINE PATTEE, Dr. P.H.
Acting Chief, Statistical Analysis Unit
Staff Director, Vital Records

ROSALIND S. BENNETT, B.S.
Research Analyst, Statistical Analysis Unit

MERTON S. HONEYMAN, Ph.D.
Acting Registrar

CONTENTS

Vital Statistics for 1982	Page
Summary for Year	4
Population Estimate, 1982	4
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	5
Infant Mortality	6
Marriages	6
Divorces	6

TABLES

Table No.		
1	Population Estimate, 1982, by age and sex	7
2	Estimate of population and vital statistics by towns of residence	8
3	Live births, Connecticut residents by age of mother	15
4	Live births to residents of Connecticut towns by race, low birthweight and maternal age	16
5	Fetal deaths occurring in Connecticut	29
6	Causes of fetal deaths occurring in Connecticut	30
7	Causes of death, Connecticut residents	31
8	Causes of death among nonwhites	35
9	Deaths under one year of age (infants)	39
10	Selected causes of infant deaths	43
11	Leading causes of death by age groups	47
12	Number of present marriage for brides and grooms	49
13	Previous marital status of brides and grooms	49
14	Dissolution of marriages	50
15	Children under 18 involved in dissolution of marriages	50
16	Duration of marriages dissolved in 1982	50
	Glossary	51
	Rates, calculation of	52

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1982. is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration
The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of-Death Data
The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1982 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates
Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Further Information
Further information can be obtained by contacting the Statistical Analysis Unit of the Division of Health Statistics, 150 Washington Street, Hartford, Connecticut 06106, Telephone numbers 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1982 was 3,126,730. This reflects a natural increase (difference between births and deaths) of 13,868, and a net out-of-Connecticut migration of 2.658. The population estimated for 1982 is an increase of 0.36% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration as estimated by school enrollment and housing unit changes.

BIRTHS

In 1982 the number of resident live births was 40,632. This represents an increase of 633 from 1981 and an increase in the birth rate from 12.8 to 13.0 per 1,000 population. There were 1,117 births to Connecticut residents occurring out of state, 2.7% of the total births. There were 4,352 births to teenage mothers (19 years of age or less). This was 10.7% of all births, a decrease from 11.0% in 1981.

Fetal Deaths

The fetal death ratio decreased in 1982 with a total count of 307 or 7.6 deaths per 1,000 live births occurring in Connecticut compared to 326 deaths and a ratio of 8.2 in 1981.

DEATHS

The number of registered deaths among Connecticut residents for 1982 was 26,764, for a crude rate of 8.6 per 1,000 population. Of the total number of resident deaths, 13,900 were males and 12,863 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 9,061 in 1982, or 33.9% of the total number of resident deaths. The median age at death was 73.9. Death for females occurred at an older age than males, a median of 77.7, compared to median of 70.6, respectively.

Leading Causes of Death

In 1982, as in 1981, the five leading causes of death, in the order of their proportional share, of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and chronic obstructive pulmonary disease and allied conditions. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,385 resident deaths in 1982, for a total proportional share of 38.8%. This is the same proportional share for this cause as in 1981. The median age at death from heart disease was 76.9. Acute myocardial infarction claimed a 35.1% share of total heart disease mortality with a 41.0% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 73.4; for other ischemic heart disease, median age was 80.6.

Malignant Neoplasms

There were 6,394 deaths attributed to malignant neoplasms in 1982, a proportional share of 23.9% of all resident mortality. The median age at death due to cancer was 70.0. Malignant neoplasms of the digestive organs accounted for 27.4% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (25.0%), of the genitourinary system (14.9%),of the breast (8.9%) and of the lymphatic and hematopoietic tissue (8.6%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 2,068 resident deaths in Connecticut. This cause of death had a proportional share of 7.7% of total resident deaths, no change from 1981. The median age at death from cerebrovascular disease was 81.0.

Accidents

A total of 1,063 accidents, of all types, accounted for 4.0% of all resident deaths in 1982. Of this total 44.2% was attributed to resident motor vehicle accidents. Almost half (46.4%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 14.7% share of the total accidents.

Chronic Obstructive Pulmonary Disease and Allied Conditions

There were 742 deaths from these causes; amounting to 2.8% of all resident deaths. The crude mortality rate per 100,000 population was 23.7.

Infant Deaths

There were 443 resident infant deaths in Connecticut in 1982, a rate of 10.9 per 1,000 live births, compared to the previous year's total of 480, or 12.0 deaths per 1,000 live births. From 1981, this represents a decrease in infant deaths of 9.2%. Connecticut was under the national rate of 11.5 infant deaths per 1,000 live births. Of all resident infant deaths, 48.3% occurred within the first day of life, 68.8% within the first week and 77.7% within the first month. Neonatal deaths showed an 8.8% decrease from 377 in 1981 to 344 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 26,846 in 1982, an increase of 1,099, 4.3% from the previous year. The current year's total represents a marriage rate of 15.3 persons marrying per 1,000 population compared to 12.8/1,000 in 1981. The median age at marriage for grooms was 27.4, and for brides, 25.2 an increase from 1981 when the median age for grooms was 26.0 and for brides 24.9.

MARRIAGE DISSOLUTIONS

There were 12,862 marriages dissolved in Connecticut during 1982, for a marriage dissolution rate of 8.2 persons per 1,000 population. The current rate is a decrease of 5.7% over the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1982 was 8.2 years, compared to a median duration in 1981 of 8.9 years.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT AS OF JULY 1, 1982

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,505,380	1,621,350	3,126,730
*Under 1 yr.	20,424	19,575	39,999
0- 4	97,340	93,200	190,540
5- 9	97,300	93,140	190,440
10-14	123,790	118,670	242,460
15-19	142,540	137,820	280,360
20-24	133,510	135,320	268,830
25-29	126,440	129,830	256,270
30-34	121,970	125,500	247,470
35-39	108,630	116,030	224,660
40-44	84,150	89,840	173,990
45-49	75,590	80,890	156,480
50-54	82,580	88,020	170,600
55-59	83,680	91,730	175,410
60-64	75,540	85,790	161,330
65-69	59,220	72,620	131,840
70-74	40,960	58,290	99,250
75-79	26,200	44,000	70,200
80-84	14,490	30,890	45,380
85 & over	11,450	29,770	41,220
Median age	31.3	34.1	32.7
65+	152,320	235,570	387,890

*Births of the preceding calendar year.

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

		Place of Occurrence				Place of Residence											
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1982	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,126,730	40,425	307	26,955	26,846	40,632	5.748	8,105	3,242	298	71	26.764	1,394	23,330	24,537	13.0	8.6	15.3
HSA I, Southwestern	628,750	8,348	67	5,402	5,543	7,725	1,687	1,901	979	74	25	5,608	422	4,405	4,805	12.3	8.9	14.6
Bridgeport	142,460	4,353	41	2,378	1,060	2,719	838	1,133	565	31	14	1,615	214	1,163	1,082	19.1	11.3	15.8
Darien	18,920	-	-	46	236	159	4	11	2	3	-	120	-	92	107	8.4	6.3	10.5
Easton	6,070	-	-	6	41	35	2	2	-	1	-	35	-	22	30	5.8	5.8	8.6
Fairfield	54,960	2	-	242	465	476	23	39	5	4	-	514	2	319	419	8.7	9.4	13.4
Greenwich	59,520	885	4	520	611	487	27	26	2	6	1	505	14	329	402	8.2	8.5	12.3
Monroe	14,330	2	-	10	61	192	5	17	1	2	-	68	-	88	95	13.4	4.7	12.8
New Canaan	18,140	-	-	53	203	111	6	4	2	2	-	126	-	75	111	6.1	6.9	10.3
Norwalk	78,210	1,413	7	904	658	1,096	276	253	147	5	3	682	80	709	698	14.0	8.7	21.9
Stamford	102,540	1,684	15	893	917	1,410	434	317	223	11	6	895	93	830	880	13.8	8.7	16.7
Stratford	50,790	-	-	138	462	486	51	66	27	5	1	530	16	370	392	9.6	10.4	15.0
Trumbull	32,880	1	-	107	298	236	13	9	2	-	-	236	1	154	237	7.2	7.2	11.9
Weston	8,470	3	-	12	104	63	3	6	3	1	-	35	-	43	63	7.4	4.1	12.5
Westport	25,720	4	-	69	323	141	-	10	-	2	-	171	2	145	200	5.5	6.6	13.4
Wilton	15,740	1	-	24	104	114	5	8	-	1	-	76	-	66	89	7.2	4.8	9.8
HSA II,South Central	599,930	8,453	74	6,039	4,899	8,024	1,378	1,796	866	53	13	5,491	367	4,589	4,779	13.4	9.2	15.6
Ansonia	19,030	3	-	30	162	282	28	52	21	1	-	213	18	141	163	14.8	11.2	16.0
Bethany	4,380	-	-	1	25	55	1	4	-	-	-	26	1	23	32	12.6	5.9	12.6
Branford	23,710	-	-	712	230	303	6	33	3	1	-	237	1	224	234	12.8	10.0	19.3
Derby	12,380	647	5	463	141	144	5	31	2	-	-	127	2	112	107	11.6	10.3	17.7
East Haven	25,020	-	-	28	200	290	6	35	3	1	-	222	1	215	232	11.6	8.9	17.9
Guilford	17,860	-	-	88	168	221	7	15	1	3	-	117	-	142	138	12.4	6.6	15.7
Hamden	50,900	-	-	241	342	503	47	44	17	4	-	518	15	309	335	9.9	10.2	12.7
Madison	14,200	1	-	23	122	132	3	5	-	1	-	88	-	71	95	9.3	6.2	11.7
Meriden	57,530	1,085	8	674	496	878	50	148	21	8	1	561	8	538	541	15.3	9.8	18.8
Milford	51,080	461	2	378	480	644	15	50	2	3	1	439	1	420	455	12.6	8.6	17.1
New Haven	126,350	6,255	59	2,546	1,105	2,210	1,057	1,099	753	17	10	1,353	282	957	913	17.5	10.7	14.8
North Branford	11,780	-	-	10	99	145	1	9	1	1	-	71	-	78	89	12.3	6.0	14.2
North Haven	22,200	-	-	29	174	195	8	16	2	-	-	154	-	141	176	8.8	6.9	14.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1982	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	13
HSA II, South Central Cont'd.																		
Orange	13,210	-	-	31	121	84	4	7	-	2	-	103	-	74	90	6.4	7.8	12.4
Oxford	6,730	-	-	9	42	87	-	6	-	1	-	41	-	38	45	12.9	6.1	12.3
Seymour	13,490	1	-	13	86	181	3	35	1	2	1	124	-	113	113	13.4	9.2	16.8
Shelton	31,630	-	-	113	183	390	13	39	1	3	-	198	4	193	223	12.3	6.3	13.2
Wallingford	37,340	-	-	181	342	455	10	34	1	2	-	338	1	278	300	12.2	9.1	15.5
West Haven	53,310	-	-	461	293	772	112	131	37	2	-	507	32	485	454	14.5	9.5	17.6
Woodbridge	7,800	-	-	8	88	53	2	3	-	1	-	54	1	37	44	6.8	6.9	10.4
HSA III, Eastern	502,110	5,412	31	3,747	4,682	7,039	484	932	177	45	4	3,991	95	4,082	4,179	14.0	7.9	16.5
Ashford	3,250	2	-	3	35	35	1	1	-	1	-	20	-	35	33	10.8	6.2	20.9
Bozrah	2,160	-	-	3	12	19	-	1	-	-	-	16	-	8	10	8.8	7.4	8.3
Brooklyn	5,830	-	-	21	52	67	-	5	-	-	-	53	-	37	38	11.5	9.1	12.9
Canterbury	3,490	-	-	4	23	49	-	6	-	-	-	21	-	31	33	14.0	6.0	18.3
Chaplin	1,810	-	-	2	10	26	-	1	-	-	-	6	-	12	18	14.4	3.3	16.6
Chester	3,060	-	-	22	34	51	2	5	-	-	-	25	-	22	28	16.7	8.2	16.3
Clinton	11,290	-	-	23	83	192	5	17	1	2	-	75	1	93	92	17.0	6.6	16.4
Colchester	7,830	1	-	27	43	160	4	11	-	1	-	59	2	73	56	20.4	7.5	16.5
Columbia	3,460	-	-	1	56	43	-	5	-	-	-	23	1	22	30	12.4	6.6	15.0
Coventry	9,030	2	-	4	70	142	-	5	-	-	-	42	-	81	80	15.7	4.7	17.8
Cromwell	10,480	-	-	50	78	163	8	9	-	-	-	88	2	97	85	15.6	8.4	17.4
Deep River	4,000		NO	REPORT		47	-	7	-	-	-	33	-	17	10	11.8	8.3	6.8
Durham	5,180	-	-	11	49	49	-	2	-	-	-	26	-	25	27	9.5	5.0	10.0
Eastford	1,030	-	-	1	17	13	-	-	-	-	-	5	-	7	6	12.6	4.9	12.6
East Haddam	5,760	-	-	14	58	81	-	5	-	1	1	50	-	53	49	14.1	8.7	17.7
East Hampton	8,660	2	-	49	68	137	2	7	-	-	-	60	-	86	85	15.8	6.9	19.7
East Lyme	13,980	1	-	18	152	166	5	16	1	-	-	97	-	114	125	11.9	6.9	17.1
Essex	5,060	-	-	50	68	45	1	4	-	-	-	53	-	40	28	8.9	10.5	13.4
Franklin	1,620	-	-	3	8	13	-	1	-	-	-	21	1	11	13	8.0	13.0	14.8
Griswold	9,070	-	-	31	87	136	2	20	-	1	-	82	-	93	97	15.0	9.0	20.9
Groton	41,230	775	7	161	412	798	97	69	18	6	1	255	10	377	374	19.4	6.2	18.2

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

	Population estimated as of July 1, 1982	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Haddam	6,460	-	-	10	41	71	-	1	-	-	-	46	1	50	44	11.0	7.1	14.6
Hampton	1,360	-	-	3	9	24	1	-	-	-	-	6	-	16	11	17.6	4.4	19.9
Killingly	14,690	-	-	115	168	221	4	38	1	1	-	133	1	143	166	15.0	9.1	21.0
Killingworth	4,040	1	-	6	30	51	-	1	-	-	-	23	-	16	18	12.6	5.7	8.4
Lebanon	4,860	1	-	8	45	75	-	7	-	1	-	29	-	33	38	15.4	6.0	14.6
Ledyard	13,990	-	-	12	83	225	8	19	1	1	-	56	1	99	111	16.1	4.0	15.0
Lisbon	3,350	-	-	3	17	35	-	2	-	-	-	20	-	26	22	10.4	6.0	14.3
Lyme	1,840		NO	REPORT		19	-	-	-	-	-	21	-	1	5	10.3	11.4	3.3
Mansfield	20,780	1	-	21	119	122	15	14	2	2	-	78	3	81	85	5.9	3.8	8.0
Middlefield	3,780		NO	REPORT		36	3	-	-	-	-	21	-	21	19	9.5	5.6	18.5
Middletown	38,920	966	7	677	311	524	91	79	38	6	1	337	20	324	315	13.5	8.7	16.4
Montville	16,590	-	-	11	107	254	5	14	-	2	-	92	2	137	137	15.3	5.5	16.5
New London	28,820	1,352	5	651	495	479	131	152	70	7	1	300	24	346	326	16.6	10.4	23.3
North Stonington	4,230	2	-	4	49	23	1	2	-	-	-	20	-	32	34	5.4	4.7	15.4
Norwich	38,330	1,133	7	737	444	655	54	141	28	4	-	423	15	400	420	17.1	11.0	21.4
Old Lyme	6,270	2	-	12	85	80	2	10	1	-	-	50	-	43	40	12.8	8.0	13.2
Old Saybrook	9,380	-	-	78	104	89	4	13	2	2	-	97	1	59	66	9.5	10.3	13.3
Plainfield	12,930	1	-	45	100	200	2	35	-	1	-	116	-	101	109	15.5	9.0	16.2
Pomfret	2,750	-	-	10	52	41	-	4	-	-	-	34	-	27	17	14.9	12.4	16.0
Portland	8,390	-	-	50	126	83	4	9	2	-	-	81	3	56	70	9.7	9.7	15.0
Preston	4,640	-	-	17	40	15	-	-	-	-	-	30	-	22	26	3.2	6.5	10.3
Putnam	8,750	709	4	264	78	120	3	23	1	4	-	97	1	68	70	13.7	11.1	15.8
Salem	2,390	-	-	1	9	22	-	3	-	-	-	6	1	8	12	9.2	2.5	8.4
Scotland	1,090	-	-	-	15	5	-	-	-	-	-	6	-	10	9	4.6	5.5	17.4
Sprague	3,030	-	-	5	31	65	-	8	-	-	-	27	-	32	35	21.5	8.9	22.1
Sterling	1,790	-	-	3	15	25	-	4	-	-	-	10	-	13	10	14.0	5.6	12.8
Stonington	16,740	2	-	38	194	234	3	20	-	-	-	144	-	94	95	14.0	8.6	11.3
Thompson	8,240	-	-	16	87	121	3	30	2	1	-	61	-	42	59	14.7	7.4	12.3
Union	550	-	-	1	5	3	-	2	-	-	-	9	-	4	3	5.5	16.4	12.7

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1982	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Voluntown	1,650	-	-	3	29	31	1	2	1	-	-	21	-	22	27	18.8	12.7	29.7
Waterford	17,910	3	-	123	90	149	7	11	1	-	-	189	4	106	133	8.3	10.6	13.3
Westbrook	5,240	-	-	12	47	69	2	6	-	1	-	58	-	44	55	13.2	11.1	18.9
Willington	4,770	-	-	10	23	66	2	6	-	-	-	31	-	46	42	13.0	6.5	18.4
Windham	21,060	455	1	293	188	313	11	75	7	-	-	168	-	195	206	14.9	8.0	19.0
Woodstock	5,170	1	-	10	31	62	-	4	-	-	-	41	1	31	27	12.0	7.9	11.2
HSA IV, North Central	899,120	12,478	93	7,574	7,619	11,607	1,746	2,586	998	80	18	7,470	403	6,761	7,159	12.9	8.3	15.5
Andover	2,220	1	-	2	17	35	-	3	-	-	-	18	-	22	26	15.8	8.1	21.6
Avon	11,500	-	-	66	101	109	3	6	1	-	-	80	-	77	73	9.5	7.0	13.0
Berlin	15,290	1	-	45	111	153	1	7	-	2	-	125	-	80	102	10.0	8.2	11.9
Bloomfield	18,820	-	-	80	140	190	72	41	31	1	-	147	16	98	118	10.1	7.8	11.5
Bolton	4,050	-	-	1	31	45	2	4	-	-	-	17	-	38	27	11.1	4.2	16.0
Bristol	57,750	669	4	411	539	725	38	102	19	2	-	434	9	520	548	12.6	7.5	18.5
Burlington	5,840	-	-	10	51	104	3	5	-	-	-	23	-	34	39	17.8	3.9	12.5
Canton	7,730	-	-	10	38	115	1	9	-	-	-	53	-	57	58	14.9	6.9	14.9
East Granby	4,150	-	-	6	16	55	2	3	-	1	-	18	-	27	22	13.3	4.3	11.8
East Hartford	52,280	-	-	147	393	641	77	87	19	3	-	454	10	507	532	12.3	8.7	19.9
East Windsor	8,950	-	-	28	126	132	9	17	4	-	-	93	1	89	83	14.7	10.4	19.2
Ellington	9,860	-	-	11	72	114	1	9	-	-	-	66	-	89	80	11.6	6.7	17.1
Enfield	42,580	1	-	121	421	530	9	76	4	1	-	281	2	297	351	12.4	6.6	15.2
Farmington	16,730	634	10	336	159	151	4	13	1	1	-	125	-	115	135	9.0	7.5	14.9
Glastonbury	24,500	1	-	48	233	228	6	19	2	4	1	140	2	147	170	9.3	5.7	12.9
Granby	8,110	-	-	16	45	105	2	4	-	-	-	67	1	54	48	12.9	8.3	12.6
Hartford	135,640	7,298	52	2,945	1,200	2,748	1,223	1,587	836	28	14	1,281	296	1,085	1,057	20.3	9.4	15.8
Hartland	1,450	-	-	1	11	22	-	-	-	-	-	5	1	7	9	15.2	3.4	11.0
Hebron	5,650	-	-	4	48	117	2	8	-	-	-	23	-	54	48	20.7	4.1	18.1
Manchester	49,640	1,307	10	596	513	602	38	58	8	3	-	448	4	439	444	12.1	9.0	17.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1982	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Marlborough	4,840	-	-	2	25	70	-	1	-	-	-	16	-	30	29	14.5	3.3	12.2
New Britain	73,390	1,983	11	916	574	1,060	115	239	51	4	2	735	36	615	614	14.4	10.0	16.7
Newington	29,080	-	-	258	246	258	10	19	2	1	-	224	2	207	246	8.9	7.7	15.6
Plainville	16,460	-	-	59	140	199	8	11	1	3	-	147	4	136	141	12.1	8.9	16.8
Plymouth	10,800	-	-	22	75	126	1	8	-	1	-	86	-	88	97	11.7	8.0	17.1
Rocky Hill	14,670	-	-	161	129	168	12	11	1	-	-	134	1	147	140	11.5	9.1	19.6
Simsbury	21,420	-	-	45	170	202	5	13	-	-	-	110	1	93	117	9.4	5.1	9.8
Somers	8,580	-	-	6	80	92	1	5	-	-	-	41	-	41	48	10.7	4.8	10.4
Southington	36,990	1	-	152	317	455	6	29	1	4	-	222	-	246	262	12.4	6.1	13.8
South Windsor	17,770	-	-	30	147	203	8	16	1	1	-	83	-	124	130	11.4	4.7	14.3
Stafford	9,490	1	-	127	75	145	1	11	1	2	-	81	-	80	87	15.3	8.5	17.6
Suffield	9,500	1	-	14	96	117	3	10	1	1	-	72	1	56	69	12.3	7.6	13.2
Tolland	9,880	-	-	4	69	137	8	8	-	3	-	36	-	39	59	13.9	3.6	9.9
Vernon	28,780	579	6	288	231	417	8	67	1	7	-	226	-	270	261	14.5	7.9	18.5
West Hartford	61,160	1	-	315	499	446	25	27	4	7	1	767	4	343	407	7.3	12.5	12.3
Wethersfield	25,880	-	-	79	167	171	4	14	-	-	-	258	2	138	166	6.6	10.0	11.7
Windsor	25,490	-	-	165	225	287	36	27	9	-	-	229	10	180	209	11.3	9.0	15.3
Windsor Locks	12,200	-	-	47	89	133	2	12	-	-	-	105	-	92	107	10.9	8.6	16.3
HSA V, Northwestern	496,820	5,734	42	4,193	4,103	6,237	453	890	222	46	11	4,204	107	3,493	3,61[illegible]	12.6	8.5	14.3
Barkhamsted	2,970	-	-	7	28	32	1	1	-	-	-	18	-	19	1[illegible]	10.8	6.1	12.1
Beacon Falls	4,020	-	-	3	21	49	-	8	-	1	-	28	-	29	2[illegible]	12.2	7.0	13.9
Bethel	16,160	-	-	13	91	265	4	10	-	2	-	103	1	110	116	16.4	6.4	14.0
Bethlehem	2,650	-	-	1	28	41	-	2	-	2	-	18	-	22	25	15.5	6.8	17.7
Bridgewater	1,570	-	-	3	20	6	-	-	-	-	-	11	-	14	17	3.8	7.0	19.7
Brookfield	13,150	1	-	12	98	132	2	9	-	3	-	61	-	60	89	10.0	4.6	11.3
Canaan	1,010	1	-	5	8	31	1	4	1	-	-	23	1	15	16	30.7	22.8	30.7
Cheshire	22,110	1	-	92	142	219	10	9	-	-	-	175	2	114	132	9.9	7.9	11.1
Colebrook	1,230	-	-	4	7	17	-	-	-	-	-	9	-	10	7	13.8	7.3	13.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

		Place of Occurrence				Place of Residence													
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1982	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,310	-	-	3	25	19	-	2	-	-	-	12	-	11	9	14.5	9.2	15.3
Danbury	61,280	1,805	15	824	522	902	115	126	45	8	1	474	19	482	491	14.7	7.7	15.9
Goshen	1,760	-	-	2	22	23	1	-	-	-	-	13	-	13	11	13.1	7.4	13.6
Harwinton	4,970	-	-	3	32	55	-	2	-	-	-	27	-	24	29	11.1	5.4	10.7
Kent	2,530	-	-	3	32	21	-	-	-	-	-	25	-	14	23	8.3	9.9	14.6
Litchfield	7,770	-	-	22	94	84	1	8	-	-	-	76	-	54	62	10.8	9.8	14.9
Middlebury	6,050	-	-	26	51	53	-	6	-	-	-	45	-	43	33	8.8	7.4	12.6
Morris	1,920	-	-	3	8	12	-	-	-	1	-	19	-	6	12	6.3	9.9	9.4
Naugatuck	26,710	1	-	57	201	368	10	34	-	3	1	214	-	233	226	13.8	8.0	17.2
New Fairfield	11,550	2	-	12	58	139	4	10	-	1	-	73	1	56	57	12.0	6.3	9.8
New Hartford	4,970	-	-	3	49	64	1	6	-	2	-	32	-	34	44	12.9	6.4	15.7
New Milford	20,000	362	1	228	148	302	6	31	-	1	1	128	2	127	140	15.1	6.4	13.4
Newtown	19,500	-	1	74	145	210	3	15	-	1	-	120	-	120	119	10.8	6.2	12.3
Norfolk	2,190	-	-	11	28	38	-	1	-	-	-	18	-	16	19	17.4	8.2	16.0
North Canaan	3,230	-	-	46	23	15	-	1	-	-	-	26	1	15	15	4.6	8.0	9.3
Prospect	6,800	-	-	38	50	56	-	3	-	-	-	46	1	44	41	8.2	6.8	12.5
Redding	7,330	2	-	13	91	81	1	7	-	-	-	52	1	42	50	11.1	7.1	12.6
Ridgefield	20,320	1	-	24	229	186	7	7	-	-	-	113	-	114	120	9.2	5.6	11.5
Roxbury	1,510	-	-	2	8	20	-	2	-	-	-	13	-	7	7	13.2	8.6	9.3
Salisbury	3,930	-	-	27	47	42	2	7	-	-	-	46	1	28	27	10.7	11.7	14.0
Sharon	2,610	356	1	173	35	28	1	5	1	1	-	26	-	16	22	10.7	10.0	14.6
Sherman	2,330	1	-	6	13	33	1	2	-	1	-	18	-	13	11	14.2	7.7	10.3
Southbury	14,180	2	-	87	100	117	2	3	-	-	-	177	-	55	59	8.3	12.5	8.0
Thomaston	6,290	-	-	20	64	74	2	6	-	1	-	59	-	61	54	11.8	9.4	18.3
Torrington	31,430	768	5	421	258	389	18	48	6	3	-	314	2	260	272	12.4	10.0	16.9
Warren	1,050	-	-	2	19	11	-	2	-	-	-	11	-	10	5	10.5	10.5	14.3
Washington	3,700	-	-	10	46	48	-	4	-	-	-	37	-	21	27	13.0	10.0	13.0
Waterbury	103,830	2,431	19	1,687	782	1,518	252	450	168	15	8	1,142	74	800	788	14.6	11.0	15.3
Watertown	19,830	-	-	68	169	209	2	23	1	-	-	163	-	132	122	10.5	8.2	12.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

		Place of Occurrence				Place of Residence											
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1982	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Winchester	10,830	-	-	114	132	131	3	22	-	-	-	99	-	98	109	12.1	9.1	19.1
Wolcott	13,120	-	-	24	119	120	3	11	-	-	-	85	1	85	102	9.1	6.5	14.3
Woodbury	7,120	-	-	20	60	77	-	3	-	-	-	55	-	66	63	10.8	7.7	18.1
OUT-OF-STATE		1,117		965		910				9	-	1,156	48	3,516	2,309			

TABLE 3: CONNECTICUT BIRTHS, 1982

	ALL RACES										
	TOTAL	AGE OF MOTHER									
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	40,632	74	4,278	10,999	13,921	8,700	2,372	263	15	1	9
MALE	20,632	42	2,159	5,537	7,120	4,381	1,238	142	10	1	2
FEMALE	19,999	32	2,119	5,461	6,801	4,319	1,134	121	5	-	7
UNKNOWN	1	-	-	1	-	-	-	-	-	-	-
PLACE OF DELIVERY											
HOSPITAL	40,495	74	4,266	10,965	13,872	8,673	2,361	261	15	1	7
OTHER	132	-	12	30	48	27	11	2	-	-	2
UNKNOWN	5	-	-	4	1	-	-	-	-	-	-
MARITAL STATUS											
MOTHER MARRIED	32,527	6	1,544	8,038	12,504	8,010	2,176	231	13	1	4
MOTHER UNMARRIED	8,105	68	2,734	2,961	1,417	690	196	32	2	-	5
PERIOD OF GESTATION											
UNDER 20 WEEKS	6	-	1	3	1	1	-	-	-	-	-
20-27 WEEKS	192	2	29	75	43	32	10	1	-	-	-
28-31 WEEKS	245	2	38	80	70	46	8	1	-	-	-
32-35 WEEKS	726	3	127	188	230	130	43	5	-	-	-
36 WEEKS	762	4	102	202	253	152	45	4	-	-	-
37-39 WEEKS	8,510	11	832	2,123	2,979	1,941	555	65	3	-	1
40 WEEKS OR OVER	23,969	31	2,495	6,611	8,236	5,107	1,333	143	9	1	3
NOT STATED	6,222	21	654	1,717	2,109	1,291	378	44	3	-	5
WEIGHT AT BIRTH											
1000 GRAMS OR LESS	284	2	45	100	82	38	16	-	1	-	-
1001-1500 GRAMS	221	1	39	69	53	45	11	3	-	-	-
1501-2000 GRAMS	494	2	97	134	127	96	34	4	-	-	-
2001-2500 GRAMS	1,732	4	264	516	536	315	85	12	-	-	-
2501-3000 GRAMS	6,272	18	900	1,827	1,994	1,193	296	42	1	-	1
3001-3500 GRAMS	15,288	28	1,743	4,251	5,246	3,112	811	82	9	1	5
3501-4000 GRAMS	11,951	17	937	3,098	4,318	2,764	734	79	2	-	2
4001-4500 GRAMS	3,532	2	211	853	1,274	879	281	30	2	-	-
4501 GRAMS AND OVER	665	-	30	134	236	187	70	8	-	-	-
UNKNOWN	193	-	12	17	55	71	34	3	-	-	1
PLURAL BIRTHS											
SINGLE	39,764	74	4,229	10,802	13,601	8,460	2,312	261	15	1	9
TWINS	850	-	49	194	314	234	57	2	-	-	-
TRIPLETS	18	-	-	3	6	6	3	-	-	-	-

	NONWHITE										
	TOTAL	AGE OF MOTHER									
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	5,748	42	1,290	1,857	1,471	806	244	32	2	1	3
MALE	2,875	25	625	926	746	412	121	17	1	1	1
FEMALE	2,872	17	665	930	725	394	123	15	1	-	2
UNKNOWN	1	-	-	1	-	-	-	-	-	-	-
PLACE OF DELIVERY											
HOSPITAL	5,725	42	1,286	1,851	1,463	803	244	31	2	1	2
OTHER	23	-	4	6	8	3	-	1	-	-	1
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS											
MOTHER MARRIED	2,506	2	152	663	919	562	181	24	1	1	1
MOTHER UNMARRIED	3,242	40	1,138	1,194	552	244	63	8	1	-	2
PERIOD OF GESTATION											
UNDER 20 WEEKS	4	-	1	2	1	-	-	-	-	-	-
20-27 WEEKS	59	2	14	26	7	9	1	-	-	-	-
28-31 WEEKS	72	1	18	24	20	6	3	-	-	-	-
32-35 WEEKS	183	2	54	52	43	20	11	1	-	-	-
36 WEEKS	152	1	45	50	31	20	5	-	-	-	-
37-39 WEEKS	1,329	4	294	405	354	207	57	8	-	-	-
40 WEEKS OR OVER	2,846	22	623	929	734	397	124	15	1	1	-
NOT STATED	1,103	10	241	369	281	147	43	8	1	-	3
WEIGHT AT BIRTH											
1000 GRAMS OR LESS	89	2	20	37	20	8	2	-	-	-	-
1001-1500 GRAMS	72	1	18	26	17	8	2	-	-	-	-
1501-2000 GRAMS	162	1	51	52	30	19	8	1	-	-	-
2001-2500 GRAMS	405	2	121	128	82	55	15	2	-	-	-
2501-3000 GRAMS	1,376	10	355	457	335	163	47	7	1	-	1
3001-3500 GRAMS	2,203	17	490	742	557	295	85	15	1	1	-
3501-4000 GRAMS	1,163	8	200	360	328	202	58	6	-	-	1
4001-4500 GRAMS	233	1	30	46	84	48	23	1	-	-	-
4501 GRAMS AND OVER	40	-	3	9	16	8	4	-	-	-	-
UNKNOWN	5	-	2	-	2	-	-	-	-	-	1
PLURAL BIRTHS											
SINGLE	5,630	42	1,273	1,815	1,438	788	236	32	2	1	3
TWINS	118	-	17	42	33	18	8	-	-	-	-
TRIPLETS	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES.........	40,632	2,731	193	74	221	478	787	1,222	1,570	10,999	13,921	8,700	2,372	263	16	9
NONWHITE..........	5,748	728	5	42	98	194	259	349	390	1,857	1,471	806	244	32	3	3
HSA 1 SOUTHWESTERN																
ALL RACES.........	7,725	569	119	19	48	116	163	263	306	1,940	2,420	1,772	600	72	3	3
NONWHITE..........	1,687	214	1	16	26	68	62	117	116	543	402	246	76	12	2	1
BRIDGEPORT																
ALL RACES.........	2,719	263	4	12	33	66	105	154	187	988	736	338	83	13	1	3
NONWHITE..........	838	117	1	11	14	37	40	67	70	303	174	94	20	6	1	1
DARIEN																
ALL RACES.........	159	9	11	-	-	1	1	1	2	15	35	68	35	1	-	-
NONWHITE..........	4	1	-	-	-	-	-	-	-	-	3	-	1	-	-	-
EASTON																
ALL RACES.........	35	1	1	-	-	1	-	-	-	3	12	14	3	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
FAIRFIELD																
ALL RACES.........	476	26	5	-	-	1	5	6	7	68	185	149	49	6	-	-
NONWHITE..........	23	2	-	-	-	-	1	2	1	5	6	6	2	-	-	-
GREENWICH																
ALL RACES.........	487	29	25	-	-	1	5	5	2	58	151	179	75	10	1	-
NONWHITE..........	27	2	-	-	-	-	1	-	1	2	10	9	3	-	1	-
MONROE																
ALL RACES.........	192	2	-	-	-	2	2	1	9	30	75	60	12	1	-	-
NONWHITE..........	5	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-
NEW CANAAN																
ALL RACES.........	111	7	6	-	-	-	1	1	-	11	33	42	23	-	-	-
NONWHITE..........	6	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-
NORWALK																
ALL RACES.........	1,096	82	2	1	5	21	19	34	28	286	364	243	81	13	1	-
NONWHITE..........	276	40	-	-	4	13	10	16	13	89	69	42	17	3	-	-
STAMFORD																
ALL RACES.........	1,410	91	41	5	9	17	20	37	47	328	487	330	114	16	-	-
NONWHITE..........	434	38	-	4	8	15	10	26	28	129	119	65	28	2	-	-
STRATFORD																
ALL RACES.........	486	32	4	1	1	5	3	17	13	97	198	103	46	2	-	-
NONWHITE..........	51	10	-	1	-	3	-	5	2	12	15	10	2	1	-	-
TRUMBULL																
ALL RACES.........	236	13	-	-	-	-	-	4	6	30	75	92	27	2	-	-
NONWHITE..........	13	1	-	-	-	-	-	-	1	1	2	7	2	-	-	-
WESTON																
ALL RACES.........	63	5	5	-	-	-	-	-	-	3	12	35	10	3	-	-
NONWHITE..........	3	2	-	-	-	-	-	-	-	-	1	2	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN- KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN- KNOWN
WESTPORT																
ALL RACES..........	141	5	10	-	-	-	1	2	2	15	33	67	20	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON																
ALL RACES..........	114	4	5	-	-	1	1	1	3	8	24	52	22	2	-	-
NONWHITE..........	5	1	-	-	-	-	-	-	-	-	1	3	1	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES..........	8,024	564	13	14	54	90	162	224	313	2,063	2,844	1,765	449	45	-	1
NONWHITE..........	1,378	178	2	10	36	50	66	84	106	442	344	175	62	3	-	-
ANSONIA																
ALL RACES..........	282	18	-	-	2	2	5	13	14	94	101	42	7	2	-	-
NONWHITE..........	28	5	-	-	-	2	1	4	4	13	4	-	-	-	-	-
BETHANY																
ALL RACES..........	55	1	-	-	-	-	-	-	1	8	16	22	6	2	-	-
NONWHITE..........	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BRANFORD																
ALL RACES..........	303	19	-	-	-	1	2	3	2	61	125	81	25	3	-	-
NONWHITE..........	6	2	-	-	-	-	-	-	-	3	-	1	2	-	-	-
DERBY																
ALL RACES..........	144	6	-	-	1	-	4	7	4	39	50	31	6	2	-	-
NONWHITE..........	5	1	-	-	-	-	1	-	-	2	2	-	-	-	-	-
EAST HAVEN																
ALL RACES..........	290	22	-	-	-	4	1	3	13	78	114	62	13	2	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-
GUILFORD																
ALL RACES..........	221	7	-	-	-	-	2	1	4	25	74	84	30	1	-	-
NONWHITE..........	7	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-
HAMDEN																
ALL RACES..........	503	33	2	-	4	3	2	6	8	89	208	138	40	5	-	-
NONWHITE..........	47	8	-	-	3	2	2	2	1	7	11	13	6	-	-	-
MADISON																
ALL RACES..........	132	2	-	-	-	-	1	2	1	13	36	59	19	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
MERIDEN																
ALL RACES..........	878	56	1	-	2	9	29	24	46	268	322	152	23	3	-	-
NONWHITE..........	50	4	-	-	1	3	7	-	3	16	12	6	2	-	-	-
MILFORD																
ALL RACES..........	644	29	2	-	1	3	13	10	16	150	260	150	37	4	-	-
NONWHITE..........	15	-	-	-	-	-	1	-	-	5	3	4	2	-	-	-
NEW HAVEN																
ALL RACES..........	2,210	238	4	12	40	57	73	112	144	710	613	346	92	11	-	-
NONWHITE..........	1,057	143	2	9	32	40	48	74	91	356	252	115	37	3	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH BRANFORD																
ALL RACES..........	145	5	-	-	-	-	1	1	2	18	71	35	16	1	-	-
NONWHITE...........	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NORTH HAVEN																
ALL RACES..........	195	9	1	-	-	-	1	1	5	30	72	69	16	1	-	-
NONWHITE...........	8	2	-	-	-	-	-	-	-	-	4	3	1	-	-	-
ORANGE																
ALL RACES..........	84	7	-	-	1	-	1	1	3	10	24	30	13	-	-	1
NONWHITE...........	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
OXFORD																
ALL RACES..........	87	2	-	-	-	-	-	-	3	11	36	31	6	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR																
ALL RACES..........	181	11	-	-	-	1	1	6	1	50	74	43	5	-	-	-
NONWHITE...........	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
SHELTON																
ALL RACES..........	390	16	2	-	-	2	3	4	6	82	147	105	37	4	-	-
NONWHITE...........	13	1	-	-	-	-	-	-	-	1	5	4	3	-	-	-
WALLINGFORD																
ALL RACES..........	455	19	-	1	2	1	8	10	10	101	180	120	22	-	-	-
NONWHITE...........	10	1	-	-	-	-	-	-	-	2	5	3	-	-	-	-
WEST HAVEN																
ALL RACES..........	772	61	1	1	1	7	15	20	30	216	303	147	30	2	-	-
NONWHITE...........	112	10	-	1	-	3	5	3	7	31	39	18	5	-	-	-
WOODBRIDGE																
ALL RACES..........	53	3	-	-	-	-	-	-	-	10	18	18	6	1	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
HSA 3 EASTERN																
ALL RACES..........	7,039	410	8	12	24	63	118	212	298	2,286	2,346	1,307	335	35	3	-
NONWHITE...........	484	40	-	4	1	10	19	20	21	181	137	73	17	1	-	-
ASHFORD																
ALL RACES..........	35	2	-	-	-	-	-	-	1	7	14	11	2	-	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BOZRAH																
ALL RACES..........	19	-	-	-	-	-	-	1	1	6	5	5	1	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES..........	67	-	-	-	-	-	2	1	4	23	20	12	4	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY																
ALL RACES..........	49	3	-	-	-	1	-	1	1	16	17	8	4	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CHAPLIN																
ALL RACES..........	26	1	-	-	-	-	-	-	2	4	11	7	2	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES..........	51	1	-	-	-	-	2	2	-	16	13	15	3	-	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
CLINTON																
ALL RACES..........	192	8	-	-	1	1	1	3	3	41	80	49	11	2	-	-
NONWHITE...........	5	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
COLCHESTER																
ALL RACES..........	160	3	-	-	1	1	2	2	2	46	63	35	7	1	-	-
NONWHITE...........	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
COLUMBIA																
ALL RACES..........	43	2	1	-	-	-	-	-	1	8	16	15	3	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY																
ALL RACES..........	142	8	-	-	-	-	3	1	2	28	62	37	9	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROMWELL																
ALL RACES..........	163	8	2	-	-	1	1	3	4	28	71	47	8	-	-	-
NONWHITE...........	8	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-
DEEP RIVER																
ALL RACES..........	47	2	-	-	-	-	-	2	1	13	18	12	1	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM																
ALL RACES..........	49	4	-	-	-	-	-	-	1	9	22	14	2	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD																
ALL RACES..........	13	-	-	-	-	-	-	1	-	4	6	-	2	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES..........	81	4	1	-	-	-	1	5	4	29	22	15	5	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON																
ALL RACES..........	137	8	1	1	-	2	2	4	2	26	48	43	9	-	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
EAST LYME																
ALL RACES..........	166	8	-	-	-	3	-	1	7	40	69	33	12	1	-	-
NONWHITE...........	5	1	-	-	-	-	-	-	1	1	2	1	-	-	-	-
ESSEX																
ALL RACES..........	45	3	2	-	1	-	-	-	1	11	13	11	8	-	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
FRANKLIN																
ALL RACES..........	13	1	-	-	-	-	-	-	-	4	7	2	-	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES..........	136	8	-	-	-	1	2	8	4	50	48	19	4	-	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
GROTON																
ALL RACES..........	798	41	-	1	3	3	15	11	25	341	265	109	23	1	1	-
NONWHITE...........	97	4	-	-	1	-	1	3	4	31	34	17	6	-	-	-
HADDAM																
ALL RACES..........	71	1	-	-	1	1	-	-	1	15	22	22	7	2	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON																
ALL RACES..........	24	-	-	-	-	-	-	-	1	5	7	9	2	-	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
KILLINGLY																
ALL RACES..........	221	14	-	-	-	3	5	12	16	101	54	25	5	-	-	-
NONWHITE...........	4	1	-	-	-	1	-	-	-	2	-	1	-	-	-	-
KILLINGWORTH																
ALL RACES..........	51	2	-	-	-	-	-	-	1	8	14	19	8	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES..........	75	7	-	-	-	1	-	3	1	19	35	13	3	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD																
ALL RACES..........	225	15	1	-	-	4	2	4	6	48	92	55	14	-	-	-
NONWHITE...........	8	1	-	-	-	-	-	1	-	2	3	2	-	-	-	-
LISBON																
ALL RACES..........	35	6	-	-	-	-	-	1	1	17	8	8	-	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES..........	19	1	-	-	-	-	-	2	-	3	7	4	3	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES..........	122	8	-	-	-	1	-	3	3	34	37	35	7	2	-	-
NONWHITE...........	15	2	-	-	-	-	-	-	1	2	7	4	1	-	-	-
MIDDLEFIELD																
ALL RACES..........	36	2	-	-	-	-	-	-	1	10	13	9	3	-	-	-
NONWHITE...........	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
MIDDLETOWN																
ALL RACES..........	524	35	-	2	1	3	5	14	22	184	173	95	24	1	-	-
NONWHITE...........	91	8	-	2	-	1	3	5	7	36	23	12	2	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MONTVILLE																
ALL RACES.........	254	10	-	-	1	4	4	9	9	91	77	42	16	1	-	-
NONWHITE..........	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
NEW LONDON																
ALL RACES.........	479	41	-	2	4	12	16	22	29	172	150	57	13	2	-	-
NONWHITE..........	131	18	-	2	-	7	9	8	2	47	40	12	4	-	-	-
N STONINGTON																
ALL RACES.........	23	1	-	-	-	1	-	-	1	6	10	4	-	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NORWICH																
ALL RACES.........	655	33	-	2	2	6	15	29	49	263	181	81	20	6	1	-
NONWHITE..........	54	2	-	-	-	-	4	1	2	28	12	5	1	1	-	-
OLD LYME																
ALL RACES.........	80	4	-	-	-	-	-	-	2	10	30	29	9	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
OLD SAYBROOK																
ALL RACES.........	89	7	-	-	-	-	3	4	1	23	34	16	7	-	1	-
NONWHITE..........	4	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-
PLAINFIELD																
ALL RACES.........	200	9	-	-	-	5	9	17	17	72	49	24	5	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
POMFRET																
ALL RACES.........	41	3	-	-	-	-	-	3	2	10	17	8	-	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES.........	83	7	-	-	-	-	-	-	4	26	29	22	2	-	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
PRESTON																
ALL RACES.........	15	-	-	-	-	-	-	1	-	4	5	3	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES.........	120	15	-	-	1	2	6	7	9	52	23	14	5	1	-	-
NONWHITE..........	3	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-
SALEM																
ALL RACES.........	22	2	-	-	1	-	1	-	1	6	7	5	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES.........	5	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES.........	65	3	-	-	-	1	1	3	3	26	18	11	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
STERLING																
ALL RACES..........	25	-	-	-	2	-	-	1	2	7	7	5	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES..........	234	15	-	1	-	1	6	5	10	78	84	31	18	-	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
THOMPSON																
ALL RACES..........	121	10	-	2	2	1	2	7	6	39	34	18	9	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
UNION																
ALL RACES..........	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES..........	31	1	-	-	-	-	-	-	1	11	13	5	-	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WATERFORD																
ALL RACES..........	149	10	-	1	-	1	1	1	-	39	55	43	5	3	-	-
NONWHITE..........	7	-	-	-	-	1	-	-	-	2	1	3	-	-	-	-
WESTBROOK																
ALL RACES..........	69	6	-	-	1	-	2	1	2	15	28	16	3	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
WILLINGTON																
ALL RACES..........	66	3	-	-	-	1	-	2	2	14	23	21	2	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WINDHAM																
ALL RACES..........	313	21	-	-	2	2	8	14	28	112	90	44	13	-	-	-
NONWHITE..........	11	1	-	-	-	-	-	-	-	7	2	1	1	-	-	-
WOODSTOCK																
ALL RACES..........	62	3	-	-	-	-	1	1	1	15	23	15	6	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES..........	11,607	783	22	22	79	147	250	372	447	3,107	4,056	2,484	574	60	5	4
NONWHITE..........	1,746	228	2	11	30	50	90	105	118	540	471	249	71	8	1	2
ANDOVER																
ALL RACES..........	35	1	-	-	-	-	-	-	1	6	15	11	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON																
ALL RACES..........	109	5	-	-	-	-	-	-	1	7	36	46	18	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
BERLIN																
ALL RACES..........	153	6	-	-	-	-	1	1	3	27	58	51	11	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BLOOMFIELD																
ALL RACES.........	190	8	-	-	1	2	5	2	5	34	72	54	12	3	-	-
NONWHITE..........	72	3	-	-	1	2	5	2	2	16	22	14	6	2	-	-
BOLTON																
ALL RACES.........	45	2	-	-	-	-	-	-	-	14	17	11	3	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
BRISTOL																
ALL RACES.........	725	45	2	-	1	7	13	30	33	220	272	115	28	6	-	-
NONWHITE..........	38	4	-	-	-	-	1	3	1	15	11	4	3	-	-	-
BURLINGTON																
ALL RACES.........	104	5	-	-	1	-	-	-	3	10	47	36	7	-	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
CANTON																
ALL RACES.........	115	1	-	-	-	-	-	-	1	22	40	41	10	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EAST GRANBY																
ALL RACES.........	55	1	-	-	-	-	1	1	1	12	20	16	4	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
EAST HARTFORD																
ALL RACES.........	641	46	1	-	1	2	5	15	25	204	264	106	18	1	-	-
NONWHITE..........	77	6	-	-	-		-	1	-	25	31	16	3	1	-	-
EAST WINDSOR																
ALL RACES.........	132	8	-	-	1	-	1	4	4	53	46	16	6	1	-	-
NONWHITE..........	9	1	-	-	-	-	-	2	-	3	2	1	1	-	-	-
ELLINGTON																
ALL RACES.........	114	7	-	-	-	-	3	3	3	28	40	28	7	2	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ENFIELD																
ALL RACES.........	530	31	2	1	-	11	10	11	17	156	203	103	16	2	-	-
NONWHITE..........	9	1	-	-	-	1	1	-	-	2	2	1	2	-	-	-
FARMINGTON																
ALL RACES.........	151	7	-	-	-	-	1	1	-	23	67	49	9	1	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
GLASTONBURY																
ALL RACES.........	228	9	-	-	-	2	-	5	2	29	74	93	22	1	-	-
NONWHITE..........	6	1	-	-	-	-	-	1	-	-	2	3	-	-	-	-
GRANBY																
ALL RACES.........	105	5	-	-	-	-	-	2	1	14	40	36	10	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
HARTFORD																
ALL RACES.........	2,748	292	4	17	54	88	143	185	192	953	685	339	75	12	2	3
NONWHITE..........	1,223	177	2	11	23	41	75	88	102	406	304	136	29	5	1	2

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HARTLAND																
ALL RACES..........	22	-	-	-	-	-	-	-	1	2	11	7	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES..........	117	1	-	-	1	1	-	3	1	22	41	41	7	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
MANCHESTER																
ALL RACES..........	602	35	1	2	2	2	5	9	13	158	248	131	29	3	-	-
NONWHITE..........	38	7	-	-	1	1	1	-	3	6	13	9	4	-	-	-
MARLBOROUGH																
ALL RACES..........	70	4	1	-	-	-	-	-	1	7	20	33	9	-	-	-
NONWHITE........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES..........	1,060	62	-	1	11	20	33	42	54	363	349	151	31	3	2	-
NONWHITE..........	115	14	-	-	4	5	6	4	7	38	27	21	3	-	-	-
NEWINGTON																
ALL RACES..........	258	13	-	-	-	1	5	1	2	35	105	84	24	1	-	-
NONWHITE..........	10	-	-	-	-	-	-	-	-	2	4	2	2	-	-	-
PLAINVILLE																
ALL RACES..........	199	6	3	-	-	-	2	6	4	50	84	44	9	-	-	-
NONWHITE..........	8	-	-	-	-	-	-	1	-	-	2	3	2	-	-	-
PLYMOUTH																
ALL RACES..........	126	3	1	-	-	-	-	1	4	38	50	26	7	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ROCKY HILL																
ALL RACES..........	168	11	-	-	-	-	-	1	2	37	69	50	7	2	-	-
NONWHITE..........	12	-	-	-	-	-	-	-	-	-	6	5	1	-	-	-
SIMSBURY																
ALL RACES..........	202	16	-	-	1	-	-	3	3	20	75	73	25	1	-	1
NONWHITE..........	5	1	-	-	-	-	-	1	-	-	-	1	3	-	-	-
SOMERS																
ALL RACES..........	92	6	-	-	-	2	2	1	2	20	33	24	8	-	-	-
NONWHITE..........	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SOUTHINGTON																
ALL RACES..........	455	25	3	1	-	-	6	2	6	98	182	137	23	-	-	-
NONWHITE..........	6	1	-	-	-	-	-	-	-	2	2	1	1	-	-	-
SOUTH WINDSOR																
ALL RACES..........	203	12	-	-	1	-	2	4	2	33	78	61	22	-	-	-
NONWHITE..........	8	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-
STAFFORD																
ALL RACES..........	145	4	-	-	-	-	1	3	5	54	54	25	1	1	1	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES.........	117	6	-	-	-	-	1	2	4	26	45	27	11	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
TOLLAND																
ALL RACES.........	137	3	-	-	-	-	-	4	3	19	61	36	14	-	-	-
NONWHITE..........	8	-	-	-	-	-	-	1	-	2	-	3	2	-	-	-
VERNON																
ALL RACES.........	417	18	-	-	1	5	6	19	31	139	134	64	15	3	-	-
NONWHITE..........	8	1	-	-	-	-	-	-	1	2	3	2	-	-	-	-
WEST HARTFORD																
ALL RACES.........	446	26	3	-	1	2	-	2	3	56	169	167	38	8	-	-
NONWHITE..........	25	3	-	-	-	-	-	-	-	5	11	8	1	-	-	-
WETHERSFIELD																
ALL RACES.........	171	20	-	-	-	2	-	1	1	22	70	60	14	1	-	-
NONWHITE..........	4	2	-	-	-	-	-	-	-	3	1	-	-	-	-	-
WINDSOR																
ALL RACES.........	287	25	1	-	2	-	3	6	7	51	128	71	18	1	-	-
NONWHITE..........	36	5	-	-	1	-	1	-	1	4	16	11	2	-	-	-
WINDSOR LOCKS																
ALL RACES.........	133	8	-	-	-	-	1	2	6	45	54	21	3	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES.........	6,237	405	31	7	16	62	94	151	206	1,603	2,255	1,372	414	51	5	1
NONWHITE..........	453	68	-	1	5	16	22	23	29	151	117	63	18	8	-	-
BARKHAMSTED																
ALL RACES.........	32	-	-	-	-	-	-	-	-	3	13	13	3	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
BEACON FALLS																
ALL RACES.........	49	4	-	-	-	-	2	-	-	15	20	10	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES.........	265	20	-	-	-	1	1	4	5	43	127	64	17	3	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
BETHLEHEM																
ALL RACES.........	41	1	-	-	-	-	-	1	-	11	11	10	8	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES.........	6	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES.........	132	3	-	-	-	-	2	1	4	18	48	44	14	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CANAAN																
ALL RACES.........	31	1	2	-	-	-	-	-	-	11	8	9	2	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHESHIRE																
ALL RACES.........	219	13	-	-	-	-	1	1	3	24	89	79	21	1	-	-
NONWHITE..........	10	-	-	-	-	-	-	-	-	3	-	6	1	-	-	-
COLEBROOK																
ALL RACES.........	17	-	-	-	-	-	-	-	-	3	6	5	3	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES.........	19	2	-	-	-	-	-	-	1	6	5	5	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES.........	902	63	9	-	1	10	25	25	41	268	302	172	47	9	1	1
NONWHITE..........	115	19	-	-	-	4	7	4	6	40	28	15	5	6	-	-
GOSHEN																
ALL RACES.........	23	1	-	-	-	-	-	-	1	2	13	4	2	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
HARWINTON																
ALL RACES.........	55	1	-	-	-	-	-	1	-	7	25	20	1	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES.........	21	1	1	-	-	-	-	-	-	7	11	2	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES.........	84	2	-	-	-	-	1	1	1	18	28	23	11	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLEBURY																
ALL RACES.........	53	2	-	-	-	-	-	1	1	8	22	15	5	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES.........	[illegible]	-	-	-	-	-	-	-	-	1	4	4	3	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK																
ALL RACES.........	368	27	-	-	1	4	2	12	9	129	145	56	10	-	-	-
NONWHITE..........	10	1	-	-	-	-	-	-	-	3	3	3	1	-	-	-
NEW FAIRFIELD																
ALL RACES.........	139	7	2	-	-	1	2	1	3	25	50	43	14	-	-	-
NONWHITE..........	4	1	-	-	-	-	-	-	-	-	1	3	-	-	-	-
NEW HARTFORD																
ALL RACES.........	64	2	-	-	-	-	-	1	2	13	25	18	5	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NEW MILFORD																
ALL RACES..........	302	20	-	1	1	2	2	7	4	67	123	78	14	3	-	-
NONWHITE..........	6	-	-	-	1	-	-	-	-	-	4	1	-	-	-	-
NEWTOWN																
ALL RACES..........	210	8	-	-	-	1	-	3	-	37	78	58	28	5	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
NORFOLK																
ALL RACES..........	38	1	-	-	-	-	1	1	-	9	13	10	4	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES..........	15	1	-	-	-	-	1	-	-	6	-	4	3	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT																
ALL RACES..........	56	3	-	-	-	1	1	-	-	11	29	10	3	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING																
ALL RACES..........	81	4	3	-	-	-	1	-	-	4	28	35	10	2	1	-
NONWHITE..........	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
RIDGEFIELD																
ALL RACES..........	186	9	7	-	-	-	3	1	4	23	58	65	29	2	1	-
NONWHITE..........	7	1	-	-	-	-	-	-	-	-	2	4	1	-	-	-
ROXBURY																
ALL RACES..........	20	2	-	-	-	-	-	-	1	2	8	6	2	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES..........	42	-	1	-	-	1	-	5	1	6	13	9	5	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
SHARON																
ALL RACES..........	28	4	-	-	-	-	-	-	-	11	8	7	2	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SHERMAN																
ALL RACES..........	33	-	1	-	-	-	-	-	1	4	11	11	5	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SOUTHBURY																
ALL RACES..........	117	8	-	-	-	-	-	1	3	14	37	48	13	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
THOMASTON																
ALL RACES..........	74	6	-	-	-	-	-	2	1	24	33	13	1	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TORRINGTON																
ALL RACES..........	389	21	3	-	1	1	3	10	22	128	140	66	15	2	1	-
NONWHITE..........	18	2	-	-	-	-	-	-	-	8	7	3	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WARREN																
ALL RACES.........	11	1	-	-	-	-	-	-	-	4	3	3	-	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES.........	48	-	1	-	-	1	1	1	-	12	17	9	6	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES.........	1,518	134	-	4	10	37	40	59	82	501	499	219	59	7	1	-
NONWHITE..........	252	42	-	1	4	12	15	18	23	90	62	21	5	1	-	-
WATERTOWN																
ALL RACES.........	209	12	-	-	1	-	2	5	5	45	85	50	16	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
WINCHESTER																
ALL RACES.........	131	11	-	1	1	2	1	5	7	38	52	18	5	1	-	-
NONWHITE..........	3	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-
WOLCOTT																
ALL RACES.........	120	7	-	1	-	-	-	2	3	28	42	28	15	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
WOODBURY																
ALL RACES.........	77	3	1	-	-	-	2	-	-	16	26	27	6	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1982

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	307	10	44	82	80	60	22	5	1	2	1	71	3	16	24	12	10	5	-	-	1	-
Sex:																						
Male	162	7	21	49	38	30	14	3	-	-	-	34	2	7	15	2	4	4	-	-	-	-
Female	141	3	21	33	42	30	7	1	1	2	1	35	1	7	9	10	6	1	-	-	1	-
Unknown	4	-	2	-	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	305	9	44	81	80	60	22	5	1	2	1	70	3	16	23	12	10	5	-	-	1	-
Other	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Unknown	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	3	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
20-27 weeks	66	3	11	18	13	13	6	2	-	-	-	14	1	4	4	5	-	-	-	-	-	-
28-31 weeks	28	1	6	7	8	4	1	1	-	-	-	11	1	3	4	-	2	1	-	-	-	-
32-35 weeks	36	1	6	12	7	7	2	-	-	1	-	5	-	1	2	-	2	-	-	-	-	-
36 weeks	12	-	3	2	3	3	-	-	-	-	1	3	-	2	-	1	-	-	-	-	-	-
37-39 weeks	29	-	6	3	7	7	4	1	-	1	-	9	-	1	2	1	3	1	-	-	1	-
40 weeks or over	31	2	3	7	12	6	1	-	-	-	-	3	-	1	1	-	-	1	-	-	-	-
Unknown	102	3	8	33	28	20	8	1	1	-	-	25	1	3	11	5	3	2	-	-	-	-
Weight at birth:																						
1000 grams or less	109	2	17	35	29	17	6	2	-	1	-	25	1	7	8	6	1	1	-	-	1	-
1001-1500 grams	38	1	6	14	4	11	2	-	-	-	-	15	-	3	7	-	4	1	-	-	-	-
1501-2000 grams	31	1	6	4	11	6	-	1	-	1	1	6	1	1	1	2	1	-	-	-	-	-
2001-2500 grams	25	-	1	7	7	7	2	1	-	-	-	4	-	-	1	1	1	1	-	-	-	-
2501-3000 grams	29	1	-	9	9	5	4	-	1	-	-	3	-	-	1	1	1	-	-	-	-	-
3001-3500 grams	22	-	4	9	4	5	-	-	-	-	-	6	-	-	6	-	-	-	-	-	-	-
3501-4000 grams	12	1	2	2	4	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
4001-4500 grams	4	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Over 4500 grams	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	35	4	8	2	9	5	6	1	-	-	-	10	1	4	-	2	2	1	-	-	-	-
Plural births:																						
Single	279	8	41	75	72	54	20	5	1	2	1	68	3	15	24	12	8	5	-	-	1	-
Twins	25	-	3	7	8	6	1	-	-	-	-	3	-	1	-	-	2	-	-	-	-	-
Unknown	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

-No fetal deaths reported

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1982

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total all causes	307
740	Anencephalus	3
742	Other congenital anomalies of nervous system	4
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	1
746	Other congenital anomalies of the heart	1
750	Other congenital anomalies of upper alimentary tract	1
753	Congenital anomalies of urinary system	1
758	Chromosomal anomalies	2
759	Other and unspecified congenital anomalies	5
760	Fetus allected by maternal conditions which may be unrelated to present pregnancy	10
761	Fetus affected by maternal complications of pregnancy	30
762	Fetus affected by complications of placenta, cord and membranes	99
763	Fetus affected by other complications of labor and delivery	14
764	Slow fetal growth and fetal malnutrition	2
765	Disorders relating to short gestation and unspecified low birthweight	18
768	Intrauterine hypoxia and birth asphyxia	20
769	Respiratory distress syndrome	1
770	Other respiratory conditions of fetus	1
771	Infections specific to perinatal period	1
775	Endocrine and metabolic disturbances specific to the fetus	2
778	Conditions involving integument and temperature control of fetus	1
779	Other and ill-defined conditions originating in perinatal period	90

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	26,764	443	21	15	15	15	509	43	56	198	322	278	262	291	371	548	1,003	1,603	2,318	2,994	3,337	3,569	3,496	5,565	1
MALE	13,900	245	12	7	10	10	284	24	35	138	252	180	182	185	233	345	611	1,006	1,428	1,811	1,905	1,883	1,536	1,862	-
FEMALE	12,863	197	9	8	5	5	224	19	21	60	70	98	80	106	138	203	392	597	890	1,183	1,432	1,686	1,960	3,703	1
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
10-18 TUBERCULOSIS																									
MALE	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	2	1	1	1	2	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	2	1	1	1	2	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	6	-	1	1	-	-	2	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	96	1	-	-	-	-	1	-	-	-	-	1	-	-	2	1	5	7	8	9	20	12	14	16	-
FEMALE	92	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	3	6	8	13	20	14	22	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	36	-	-	-	-	-	-	-	-	-	2	1	1	2	2	-	-	4	3	1	3	8	6	3	-
FEMALE	40	-	-	1	-	-	1	-	-	1	-	1	1	1	-	-	2	5	2	6	3	4	7	6	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,300	1	-	2	2	1	6	4	6	8	6	11	14	22	29	75	171	309	445	554	556	460	334	290	-
FEMALE	3,094	-	-	-	1	1	2	2	1	4	4	21	24	30	57	94	179	279	406	436	430	400	351	374	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	48	-	-	-	-	-	-	-	2	2	-	3	-	1	1	1	5	1	3	8	7	5	6	3	-
FEMALE	56	1	-	-	-	-	1	-	-	2	1	1	-	1	-	1	3	3	7	10	4	8	6	8	-
250 DIABETES MELLITIS																									
MALE	208	-	-	-	-	-	-	-	-	-	2	1	2	6	5	7	13	13	34	28	25	30	25	17	-
FEMALE	263	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	10	10	21	30	37	39	42	64	-
280-285 ANEMIAS																									
MALE	11	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	4	-	1	-	2	-
FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	2	2	1	8	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	62	-	-	-	-	-	-	-	-	-	-	-	1	4	7	8	9	12	10	7	4	-	-	-	-
FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	-	5	3	-	-	1	-	-	-
320-322 MENINGITIS																									
MALE	5	2	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	1	1	1	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,602	3	1	1	-	1	6	2	4	3	6	15	21	37	83	141	258	477	692	913	977	1,024	843	1,100	-
FEMALE	6,626	1	1	-	-	1	3	1	-	1	4	9	9	18	[illegible]	39	109	169	297	496	671	950	1,240	2,584	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	5,420	3	-	1	-	1	5	2	3	2	2	11	16	30	76	128	226	429	621	782	803	811	648	825	-
FEMALE	4,965	1	1	-	-	1	3	1	-	1	2	6	6	8	21	30	92	134	239	404	520	735	905	1,858	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	5	5	2	2	4	-
FEMALE	66	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	4	5	8	6	11	11	12	5	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	125	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	11	15	12	20	16	19	11	15	-
FEMALE	149	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	8	2	13	14	14	29	30	37	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	8	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	4,198	-	-	-	-	-	-	-	1	-	-	5	9	22	58	94	173	342	481	619	636	631	505	622	-
FEMALE	3,705	-	-	-	-	-	-	-	-	-	-	1	1	2	14	15	61	90	157	277	396	568	690	1,433	-
415-429 OTHER HEART DISEASE																									
MALE	1,063	3	-	1	-	1	5	2	2	2	2	6	7	8	17	26	40	70	125	138	144	159	130	180	-
FEMALE	1,028	1	1	-	-	1	3	1	-	1	2	4	4	5	7	12	19	37	61	106	98	123	170	375	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	53	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	6	4	5	5	6	7	15	-
FEMALE	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	5	11	14	26	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	813	-	1	-	-	-	1	-	1	1	4	3	3	6	5	12	26	32	46	78	110	142	149	194	-
FEMALE	1,255	-	-	-	-	-	-	-	-	-	1	3	2	10	3	9	16	27	51	67	123	167	253	521	-
440 ATHEROSCLEROSIS																									
MALE	132	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	8	17	29	17	54	-
FEMALE	223	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	9	18	44	145	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	184	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	9	17	40	42	36	22	12	-
FEMALE	118	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	5	2	16	14	19	24	34	-
480-486 PNEUMONIA																									
MALE	392	2	-	1	-	1	4	-	-	2	1	1	3	2	1	7	6	12	17	25	47	63	58	143	-
FEMALE	336	1	3	-	-	-	4	-	1	1	1	-	2	1	-	4	3	6	6	9	23	39	57	179	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
487 INFLUENZA																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	474	1	1	-	-	-	2	-	-	2	-	-	1	1	1	6	13	16	42	71	80	91	84	64	-
FEMALE	268	1	-	-	-	-	1	-	-	-	-	-	2	1	1	5	4	21	21	43	59	37	35	38	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	3	3	7	5	3	-
FEMALE	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	3	5	6	13	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	30	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1	1	2	5	5	5	8	-
FEMALE	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	6	4	11	24	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	216	2	-	-	-	-	2	-	-	-	-	1	3	5	14	17	25	32	38	32	26	11	6	4	-
FEMALE	134	-	-	-	-	-	-	-	-	-	-	-	2	4	5	8	16	18	19	22	12	14	8	6	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	109	1	-	-	-	-	1	-	1	1	1	-	-	-	3	1	3	5	5	12	16	18	14	28	-
FEMALE	103	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	13	11	16	9	16	33	-
590 INFECTIONS OF KIDNEY																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-
FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	6	-
600 HYPERPLASIA OF PROSTATE																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-
740-759 CONGENITAL ANOMALIES																									
MALE	71	50	1	1	4	1	57	2	2	1	1	1	2	2	-	-	-	-	1	-	1	1	-	-	-
FEMALE	80	55	2	1	1	-	59	4	1	2	5	1	1	1	-	1	2	1	-	1	-	1	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	138	138	-	-	-	-	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	105	105	-	-	-	-	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	25	25	-	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	20	20	-	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE	718	2	3	1	2	2	10	10	11	80	139	86	57	40	37	26	33	22	31	25	21	33	24	33	-
FEMALE	345	3	1	2	1	2	9	10	9	30	23	23	10	12	12	15	15	21	14	14	25	27	27	49	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	339	-	2	-	-	2	4	4	7	54	99	47	38	23	13	5	6	7	7	4	5	9	6	1	-
FEMALE	131	-	-	1	-	-	1	7	5	20	17	13	9	5	5	9	4	8	3	5	5	5	6	4	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	35	-	-	-	-	-	-	2	3	3	4	5	4	2	2	3	-	2	-	2	1	1	1	-	-
FEMALE	14	-	-	-	1	1	2	1	1	2	2	1	-	-	-	1	1	-	-	-	1	-	1	1	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	186	-	-	-	-	-	-	-	-	13	28	18	22	15	10	13	15	10	12	8	10	4	6	2	-
FEMALE	56	-	-	-	-	-	-	-	-	-	5	6	6	4	8	3	9	4	3	3	3	1	-	1	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	122	2	1	-	-	-	3	1	4	10	25	13	13	14	7	7	7	8	5	3	-	1	1	-	-
FEMALE	51	-	-	-	1	-	1	2	5	7	6	11	3	3	2	1	-	2	3	1	-	1	3	-	-
ALL OTHER CAUSES																									
MALE	991	13	5	-	1	3	22	5	4	14	40	27	41	34	28	35	46	70	77	102	102	104	102	138	-
FEMALE	1,036	10	1	3	1	1	16	-	4	12	19	22	16	21	21	23	33	43	64	84	122	120	131	284	1

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES.............	1,394	106	3	1	-	-	110	4	2	16	29	33	42	57	64	69	105	162	133	122	132	123	92	99	-
MALE..........................	812	58	3	-	-	-	61	3	2	12	22	17	32	40	43	46	65	111	78	74	74	62	41	29	-
FEMALE........................	581	47	-	1	-	-	48	1	-	4	7	16	10	17	21	23	40	51	55	48	58	61	51	70	-
UNKNOWN.......................	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE........................	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE........................	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE........................	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE........................	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE........................	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
FEMALE......................	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE........................	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	2	-	-	-
FEMALE......................	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE........................	170	-	-	-	-	-	-	-	-	1	-	2	1	2	4	11	20	32	26	25	18	13	10	5	-
FEMALE......................	136	-	-	-	-	-	-	-	-	1	-	2	-	4	7	8	10	21	23	15	10	17	10	8	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE........................	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
250 DIABETES MELLITIS																									
MALE........................	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	4	3	-	-	-
FEMALE......................	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	-	2	2	-	2	-
280-285 ANEMIAS																									
MALE........................	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE........................	17	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	4	-	1	-	-	-	-	-
FEMALE......................	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE........................	270	1	1	-	-	-	2	-	-	-	2	2	4	5	15	14	15	38	35	34	38	28	19	18	-
FEMALE......................	249	1	-	-	-	-	1	-	-	-	1	1	4	3	7	8	17	16	15	25	36	32	32	51	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
390-398,402,404-429 DISEASES OF THE HEART																									
MALE........................	218	1	-	-	-	-	1	-	-	-	1	1	2	3	13	10	9	31	34	29	35	21	15	13	-
FEMALE......................	184	1	-	-	-	-	1	-	-	-	1	1	3	2	6	7	14	10	12	20	26	23	23	35	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
FEMALE......................	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																									
MALE........................	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	-	-	-	-
FEMALE......................	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	-	1	1	1	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE........................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
410-414 ISCHEMIC HEART DISEASE																									
MALE........................	154	-	-	-	-	-	-	-	-	-	-	-	1	1	10	7	5	20	21	25	23	19	11	11	-
FEMALE......................	116	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	7	8	14	16	16	17	25	-
415-429 OTHER HEART DISEASE																									
MALE........................	56	1	-	-	-	-	1	-	-	-	1	1	1	2	3	2	4	8	12	4	9	2	4	2	-
FEMALE......................	56	1	-	-	-	-	1	-	-	-	1	1	2	1	3	4	5	3	4	3	9	5	5	9	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE........................	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE......................	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
430-438 CEREBROVASCULAR DISEASES																									
MALE........................	39	-	1	-	-	-	1	-	-	-	1	-	2	2	2	3	4	5	1	3	1	5	4	5	-
FEMALE......................	50	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	4	2	3	8	9	7	10	-
440 ATHEROSCLEROSIS																									
MALE........................	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE......................	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE........................	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	1	-	-	-	-
FEMALE......................	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-
480-486 PNEUMONIA																									
MALE........................	26	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	1	3	-	2	4	6	2	1	-
FEMALE......................	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	2	-	-
487 INFLUENZA																									
MALE........................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE........................	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	3	2	2	-	-
FEMALE......................	9	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	3	-	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE........................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE........................	22	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	3	5	2	1	2	-	-	-	-
FEMALE......................	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	3	2	-	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE........................	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	2	1	1	-
FEMALE......................	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	2	-
740-759 CONGENITAL ANOMALIES																									
MALE........................	4	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	11	10	-	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE........................	39	39	-	-	-	-	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	25	25	-	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....................	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE........................	11	11	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE........................	50	-	1	-	-	-	1	2	-	2	4	4	10	7	4	2	2	4	2	2	-	3	1	-	-
FEMALE......................	19	1	-	-	-	-	1	1	-	1	1	2	1	1	-	1	3	2	-	-	4	-	-	1	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE........................	16	-	1	-	-	-	1	-	-	-	1	3	6	2	1	-	-	1	-	-	-	1	-	-	-
FEMALE......................	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE........................	3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE......................	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE........................	6	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE........................	46	-	-	-	-	-	-	1	1	6	8	4	5	6	2	2	4	4	2	1	-	-	-	-	-
FEMALE......................	9	-	-	-	-	-	-	-	-	-	2	5	-	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																									
MALE........................	87	2	1	-	-	-	3	-	-	1	4	4	7	9	8	8	9	14	3	4	3	2	4	4	-
FEMALE......................	57	4	-	-	-	-	4	-	-	2	2	4	1	6	2	2	7	6	2	4	2	7	2	4	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT..........	443	106	214	91	39	33	66	105	244	53	21	45	49
HSA 1 SOUTHWESTERN..	89	29	43	15	10	10	11	20	49	16	7	8	12
BRIDGEPORT	51	17	24	8	6	7	6	12	27	9	7	6	6
DARIEN	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	2	1	2	-	-	-	-	-	2	-	-	-	-
GREENWICH	1	-	-	1	-	-	-	-	1	-	-	-	-
MONROE	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWALK	9	4	3	1	1	2	2	2	3	-	-	-	4
STAMFORD	20	7	11	2	3	1	3	5	11	6	-	2	2
STRATFORD	4	-	1	3	-	-	-	1	3	-	-	-	-
TRUMBULL	2	-	2	-	-	-	-	-	2	1	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 2 SOUTH CENTRAL.	93	28	46	14	11	4	18	28	44	13	3	9	12
ANSONIA	4	1	2	1	-	-	1	2	2	-	-	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	5	-	2	-	2	-	1	5	-	-	-	-	-
DERBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAVEN	3	-	3	-	-	-	-	3	-	-	-	-	-
GUILFORD	1	-	-	1	-	-	-	1	-	-	-	-	-
HAMDEN	7	-	3	1	3	-	-	3	4	2	1	-	-
MADISON	2	-	-	1	-	1	-	1	-	-	-	1	-
MERIDEN	7	1	1	-	2	-	4	1	2	1	-	1	3
MILFORD	11	-	9	-	-	-	2	2	7	4	1	1	1
NEW HAVEN	32	23	18	6	2	1	5	4	21	5	1	2	5
NORTH BRANFORD......	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	4	-	1	1	-	-	2	1	1	-	-	1	1
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	1	-	-	1	-	-	-	-	1	-	-	-	-
SEYMOUR	-	-	-	-	-	-	-	-	-	-	-	-	-
SHELTON	2	1	-	-	1	-	1	1	-	-	-	1	-
WALLINGFORD	3	-	1	-	1	-	1	2	-	-	-	-	1
WEST HAVEN	11	2	6	2	-	2	1	2	6	1	-	2	1
WOODBRIDGE	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 3 EASTERN.......	63	7	32	12	5	8	6	15	33	7	5	6	9
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
COLCHESTER	1	-	1	-	-	-	-	-	1	-	1	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	1	-	1	-	-	-	-	-	1	1	-	-	-
CROMWELL	-	-	-	-	-	-	-	-	-	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	1	-	1	-	-	-	-	-	1	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	1	-	1	-	-	-	-	-	1	-	-	-	-
EAST HAMPTON	2	-	-	-	-	-	2	1	-	-	-	-	1
EAST LYME	1	-	-	-	-	1	-	-	-	-	-	1	-
ESSEX	1	-	1	-	-	-	-	-	1	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	4	-	-	1	1	1	1	2	-	-	-	1	1
GROTON	8	1	7	-	-	1	-	1	6	1	1	1	-
HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	3	-	3	-	-	-	-	-	3	1	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD	3	-	1	2	-	-	-	2	1	-	-	-	-
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME	1	-	-	1	-	-	-	1	-	-	-	-	-
MANSFIELD	1	1	1	-	-	-	-	-	1	1	-	-	-
MIDDLEFIELD	1	-	-	1	-	-	-	1	-	-	-	-	-
MIDDLETOWN	4	2	2	1	-	-	1	1	2	-	-	-	1
MONTVILLE	4	-	1	1	2	-	-	-	3	-	1	-	1
NEW LONDON	7	3	3	1	1	2	-	1	4	1	-	1	1
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	5	-	2	2	-	1	-	-	4	1	1	1	-
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	1	-	1	-	-	-	-	1	-	-	-	-	-
PLAINFIELD	2	-	1	-	1	-	-	1	-	-	-	-	1
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	3	-	1	1	-	-	1	1	1	-	1	-	1
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	1	-	1	-	-	-	-	-	1	1	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	-	-	-	-	1	-	-	-	-	-	-	1
THOMPSON	2	-	1	1	-	-	-	1	1	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	2	-	1	-	-	1	-	1	-	-	-	1	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	1	-	1	-	-	-	-	-	1	-	-	-	-
WINDHAM	1	-	-	-	-	-	1	-	-	-	-	-	1
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL.	139	33	60	37	8	7	27	32	76	10	5	17	14
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	1	-	-	-	-	-	1	-	-	-	-	1	-
BERLIN	1	-	-	-	-	-	1	1	-	-	-	-	-
BLOOMFIELD	1	-	1	-	-	-	-	1	-	-	-	-	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	7	2	5	1	-	-	1	3	4	1	-	-	-
BURLINGTON	2	-	1	1	-	-	-	1	1	-	-	-	-
CANTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	6	1	2	1	-	-	3	2	-	-	-	-	4
EAST WINDSOR	1	-	-	-	-	-	1	-	-	-	-	1	-
ELLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
ENFIELD	7	-	4	1	1	-	1	3	3	-	-	1	-
FARMINGTON	4	-	3	-	1	-	-	1	3	1	-	-	-
GLASTONBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANBY	1	-	-	-	-	1	-	-	-	-	-	1	-
HARTFORD	47	26	16	16	2	4	9	5	30	4	1	7	5
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	1	-	-	-	-	1	-	-	-	-
MANCHESTER	6	-	4	1	-	-	1	1	4	-	1	-	1
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	14	2	5	5	3	-	1	1	12	1	2	-	1
NEWINGTON	1	-	-	1	-	-	-	1	-	-	-	-	-
PLAINVILLE	2	-	2	-	-	-	-	-	2	2	-	-	-
PLYMOUTH	1	-	1	-	-	-	-	-	1	-	-	-	-
ROCKY HILL	1	-	-	-	-	1	-	-	-	-	-	1	-
SIMSBURY	3	-	-	3	-	-	-	2	1	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	3	-	3	-	-	-	-	2	1	-	-	-	-
SOUTH WINDSOR	3	-	2	-	-	-	1	1	2	-	-	-	-
STAFFORD	1	-	1	-	-	-	-	-	1	1	-	-	-
SUFFIELD	1	-	-	-	-	1	-	1	-	-	-	-	-
TOLLAND	1	-	1	-	-	-	-	-	1	-	-	-	-
VERNON	6	-	2	1	-	-	3	1	3	-	-	2	-
WEST HARTFORD	7	1	1	3	1	-	2	3	1	-	-	1	2
WETHERSFIELD	2	-	2	-	-	-	-	-	2	-	1	-	-
WINDSOR	6	1	3	2	-	-	1	2	2	-	-	1	1
WINDSOR LOCKS	2	-	1	-	-	-	1	-	1	-	-	1	-
HSA 5 NORTHWESTERN..	59	9	33	13	5	4	4	10	42	7	1	5	2
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	2	-	2	-	-	-	-	-	2	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	1	-	1	-	-	-	-	1	-	-	-	-	-
CANAAN	2	-	-	2	-	-	-	1	1	-	-	-	-
CHESHIRE	5	-	3	1	-	-	1	-	4	1	-	-	1
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	1	-	-	1	-	-	-	-	1	-	-	-	-
DANBURY	11	5	6	1	1	2	1	1	9	2	1	1	-
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	1	-	1	-	-	-	-	-	-	-	-	1	-
NEW FAIRFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	1	-	1	-	-	-	-	1	-	-	-	-	-
NEWTOWN	2	-	-	1	1	-	-	1	1	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	1	-	1	-	-	-	-	-	1	1	-	-	-
REDDING	1	-	-	1	-	-	-	-	1	-	-	-	-
RIDGEFIELD	2	-	1	-	1	-	-	-	2	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON	3	-	2	1	-	-	-	1	2	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	18	4	10	5	2	1	-	2	15	3	-	1	-
WATERTOWN	4	-	3	-	-	-	1	2	1	-	-	1	-
WINCHESTER	1	-	-	-	-	-	1	-	-	-	-	-	1
WOLCOTT	1	-	-	-	-	1	-	-	-	-	-	1	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES............	443	214	91	19	13	7	344	16	17	23	10	9	7	4	5	1	4	3
MALE..........................	245	118	46	10	5	3	182	9	12	18	7	3	3	-	4	1	3	3
FEMALE........................	197	95	45	9	8	4	161	7	5	5	3	6	4	4	1	-	1	-
UNKNOWN.......................	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE........................	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE........................	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE........................	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE......................	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE........................	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE......................	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
480-486 PNEUMONIA																		
MALE........................	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE........................	4	1	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE........................	50	22	15	3	-	1	41	3	-	2	-	-	1	-	-	-	1	2
FEMALE......................	55	24	13	4	4	3	48	2	-	1	1	2	-	1	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE........................	138	94	30	6	5	1	136	-	-	-	1	-	-	-	-	-	1	-
FEMALE......................	105	69	29	3	3	-	104	-	-	1	-	-	-	-	-	-	-	-
UNKNOWN.....................	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	27	27	-	-	-	-	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE	25	22	3	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	5	1	2	1	1	-	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	10	8	1	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	6	5	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	25	-	-	-	-	-	-	3	8	8	4	1	-	-	1	-	-	-
FEMALE	20	1	1	-	-	-	2	4	5	3	2	2	1	1	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE	3	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	17	1	1	1	-	1	4	1	2	5	1	1	-	-	1	1	-	1
FEMALE	10	1	1	2	1	-	5	1	-	-	-	1	2	-	-	-	1	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	106	53	16	5	3	2	79	5	5	8	2	1	4	1	1	-	-	-
MALE	58	29	9	2	-	1	41	2	4	8	1	-	1	-	1	-	-	-
FEMALE	47	23	7	3	3	1	37	3	1	-	1	1	3	1	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE	10	6	1	-	1	1	9	1	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	39	28	8	2	-	1	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE	25	17	5	2	1	-	25	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	6	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE	8	8	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE........................	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE........................	11	-	-	-	-	-	-	1	3	6	1	-	-	-	-	-	-	-
FEMALE......................	5	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
FEMALE......................	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER CAUSES																		
MALE........................	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE......................	4	-	-	1	1	-	2	-	-	-	-	-	2	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1982

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (under 1 year)*	443	10.9	100.0	246	11.9	100.0	197	9.9	100.0
Certain conditions originating in perinatal period (760-779)	244	6.0	55.1	139	6.7	56.5	105	5.3	53.3
Congenital anomalies (740-779)	105	2.6	23.7	50	2.4	20.3	55	2.8	27.9
Sudden infant death syndrome (798.0)	45	1.1	10.2	25	1.2	10.2	20	1.0	10.2
Accidents, total (E800-E949)	5	0.1	1.1	2	0.1	.8	3	0.2	1.5
All other causes	44	1.1	9.9	30	1.5	12.2	14	0.7	7.1
All Causes (1-14 years)	165	28.3	100.0	98	32.9	100.0	67	23.5	100.0
Accidents, total (E800-E949)	54	9.3	32.7	29	9.7	29.6	25	8.8	37.3
Malignant neoplasms (140-208)	20	3.4	12.1	15	5.0	15.3	5	1.8	7.5
Congenital anomalies (740-759)	20	3.4	12.1	11	3.7	11.2	9	3.2	13.4
Homicides and legal intervention (E960-E978)	14	2.4	8.5	6	2.0	6.1	8	2.8	11.9
Diseases of the heart (390-398, 402, 404-429)	10	1.7	6.1	6	2.0	6.1	4	1.4	6.0
Pneumonia and influenza (480-487)	6	1.0	3.6	2	0.7	2.0	4	1.4	6.0
Hereditary and degenerative diseases central nervous system (330-337)	4	0.7	2.4	3	1.0	3.1	1	0.4	1.5
All other causes	37	6.3	22.5	26	8.7	26.6	11	3.9	16.4
All Causes (15-24 years)	520	94.7	100.0	390	141.3	100.0	130	47.6	100.0
Accidents, total (E800-E849)	272	49.5	52.3	219	79.3	56.2	53	19.4	40.8
Homicides and legal intervention (E960-E978)	48	8.7	9.2	35	12.7	9.0	13	4.8	10.0
Suicides (E950-E959)	46	8.4	8.8	41	14.9	10.5	5	1.8	3.8
Malignant neoplasms (140-208)	22	4.0	4.2	14	5.1	3.6	8	2.9	6.2
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	11	2.0	2.1	10	3.6	2.6	1	0.4	0.8
Congenital anomalies (740-759)	9	1.6	1.7	2	0.7	0.5	7	2.6	5.4
Diseases of the heart (390-398, 402, 404-429)	7	1.3	1.3	4	1.4	1.0	3	1.1	2.3
Cerebrovascular disease (430-438)	6	1.1	1.2	5	1.8	1.3	1	0.4	0.8
All other causes	99	18.0	19.2	60	21.7	15.3	39	14.3	29.9
All Causes (25-44 years)	1202	133.2	100.0	780	176.8	100.0	422	91.5	100.0
Accidents, total (E800-E949)	277	30.7	23.0	220	49.9	28.2	57	12.4	13.5
Malignant neoplasms (140-208)	208	23.0	17.3	76	17.2	9.7	132	28.6	31.3
Diseases of the heart (390-398, 402, 404-429)	174	19.3	14.5	133	30.1	17.1	41	8.9	9.7
Suicide (E950-E959)	89	9.9	7.4	65	14.7	8.3	24	5.2	5.7
Homicide and legal intervention (E960-E978)	66	7.3	5.5	47	10.7	6.0	19	4.1	4.5
Cerebrovascular disease (430-438)	35	3.9	2.9	17	3.9	2.2	18	3.9	4.3
Chronic liver disease and cirrhosis (571)	34	3.8	2.8	23	5.2	2.9	11	2.4	2.6
Diabetes mellitus (250)	22	2.4	1.8	14	3.2	1.8	8	1.7	1.9
Alcohol dependence syndrome (303)	17	1.9	1.4	12	2.7	1.5	5	1.1	1.2

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1982 cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (25-44 years) cont'd.									
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	11	1.2	0.9	8	1.8	1.0	3	0.7	0.7
Pneumonia and influenza (480-487)	10	1.1	0.8	7	1.6	0.9	3	0.7	0.7
All other causes	259	28.7	21.7	158	35.8	20.4	101	21.9	23.9
All Causes (45-64 years)	5472	824.3	100.0	3390	1068.1	100.0	2082	601.0	100.0
Malignant neoplasms (140-208)	1958	295.0	35.8	1000	315.1	29.5	958	276.5	46.0
Diseases of the heart (390-398, 402, 404-429)	1898	285.9	34.7	1404	442.4	41.4	494	142.6	23.7
Cerebrovascular disease (430-438)	221	33.3	4.0	116	36.5	3.4	105	30.3	5.0
Accidents, total (E800-E959)	177	26.7	3.2	112	35.3	3.3	65	18.8	3.1
Chronic liver disease and cirrhosis (571)	173	26.1	3.2	112	35.3	3.3	61	17.6	2.9
Chronic obstructive pulmonary disease and allied conditions (490-496)	128	19.3	2.3	77	24.3	2.3	51	14.7	2.4
Diabetes mellitus (250)	110	16.6	2.0	67	21.1	2.0	43	12.4	2.1
Suicide (E950-E959)	69	10.4	1.3	27	8.5	0.8	6	1.7	0.3
Pneumonia and influenza (480-487)	61	9.2	1.1	42	13.2	1.2	19	5.5	0.9
Alcohol dependence syndrome (303)	51	7.7	0.9	39	12.3	1.2	12	3.5	0.6
All other causes	626	94.3	11.5	394	124.1	11.6	268	77.4	13.0
All Causes (65 years and over)	18961	4888.2	100.0	8997	5906.6	100.0	9964	4229.7	100.0
Diseases of the heart (390-398, 402, 404-429)	8291	2137.5	43.7	4869	3196.6	54.1	4422	1877.1	44.4
Malignant neoplasms (140-208)	4185	1078.9	22.1	2194	1440.4	24.4	1991	845.2	20.0
Cerebrovascular disease (430-438)	1804	465.1	9.5	673	441.8	7.5	1131	480.1	11.4
Pneumonia and influenza (480-487)	647	166.8	3.4	338	221.9	3.8	309	131.2	3.1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	602	155.2	3.2	390	256.0	4.3	212	90.0	2.1
Atherosclerosis (440)	344	88.7	1.8	125	82.1	1.4	219	93.0	2.2
Diabetes Mellitus (250)	336	86.6	1.8	125	82.1	1.4	211	89.6	2.1
Accidents, total (E800-E949)	278	71.7	1.5	136	89.3	1.5	142	60.3	1.4
All other causes	2474	637.8	13.0	147	96.5	1.6	1327	563.3	13.3

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1982

		Number For Groom							
Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Sixth	Seventh	Unknown
TOTAL	26,846	18,451	7,225	1,033	94	10	-	1	32
First	19,118	15,870	2,935	275	16	3	-	-	19
Second	6,638	2,334	3,673	567	56	3	-	1	4
Third	937	209	547	165	15	1	-	-	-
Fourth	91	12	55	18	4	2	-	-	-
Fifth	18	2	7	5	3	1	-	-	-
Sixth	1	1	-	-	-	-	-	-	-
Seventh	1	-	1	-	-	-	-	-	-
Unknown	42	23	7	3	-	-	-	-	9

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1982

		Previous Marital Status of Groom			
Previous Marital Status of Bride	TOTAL	Single	Widowed	Divorced	Annulled
TOTAL	26,846	18,557	790	7,419	80
Single	19,290	16,052	116	3,070	52
Widowed	770	114	345	307	4
Divorced	6,705	2,352	323	4,014	16
Annulled	81	39	6	28	8

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1982

COUNTY	TOTAL
CONNECTICUT, TOTAL	12,862
Fairfield	2,827
Hartford	3,271
Litchfield	534
Middlesex	597
New Haven	3,288
New London	1,277
Tolland	620
Windham	448
Sex of Complainant:	
Male	4,128
Female	8,589
Not Stated	145

TABLE 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1982

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	12,862
No children	5,280
One child	3,147
Two children	2,809
Three children	872
Four children	197
Five children	43
Six or more children	19
Not stated	495

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1982

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	12,862	1968	415
1982	59	1967	373
1981	489	1966	327
1980	946	1965	241
1979	1,044	1964-1960	1,199
1978	1,000	1959-1955	703
1977	778	1954-1950	407
1976	706	1949-1945	194
1975	681	1944-1940	70
1974	636	1939-1935	24
1973	578	1934-1930	7
1972	505	Prior to 1930	2
1971	475	Unknown	53
1970	504		
1969	446		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1{,}000$
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1{,}000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$
Infant Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1{,}000$

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-SIXTH
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1983

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price $10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, May 30, 1985

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-sixth report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1983.

Very respectifully,
DOUGLAS S. LLOYD, M.D., M.P.H.
Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.
Commissioner of Health Services
Sir:

I have the honor to submit herewith the annual registration report for the year 1983, prepared by the Statistical Analysis Unit of the Division of Health Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

CHRISTINE PATTEE, Dr. P.H.
Acting Chief, Statistical Analysis Unit
Staff Director, Vital Records

ROSALIND S. BENNETT, B.S.
Research Analyst, Statistical Analysis Unit

MERTON S. HONEYMAN, Ph.D.
Acting Registrar

CONTENTS

Vital Statistics for 1983 — Page
- Summary for Year 4
- Population Estimate, 1983 4
- Births 5
- Fetal Deaths 5
- Deaths 5
- Leading Causes of Death 5
- Infant Mortality 6
- Marriages 6
- Divorces 6

TABLES

Table No.		
1	Population Estimate, 1983, by age and sex	7
2	Estimate of population and vital statistics by towns of residence	8
3	Live births, Connecticut residents by age of mother	14
4	Live births to residents of Connecticut towns by race, low birthweight and maternal age	15
5	Fetal deaths occurring in Connecticut	28
6	Causes of fetal deaths occurring in Connecticut	29
7	Causes of death, Connecticut residents	30
8	Causes of death among nonwhites	34
9	Deaths under one year of age (infants)	38
10	Selected causes of infant deaths	42
11	Leading causes of death by age groups	48
12	Number of present marriage for brides and grooms	50
13	Previous marital status of brides and grooms	50
14	Dissolution of marriages	51
15	Children under 18 involved in dissolution of marriages	51
16	Duration of marriages dissolved in 1983	51
	Glossary	52
	Rates, calculation of	53

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1983, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration

The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of Death Data

The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1983 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates

Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Furture Information

Further information can be obtained by contacting the Statistical Analysis Unit of the Division of Health Statistics, 150 Washington Street, Hartford, Connecticut 06106, Telephone numbers 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1983 was 3,137,340. This reflects a natural increase (difference between births and deaths) of 13,927, and a net out-of-Connecticut migration of 3,317. The population estimated for 1983 is an increase of 0.34% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration as estimated by school enrollment and housing unit changes.

BIRTHS

In 1983 the number of resident live births was 41,056. This represents an increase of 424 from 1982 and an increase in the birth rate from 13.0 to 13.1 per 1,000 population. There were 1,083 births to Connecticut residents occurring out of state, 2.6% of the total births. There were 4,077 births to teenage mothers (19 years of age or less). This was 9.9% of all births, a decrease from 10.7% in 1982.

Fetal Deaths

The fetal death ratio decreased in 1983 with a total count of 265 or 6.5 deaths per 1,000 live births occurring in Connecticut compared to 307 deaths and a ratio of 7.6 in 1982.

DEATHS

The number of registered deaths among Connecticut residents for 1983 was 27,129, for a crude rate of 8.6 per 1,000 population. Of the total number of resident deaths, 13,940 were males and 13,189 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 9,711 in 1983, or 35.8% of the total number of resident deaths. The median age at death was 74.8. Death for females occurred at an older age than males, a median of 78.6, compared to median of 71.2, respectively.

Leading Causes of Death

In 1983, as in 1982, the five leading causes of death, in the order of their proportional share of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and influenza and pneumonia. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,362 resident deaths in 1983, for a total proportional share of 38.2%. This is a decrease from the 38.8% proportional share in 1982. The median age at death from heart disease was 77.7. Acute myocardial infarction claimed a 32.8% share of total heart disease mortality with a 38.4% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 74.0; for other ischemic heart disease, median age was 81.0.

Malignant Neoplasms

There were 6,560 deaths attributed to malignant neoplasms in 1983, a proportional share of 24.2% of all resident mortality. The median age at death due to cancer was 70.5. Malignant neoplasms of the digestive organs accounted for 26.8% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (24.8%), of the genitourinary system (15.5%), of the breast (9.6%) and of the lymphatic and hematopoietic tissue (8.8%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 1,924 resident deaths in Connecticut. This cause of death had a proportional share of 7.1% of total resident deaths, a decrease from 1982. The median age at death from cerebrovascular disease was 81.4.

Accidents

A total of 970 accidents, of all types, accounted for 3.6% of all resident deaths in 1983. Of this total 39.2% was attributed to resident motor vehicle accidents. Almost half (47.9%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 14.5% share of the total accidents.

Influenza and Pneumonia

There were 839 deaths from these causes; amounting to 3.1% of all resident deaths. The crude mortality rate per 100,000 population was 26.7.

Infant Deaths

There were 412 resident infant deaths in Connecticut in 1983, a rate of 10.0 per 1,000 live births, compared to the previous year's total of 443, or 10.9 deaths per 1,000 live births. From 1982, this represents a decrease in infant deaths of 8.3%. Connecticut was under the national rate of 10.9 infant deaths per 1,000 live births. Of all resident infant deaths, 46.4% occurred within the first day of life, 65.3% within the first week and 76.9% within the first month. Neonatal deaths showed an 7.8% decrease from 344 in 1982 to 317 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 26,844 in 1983, virtually the same as the previous year. The current year's total represents a marriage rate of 15.2 persons marrying per 1,000 population compared to 15.3/1,000 in 1982. The median age at marriage for grooms was 27.8, and for brides, 25.6 increase from 1982 when the median age for grooms was 27.4 and for brides 25.2.

MARRIAGE DISSOLUTIONS

There were 12,027 marriages dissolved in Connecticut during 1983, for a marriage dissolution rate of 7.7 persons per 1,000 population. The current rate is a decrease of 6.1% over the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1983 was 8.2 years, the same as the median duration in 1982 of 8.2 years.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT
AS OF JULY 1, 1983

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,509,960	1,627,380	3,137,340
*Under 1 yr.	20,633	19,999	40,632
0- 4	99.160	95.060	194,220
5- 9	96,280	92,050	188,330
10-14	118,810	114,190	233,000
15-19	137,640	133,050	270,690
20-24	134,280	135,810	270,090
25-29	128,230	131,230	259,460
30-34	122,530	124,870	247.400
35-39	111,110	119,000	230,110
40-44	89,920	96,020	185,940
45-49	75,950	81,150	157,100
50-54	79,810	85,680	165,490
55-59	83,400	90,920	174,320
60-64	76,340	86,280	162,620
65-69	60,930	74,510	135,440
70-74	41.870	59,630	101,500
75-79	27,260	45.410	72,670
80-84	14,900	31,590	46,490
85 & over	11.540	30,930	42,470
Median age	31.7	34.5	33.1
65+	156,500	242.070	398.570

*Births of the preceding calendar year.

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1983	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,137,340	40,953	265	27,266	26,844	41,056	5,723	8,271	3,347	257	70	27,129	1,477	23,264	24,394	13.1	8.6	15.2
HSA I, Southwestern	630,600	8,509	69	5,425	5,450	7,831	1,749	1,928	1,055	64	34	5,670	459	4,303	4,670	12.4	8.8	14.2
Bridgeport	142,670	4,356	40	2,313	1,062	2,661	865	1,177	599	34	19	1,550	210	1,164	1,171	18.7	10.9	16.4
Darien	18,890	-	-	78	220	179	1	7	-	1	-	161	1	75	119	9.5	8.5	10.3
Easton	6,100	-	-	8	59	47	2	2	-	-	-	37	-	33	42	7.7	6.1	12.3
Fairfield	55,100	1	-	279	475	514	11	42	3	3	-	531	1	328	363	9.3	9.6	12.5
Greenwich	59,560	921	5	520	578	464	22	23	6	1	-	523	7	313	370	7.8	8.8	11.5
Monroe	14,550	-	-	16	80	147	6	7	-	-	-	65	1	74	82	10.1	4.5	10.7
New Canaan	18,180	-	-	72	224	120	1	3	-	1	-	142	5	87	133	6.6	7.8	12.1
Norwalk	78,390	1,436	5	844	641	1,113	295	248	174	3	2	671	87	695	668	14.2	8.6	17.4
Stamford	103,360	1,792	19	914	893	1,426	467	318	238	18	12	923	115	817	842	13.8	8.9	16.1
Stratford	50,610	-	-	160	411	527	59	77	30	1	-	513	26	313	383	10.4	10.1	13.8
Trumbull	33,100	-	-	105	300	277	13	11	5	1	1	254	2	162	199	8.4	7.7	10.9
Weston	8,510	1	-	11	99	64	3	-	-	-	-	38	-	46	52	7.5	4.5	11.5
Westport	25,710	-	-	74	295	171	3	6	-	1	-	174	4	131	161	6.7	6.8	11.4
Wilton	15,870	2	-	31	113	121	1	7	-	-	-	88	-	65	85	7.6	5.6	9.5
HSA II,South Central	600,830	8,283	52	6,043	4,763	7,892	1,355	1,802	881	45	9	5,492	352	4,467	4,604	13.1	9.1	15.1
Ansonia	19,010	1	-	26	128	281	29	49	18	4	1	204	14	130	130	14.8	10.7	13.7
Bethany	4,390	-	-	1	24	50	2	4	1	1	-	24	2	31	29	11.4	5.5	13.7
Branford	23,900	1	-	774	197	312	7	40	2	1	-	216	2	217	199	13.1	9.0	17.4
Derby	12,280	653	3	401	113	163	1	32	-	-	-	117	-	97	98	13.3	9.5	15.9
East Haven	24,990	2	-	32	185	272	2	32	-	-	-	234	-	200	219	10.9	9.4	16.8
Guilford	18,000	-	-	71	159	240	6	11	-	1	-	118	1	121	127	13.3	6.6	13.8
Hamden	50,960	1	-	203	336	533	56	63	23	3	-	503	14	303	347	10.5	9.9	6.8
Madison	14,250	1	-	47	102	131	-	11	-	1	-	117	-	58	76	9.2	8.2	9.4
Meriden	57,740	963	7	649	486	831	53	160	30	9	-	546	7	485	510	14.4	9.5	17.2
Milford	50,970	467	2	358	460	641	24	60	8	1	-	432	5	420	418	12.6	8.5	16.4
New Haven	126,360	6,187	40	2,623	1,160	2,096	1,019	1,070	738	13	5	1,347	277	959	954	16.6	10.7	15.1
North Branford	11,810	-	-	12	84	137	1	12	1	-	-	61	1	71	80	11.6	5.2	12.8
North Haven	22,100	-	-	40	151	193	13	11	4	2	-	169	1	132	148	8.7	7.7	12.7

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1983	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Orange	13,190	-	-	24	122	97	5	5	-	1	-	103	1	58	81	7.4	7.8	10.5
Oxford	6,800	-	-	7	53	91	2	8	-	1	-	28	1	40	60	13.4	4.1	14.7
Seymour	13,480	-	-	10	89	170	-	22	-	-	-	96	-	118	121	12.6	7.1	17.7
Shelton	32,220	3	-	138	197	414	16	47	3	1	-	246	2	204	207	12.9	7.6	12.8
Wallingford	37,410	1	-	211	307	440	7	34	-	2	-	366	1	297	282	11.8	9.8	15.5
West Haven	53,180	3	-	399	333	734	111	125	53	4	3	517	23	481	460	13.8	9.7	17.7
Woodbridge	7,790	-	-	17	77	66	1	6	-	-	-	48	-	45	58	8.5	6.2	13.2
HSA III, Eastern	504,600	5,576	29	3,730	4,836	7,156	440	969	163	37	3	4,079	97	4,202	4,312	14.2	8.1	16.9
Ashford	3,250	-	-	2	37	45	1	5	-	1	-	14	-	28	32	13.9	4.3	18.5
Bozrah	2,160	-	-	1	18	19	-	1	-	-	-	18	-	9	11	8.8	8.3	9.3
Brooklyn	5,930	1	-	24	55	55	-	10	-	-	-	52	2	47	35	9.3	8.8	13.8
Canterbury	3,510	1	-	4	22	49	-	6	-	1	-	26	-	29	32	14.0	7.4	17.4
Chaplin	1,840	-	-	1	7	23	-	5	-	-	-	16	-	12	13	12.5	8.7	13.6
Chester	3,050	1	-	36	51	43	-	-	-	-	-	42	-	31	34	14.1	13.8	21.3
Clinton	11,440	-	-	21	78	169	-	16	-	-	-	76	-	87	94	14.8	6.6	15.8
Colchester	7,970	2	-	66	55	148	5	12	2	1	-	80	3	75	68	18.6	10.0	17.9
Columbia	3,510	-	-	6	43	40	1	1	-	1	-	36	1	32	29	11.4	10.3	17.4
Coventry	9,050	2	-	9	71	149	3	15	-	-	-	41	2	86	77	16.5	4.5	18.0
Cromwell	10,490	-	-	37	86	137	6	3	1	-	-	84	3	89	93	13.1	8.0	17.4
Deep River	4,010	-	-	-	3	54	-	1	-	1	-	31	1	22	20	13.5	7.7	10.5
Durham	5,200	-	-	4	47	57	-	3	-	2	-	26	-	35	30	11.0	5.0	12.5
Eastford	1,040	1	-	4	3	13	-	2	-	-	-	11	-	12	11	12.5	10.6	22.1
East Haddam	5,840	2	-	14	53	90	-	5	-	1	-	52	1	46	43	15.4	8.9	15.2
East Hampton	8,650	1	-	21	77	149	3	5	-	-	-	54	-	78	75	17.2	6.2	17.7
East Lyme	14,210	-	-	15	149	155	6	12	-	-	-	116	-	100	115	10.9	8.2	15.1
Essex	5,090	1	-	50	79	44	1	2	-	-	-	72	-	41	38	8.6	14.2	15.5
Franklin	1,620	-	-	2	14	23	-	2	-	-	-	10	-	11	9	14.2	6.2	12.4
Griswold	9,200	-	-	33	66	165	4	33	1	1	-	84	1	88	93	17.9	9.1	19.7
Groton	40,930	941	4	154	428	893	83	81	15	2	-	236	8	416	366	21.8	5.8	19.1
Haddam	6,470	1	-	12	55	78	2	4	-	-	-	47	-	40	45	12.1	7.3	13.1

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1983	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Hampton	1,390	-	-	1	8	24	1	5	-	-	-	9	-	10	11	17.3	6.5	15.1
Killingly	14,800	-	-	131	177	233	2	47	1	1	-	133	2	121	139	15.7	9.0	17.6
Killingworth	4,070	-	-	4	37	54	1	4	-	-	-	33	-	28	34	13.3	8.1	15.2
Lebanon	4,910	1	-	2	49	74	1	3	-	-	-	22	-	42	37	15.1	4.5	16.1
Ledyard	14,090	-	-	10	115	239	9	20	3	1	-	51	3	127	141	17.0	3.6	19.0
Lisbon	3,370	-	-	2	13	22	1	3	-	-	-	22	-	27	32	6.5	6.5	17.5
Lyme	1,840		NO	REPORT		17	-	3	-	-	-	17	-	11	12	9.2	9.2	12.5
Mansfield	20,740	-	-	12	113	122	15	11	-	-	-	59	2	93	99	5.9	2.8	9.3
Middlefield	3,830		NO	REPORT		40	-	2	-	-	-	23	-	24	21	10.4	6.0	11.8
Middletown	38,770	970	6	697	348	503	69	70	32	4	1	341	17	340	336	13.0	8.8	17.4
Montville	16,620	2	-	10	128	248	8	27	-	1	-	90	-	148	176	14.9	5.4	19.5
New London	29,600	1,385	5	621	475	491	126	145	72	4	2	288	25	288	266	16.6	9.7	18.7
North Stonington	4,280	-	-	4	39	49	2	3	-	-	-	27	-	32	27	11.5	6.3	13.8
Norwich	38,430	1,134	7	711	464	668	43	144	21	4	-	422	15	449	446	17.4	11.0	23.3
Old Lyme	6,310	1	-	23	88	56	-	5	-	1	-	68	-	38	52	8.9	10.8	14.3
Old Saybrook	9,460	-	-	86	108	90	4	8	1	-	-	105	1	62	69	9.5	11.1	13.9
Plainfield	13,000	-	-	45	92	199	1	37	-	-	-	113	-	106	109	15.3	8.7	16.5
Pomfret	2,780	3	-	4	44	34	-	5	-	-	-	15	-	14	19	12.2	5.4	11.9
Portland	8,420	1	-	45	109	78	4	3	-	-	-	51	1	70	77	9.3	6.1	17.5
Preston	4,680	-	-	14	44	28	-	3	-	-	-	38	-	21	21	6.0	8.1	9.0
Putnam	8,790	680	4	245	66	111	2	23	-	1	-	103	1	76	82	12.6	11.7	18.0
Salem	2,440	-	-	3	13	39	-	1	-	-	-	10	-	18	21	16.0	4.1	16.0
Scotland	1,100	3	-	2	10	13	-	2	-	-	-	6	-	8	6	11.8	5.5	12.7
Sprague	3,050	-	-	10	30	61	-	8	-	1	-	39	-	24	34	20.0	12.8	19.0
Sterling	1,800	-	-	3	20	22	-	4	-	-	-	25	1	12	15	12.2	13.9	15.0
Stonington	16,890	-	-	40	218	199	5	18	3	2	-	159	-	92	107	11.8	9.4	11.8
Thompson	8,260	1	-	19	92	119	4	20	4	1	-	63	-	51	55	14.4	7.6	12.8
Union	540	-	-	1	8	3	-	-	-	-	-	3	-	3	2	5.6	5.6	9.3
Voluntown	1,670	-	-	2	15	28	-	2	-	-	-	15	-	15	11	16.8	9.0	15.6
Waterford	17,940	1	-	137	130	164	8	20	-	-	-	175	4	141	168	9.1	9.8	17.2
Westbrook	5,240	1	-	16	65	69	2	4	-	2	-	44	1	53	57	13.2	8.4	21.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

	Population estimated as of July 1, 1983	Place of Occurrence				Place of Residence												
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
						All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Willington	4,790	-	-	9	26	79	3	8	-	-	-	13	-	34	42	16.5	2.7	15.9
Windham	21,030	438	3	295	159	319	14	84	7	3	-	230	2	172	186	15.2	10.9	17.0
Woodstock	5,210	1	-	10	36	63	-	3	-	-	-	43	-	38	39	12.1	8.3	14.8
HSA IV, North Central	901,530	12,841	77	7,852	7,667	11,830	1,723	2,568	989	66	19	7,567	426	6,791	7,152	13.1	8.4	15.5
Andover	2,250	-	-	1	16	48	1	3	-	-	-	9	1	19	14	21.3	4.0	14.7
Avon	11,670	1	-	59	110	117	6	5	-	2	-	87	-	63	68	10.0	7.5	11.2
Berlin	15,290	1	-	50	119	149	2	11	1	-	-	143	-	89	105	9.7	9.4	12.7
Bloomfield	19,010	-	-	100	153	165	72	35	28	3	3	182	26	133	148	8.7	9.6	14.8
Bolton	4,080	-	-	6	44	46	-	2	-	-	-	24	-	38	34	11.3	5.9	17.7
Bristol	57,860	776	5	395	529	790	35	108	15	4	-	439	5	516	535	13.7	7.6	18.2
Burlington	5,930	-	-	7	62	75	-	2	-	-	-	32	-	41	40	12.7	5.4	13.7
Canton	7,780	2	-	10	43	117	2	4	-	1	-	46	-	62	70	15.0	5.9	17.0
East Granby	4,160	-	-	5	19	50	-	2	-	1	-	23	-	30	26	12.0	5.5	13.5
East Hartford	52,230	1	-	164	354	580	62	89	15	5	5	457	3	422	455	11.1	8.8	16.8
East Windsor	8,930	-	-	56	125	112	4	9	-	-	-	92	4	101	90	12.5	10.3	21.4
Ellington	9,900	-	-	8	89	138	1	6	-	-	-	58	-	85	92	13.9	5.9	17.9
Enfield	42,630	-	-	134	399	555	16	72	5	-	-	264	2	290	325	13.0	6.2	14.4
Farmington	16,800	626	8	316	184	187	9	9	2	1	-	125	1	119	145	11.1	7.4	15.7
Glastonbury	25,040	-	-	73	242	252	8	17	-	1	-	175	-	143	186	10.1	7.0	13.1
Granby	8,130	-	-	15	51	131	2	6	-	2	-	59	-	50	64	16.1	7.3	14.0
Hartford	135,100	7,390	51	2,998	1,169	2,711	1,197	1,524	829	19	9	1,218	323	1,085	1,049	20.1	9.0	15.8
Hartland	1,460	-	-	1	17	14	-	-	-	-	-	7	-	19	17	9.6	4.8	24.7
Hebron	5,790	1	-	2	37	107	-	8	-	-	-	19	-	33	34	18.5	3.3	11.6
Manchester	49,620	1,322	4	565	456	573	36	59	8	4	-	433	4	381	416	11.6	8.7	16.1
Marlborough	4,890	3	-	3	25	83	-	4	-	-	-	12	-	33	34	17.0	2.5	13.7
New Britain	73,230	2,047	9	956	585	1,041	107	271	49	3	-	768	28	651	632	14.2	10.5	17.5
Newington	29,020	-	-	279	213	248	5	13	1	1	-	253	1	185	200	8.6	8.7	13.3
Plainville	16,620	-	-	68	167	223	7	18	2	2	-	146	3	154	152	13.4	8.8	18.4
Plymouth	10,780	-	-	29	66	146	2	17	-	-	-	99	-	93	92	13.5	9.2	17.2
Rocky Hill	14,820	-	-	177	113	172	8	10	1	1	-	116	-	170	150	11.6	7.8	21.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

		Place of Occurrence				Place of Residence											
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1983	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Simsbury	21,700	-	-	57	180	193	1	8	-	1	-	113	1	101	123	8.9	5.2	10.3
Somers	8,930	-	-	12	72	95	1	5	-	-	-	53	-	42	49	10.6	5.9	10.2
Southington	37,200	1	-	190	341	441	8	36	-	4	-	254	1	265	293	11.9	6.8	15.0
South Windsor	18,210	-	-	41	162	220	15	13	2	1	-	110	1	138	150	12.1	6.0	15.8
Stafford	9,560	1	-	118	89	174	1	25	-	-	-	82	1	78	75	18.2	8.6	16.0
Suffield	9,610	1	-	22	88	115	2	4	-	-	-	67	3	49	65	12.0	7.0	11.9
Tolland	9,940	-	-	6	76	116	3	8	-	-	-	42	-	56	60	11.7	4.2	11.7
Vernon	28,580	667	-	295	229	470	20	67	6	1	-	221	1	287	306	16.5	7.7	20.8
West Hartford	60,880	1	-	305	534	523	26	40	6	4	1	746	6	343	399	8.6	12.3	12.2
Wethersfield	26,250	-	-	113	183	189	2	12	-	2	-	271	6	145	165	7.2	10.3	11.8
Windsor	25,490	-	-	183	228	340	61	31	19	1	-	223	5	182	187	13.3	8.8	14.5
Windsor Locks	12,160	-	-	33	98	124	1	15	-	2	1	99	-	100	107	10.2	8.1	17.0
HSA V, Northwestern	499,780	5,744	38	4,216	4,128	6,347	456	1,004	259	45	5	4,321	143	3.501	3,656	12.7	8.6	14.3
Barkhamsted	2,980	-	-	8	30	36	-	1	-	-	-	17	-	26	19	12.1	5.7	15.1
Beacon Falls	4,050	-	-	1	26	58	-	5	-	-	-	28	-	25	28	14.3	6.9	13.1
Bethel	16,170	2	-	13	103	260	9	17	1	2	-	98	2	102	91	16.1	6.1	11.9
Bethlehem	2,640	-	-	5	17	35	-	3	-	-	-	19	-	21	19	13.3	7.2	15.2
Bridgewater	1,560	1	-	4	7	13	-	1	-	-	-	15	1	10	13	8.3	9.6	14.7
Brookfield	13,390	1	-	11	96	130	5	8	1	-	-	68	-	80	88	9.7	5.1	12.5
Canaan	1,010	-	-	3	6	48	4	5	1	-	-	18	1	14	16	47.5	17.8	29.7
Cheshire	22,290	2	-	99	125	239	6	9	-	2	-	165	2	132	137	10.7	7.4	12.1
Colebrook	1,240	1	-	2	14	12	-	-	-	-	-	7	-	7	5	9.7	5.7	9.7
Cornwall	1,330	-	-	7	20	8	-	2	-	-	-	23	-	12	14	6.0	17.3	19.6
Danbury	62,020	1,839	8	835	517	941	112	162	49	5	2	547	23	480	499	15.2	8.8	15.8
Goshen	1,820	-	-	2	20	23	2	-	-	-	-	15	1	12	8	12.6	8.2	11.0
Harwinton	4,960	-	-	8	31	51	-	1	-	-	-	27	-	26	32	10.3	5.4	11.7
Kent	2,550	1	-	10	29	25	1	4	-	-	-	18	-	21	18	9.8	7.1	15.3
Litchfield	7,800	-	-	22	91	89	1	13	1	2	-	80	1	65	52	11.4	10.3	15.0
Middlebury	6,070	-	-	26	50	60	-	4	-	1	-	48	1	35	40	9.9	7.9	12.4
Morris	1,910	-	-	3	5	17	-	1	-	-	-	15	-	11	12	8.9	7.9	12.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1983

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1983	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Naugatuck	26,850	-	-	51	174	400	9	55	1	4	-	186	-	186	202	14.9	6.9	14.5
New Fairfield	11,640	1	-	9	62	124	3	13	-	2	-	61	-	59	58	10.7	5.2	10.1
New Hartford	4,990	-	-	6	40	66	-	2	-	1	-	32	-	37	40	13.2	6.4	15.4
New Milford	20,070	339	3	213	171	291	8	23	1	-	-	133	4	178	176	14.5	6.6	17.6
Newtown	19,490	1	-	63	161	223	6	22	-	3	-	95	1	124	137	11.4	4.9	13.4
Norfolk	2,200	-	-	4	30	35	-	4	-	-	-	14	2	9	16	15.9	6.4	11.4
North Canaan	3,250	-	-	55	25	18	1	3	1	-	-	29	-	15	15	5.5	8.9	9.2
Prospect	6,800	-	-	33	68	53	2	4	-	-	-	42	2	43	56	7.8	6.2	14.6
Redding	7,360	1	-	13	79	78	1	6	-	-	-	43	-	42	44	10.6	5.8	11.7
Ridgefield	20,500	1	-	48	257	184	5	14	2	-	-	132	2	106	144	6.6	4.7	9.0
Roxbury	1,520	1	-	5	13	15	-	1	-	1	-	15	-	5	11	9.9	9.9	10.5
Salisbury	3,940	-	-	31	54	42	-	3	-	2	-	58	-	24	23	10.7	14.7	11.9
Sharon	2,620	345	3	150	40	36	-	3	-	-	-	32	-	20	23	13.7	12.2	16.4
Sherman	2,350	1	-	2	17	25	-	2	-	-	-	14	-	13	12	10.6	6.0	10.6
Southbury	14,110	-	-	82	96	105	-	9	-	2	-	183	2	65	54	7.4	13.0	8.4
Thomaston	6,280	-	-	19	65	83	-	14	-	-	-	53	-	43	55	13.2	8.4	15.6
Torrington	31,680	729	5	430	242	391	9	46	3	3	-	338	4	242	259	12.3	10.7	15.8
Warren	1,060	-	-	1	19	11	-	1	-	-	-	4	-	5	3	10.4	3.8	7.6
Washington	3,720	-	-	6	47	38	-	2	-	1	-	32	-	26	25	10.2	8.6	13.7
Waterbury	104,610	2,476	19	1.698	855	1,541	264	485	196	11	3	1,182	92	802	820	14.7	11.3	15.5
Watertown	19,770	-	-	66	182	207	3	13	1	-	-	156	-	145	149	10.5	7.9	14.9
Winchester	10,790	2	-	119	97	142	3	24	-	1	-	120	1	99	103	13.2	11.1	18.7
Wolcott	13,260	-	-	42	90	120	1	14	1	1	-	92	1	78	88	9.1	6.9	12.5
Woodbury	7,130	-	-	11	57	74	1	5	-	1	-	67	-	56	52	10.4	9.4	15.2
Out-of-State		1,083		965		980	52	101	14	8		1,102	45	3,580	2,450			

TABLE 3: CONNECTICUT BIRTHS, 1983

	ALL RACES											NONWHITE										
	TOTAL	AGE OF MOTHER										TOTAL	AGE OF MOTHER									
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	41,056	99	3,978	10,782	14,203	9.095	2,587	298	11	1	2	5,723	53	1,241	1,839	1,472	820	264	33	-	1	-
MALE	21,326	56	2,025	5,615	7,461	4,704	1,303	156	5	-	1	2,971	29	659	953	752	432	130	16	-	-	-
FEMALE	19,730	43	1,953	5,167	6,742	4,391	1,284	142	6	1	1	2,752	24	582	886	720	388	134	17	-	1	-
PLACE OF DELIVERY																						
HOSPITAL	40,902	99	3,963	10,754	14,144	9,055	2,575	298	11	1	2	5,697	53	1,236	1,829	1,466	817	262	33	-	1	-
OTHER	149	-	15	28	58	37	11	-	-	-	-	26	-	5	10	6	3	2	-	-	-	-
UNKNOWN	5	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	32,785	9	1,330	7,853	12,594	8,364	2,364	260	9	1	1	2,376	4	125	631	824	581	191	19	-	1	-
MOTHER UNMARRIED	8,271	90	2,648	2,929	1,609	731	223	38	2	-	1	3,347	49	1,116	1,208	648	239	73	14	-	-	-
PERIOD OF GESTATION																						
UNDER 20 WEEKS	9	-	1	4	4	-	-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	-
20-27 WEEKS	199	1	29	56	62	34	17	-	-	-	-	60	1	13	17	18	5	6	-	-	-	-
28-31 WEEKS	242	2	48	68	69	46	8	1	-	-	-	54	2	15	21	10	6	-	-	-	-	-
32-35 WEEKS	763	1	133	193	256	128	48	4	-	-	-	195	1	57	55	53	22	7	-	-	-	-
36 WEEKS	773	5	116	206	238	147	56	4	1	-	-	183	3	47	60	40	23	9	1	-	-	-
37-39 WEEKS	9,213	25	854	2,273	3,101	2,198	667	92	2	-	1	1,511	17	320	494	376	214	84	6	-	-	-
40 WEEKS OR OVER	24,088	47	2,233	6,434	8,500	5,300	1,424	144	6	-	-	2,918	19	616	915	796	428	126	18	-	-	-
NOT STATED	5.769	18	564	1,548	1,973	1,242	367	53	2	1	1	798	10	173	274	178	122	32	8	-	1	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	276	1	44	75	86	53	16	1	-	-	-	94	1	18	29	29	11	6	-	-	-	-
1001-1500 GRAMS	254	1	51	76	64	44	16	2	-	-	-	68	1	22	24	12	6	3	-	-	-	-
1501-2000 GRAMS	505	2	83	126	168	94	28	4	-	-	-	134	1	30	47	31	22	3	-	-	-	-
2001-2500 GRAMS	1,594	9	250	424	496	295	104	15	-	-	1	376	4	104	120	96	40	12	-	-	-	-
2501-3000 GRAMS	6,454	18	909	1,912	2,042	1,186	342	42	3	-	-	1,361	12	345	461	325	156	55	7	-	-	-
3001-3500 GRAMS	15,458	36	1,606	4,217	5,351	3,282	868	95	2	1	-	2,266	21	491	721	594	322	103	13	-	1	-
3501-4000 GRAMS	12,023	26	827	2,966	4,372	2,916	813	100	3	-	-	1,143	10	196	358	308	200	60	11	-	-	-
4001-4500 GRAMS	3,550	4	171	826	1,301	935	283	26	3	-	1	228	2	33	60	64	50	17	2	-	-	-
4501 GRAMS AND OVER	770	1	30	146	271	231	82	9	-	-	-	49	1	1	18	12	12	5	-	-	-	-
UNKNOWN	172	1	7	14	52	59	35	4	-	-	-	4	-	1	1	1	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	40,154	99	3,916	10,538	13,883	8,891	2,522	291	11	1	2	5,575	53	1,227	1,775	1,430	800	256	33	-	1	-
TWINS	878	-	62	241	312	194	62	7	-	-	-	146	-	14	64	40	20	8	-	-	-	-
TRIPLETS	17	-	-	3	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QUADRUPLETS	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	3	-	-	-	2	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES.........	41,056	2,629	172	99	204	422	740	1,111	1,501	10,782	14,203	9,095	2,587	298	12	2
NONWHITE..........	5,723	672	4	53	100	153	253	335	400	1,839	1,472	820	264	33	1	-
MSA 1 SOUTHWESTERN																
ALL RACES.........	7,831	539	117	27	54	103	172	246	292	1,829	2,504	1,871	645	86	2	-
NONWHITE..........	1,749	201	-	13	36	48	93	110	130	545	414	253	98	9	-	-
BRIDGEPORT																
ALL RACES.........	2,661	236	2	22	41	70	114	141	180	915	745	336	83	13	1	-
NONWHITE..........	865	110	-	10	26	28	65	57	67	293	198	91	28	2	-	-
DARIEN																
ALL RACES.........	179	9	7	-	-	-	1	-	1	8	41	85	38	5	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EASTON																
ALL RACES.........	47	2	-	-	-	-	-	-	2	1	17	19	8	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
FAIRFIELD																
ALL RACES.........	514	20	5	-	1	-	7	9	6	69	187	169	59	6	1	-
NONWHITE..........	11	3	-	-	-	-	-	1	-	2	5	3	-	-	-	-
GREENWICH																
ALL RACES.........	464	19	26	-	-	1	-	2	4	60	141	170	73	13	-	-
NONWHITE..........	22	2	-	-	-	-	-	1	1	3	4	7	6	-	-	-
MONROE																
ALL RACES.........	147	4	-	-	-	-	1	3	-	20	57	47	16	3	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-
NEW CANAAN																
ALL RACES.........	120	3	9	-	-	-	-	1	-	13	40	42	22	2	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NORWALK																
ALL RACES.........	1,113	68	16	2	5	9	22	28	33	251	381	273	96	13	-	-
NONWHITE..........	295	27	-	1	4	6	11	15	26	85	74	47	23	3	-	-
STAMFORD																
ALL RACES.........	1,426	103	27	3	5	17	19	48	48	313	490	349	122	12	-	-
NONWHITE..........	467	54	-	2	5	13	13	34	32	138	113	80	34	3	-	-
STRATFORD																
ALL RACES.........	527	31	1	-	2	5	8	10	12	122	216	123	26	3	-	-
NONWHITE..........	59	5	-	-	1	1	4	2	3	21	13	11	2	1	-	-
TRUMBULL																
ALL RACES.........	277	28	-	-	-	-	-	2	4	34	92	116	28	1	-	-
NONWHITE..........	13	-	-	-	-	-	-	-	1	3	4	4	1	-	-	-
WESTON																
ALL RACES.........	64	2	3	-	-	-	-	-	-	2	17	28	13	4	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WESTPORT																
ALL RACES.........	171	8	15	-	-	1	-	2	2	12	44	63	40	7	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
WILTON																
ALL RACES.........	121	6	6	-	-	-	-	-	-	9	36	51	21	4	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES.........	7,892	494	13	23	49	81	164	194	282	1,965	2,834	1,747	498	53	2	-
NONWHITE..........	1,355	155	4	16	33	39	66	77	94	439	339	185	58	9	-	-
ANSONIA																
ALL RACES.........	281	16	-	-	-	2	5	8	9	97	109	38	13	-	-	-
NONWHITE..........	29	2	-	-	-	1	2	2	2	13	5	3	1	-	-	-
BETHANY																
ALL RACES.........	50	2	-	-	-	1	-	1	1	6	17	18	6	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
BRANFORD																
ALL RACES.........	312	20	-	-	1	1	6	1	9	49	116	101	24	4	-	-
NONWHITE..........	7	-	-	-	-	-	1	-	-	3	1	2	-	-	-	-
DERBY																
ALL RACES.........	163	8	-	-	1	2	2	3	5	49	63	31	6	1	-	-
NONWHITE..........	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST HAVEN																
ALL RACES.........	272	19	-	1	1	3	6	4	11	71	106	47	21	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
GUILFORD																
ALL RACES.........	240	13	-	-	-	1	2	5	1	31	70	97	31	2	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-
HAMDEN																
ALL RACES.........	533	28	-	1	-	-	5	7	8	95	221	151	42	3	-	-
NONWHITE..........	56	4	-	1	-	-	3	1	1	16	16	14	4	-	-	-
MADISON																
ALL RACES.........	131	3	1	-	1	1	2	1	1	23	35	43	23	-	1	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN																
ALL RACES.........	831	43	1	2	3	11	21	29	39	244	329	125	25	3	-	-
NONWHITE..........	53	3	-	1	2	1	5	3	4	17	16	3	1	-	-	-
MILFORD																
ALL RACES.........	641	37	1	1	2	-	11	14	19	136	254	157	41	6	-	-
NONWHITE..........	24	2	-	-	-	-	-	3	-	4	8	8	1	-	-	-
NEW HAVEN																
ALL RACES.........	2,096	193	8	17	37	47	79	80	124	667	600	326	104	15	-	-
NONWHITE..........	1,019	131	4	14	29	37	50	59	80	348	242	121	32	7	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH BRANFORD																
ALL RACES..........	137	5	-	-	1	1	4	5	-	23	43	49	11	-	-	-
NONWHITE..........	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN																
ALL RACES..........	193	11	-	-	-	-	3	1	2	34	64	72	13	4	-	-
NONWHITE..........	13	1	-	-	-	-	-	1	1	3	2	5	1	-	-	-
ORANGE																
ALL RACES..........	97	5	-	-	-	-	-	-	2	7	41	33	14	-	-	-
NONWHITE..........	5	1	-	-	-	-	-	-	-	-	3	1	1	-	-	-
OXFORD																
ALL RACES..........	91	2	-	-	-	1	-	2	2	10	27	35	12	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
SEYMOUR																
ALL RACES..........	170	7	-	-	-	-	1	1	3	57	74	32	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHELTON																
ALL RACES..........	414	21	-	1	-	3	2	3	13	80	171	100	36	5	-	-
NONWHITE..........	16	1	-	-	-	-	1	-	-	1	8	4	2	-	-	-
WALLINGFORD																
ALL RACES..........	440	15	-	-	1	1	3	8	12	90	192	107	23	2	1	-
NONWHITE..........	7	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-
WEST HAVEN																
ALL RACES..........	734	44	1	-	1	6	12	20	21	191	276	158	44	5	-	-
NONWHITE..........	111	9	-	-	1	-	4	8	5	30	29	21	11	2	-	-
WOODBRIDGE																
ALL RACES..........	66	2	1	-	-	-	-	1	-	5	26	27	7	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 3 EASTERN																
ALL RACES..........	7,156	417	6	7	19	63	114	185	286	2,289	2,442	1,382	329	39	1	-
NONWHITE..........	440	51	-	3	2	7	12	16	33	130	141	72	20	4	-	-
ASHFORD																
ALL RACES..........	45	3	-	-	-	-	-	4	1	16	14	8	1	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BOZRAH																
ALL RACES..........	19	-	-	-	-	-	-	1	-	3	8	6	-	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES..........	55	-	-	-	1	-	2	-	2	13	26	9	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY																
ALL RACES..........	49	-	-	-	-	-	-	2	-	19	16	10	1	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CHAPLIN																
ALL RACES..........	23	-	-	-	-	-	-	-	-	7	10	3	3	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES..........	43	5	-	-	-	1	-	-	2	3	23	12	2	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON																
ALL RACES..........	169	10	-	-	-	1	2	4	5	41	57	48	11	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COLCHESTER																
ALL RACES..........	148	7	-	-	1	1	1	-	7	35	56	40	5	2	-	-
NONWHITE...........	5	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-
COLUMBIA																
ALL RACES..........	40	-	-	-	-	-	-	-	1	9	15	13	2	-	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
COVENTRY																
ALL RACES..........	149	14	-	-	-	1	1	2	3	25	68	41	8	-	-	-
NONWHITE...........	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
CROMWELL																
ALL RACES..........	137	4	-	-	-	1	-	2	-	19	67	42	6	-	-	-
NONWHITE...........	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
DEEP RIVER																
ALL RACES..........	54	3	-	-	-	-	1	-	-	11	21	15	6	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM																
ALL RACES..........	57	2	-	-	-	-	-	-	-	10	24	19	4	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD																
ALL RACES..........	13	1	-	-	-	-	-	1	3	1	6	-	2	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES..........	90	4	-	-	-	-	2	-	4	20	33	24	6	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON																
ALL RACES..........	149	6	-	-	-	-	2	3	5	29	57	47	6	-	-	-
NONWHITE...........	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
EAST LYME																
ALL RACES..........	155	7	-	-	-	-	1	3	3	42	54	40	9	3	-	-
NONWHITE...........	6	1	-	-	-	-	-	-	-	1	3	1	1	-	-	-
ESSEX																
ALL RACES..........	44	2	-	-	-	-	1	-	-	7	24	8	3	1	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
FRANKLIN																
ALL RACES.........	23	2	-	-	1	-	-	1	1	5	8	6	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES.........	165	12	-	1	2	2	3	7	7	70	49	18	4	2	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
GROTON																
ALL RACES.........	893	46	3	-	1	3	8	19	43	390	286	114	25	4	-	-
NONWHITE..........	83	6	-	-	-	-	1	4	3	28	33	11	2	1	-	-
HADDAM																
ALL RACES.........	78	4	-	-	-	-	1	3	-	12	29	26	7	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
HAMPTON																
ALL RACES.........	24	2	-	-	-	-	-	2	2	6	6	6	2	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KILLINGLY																
ALL RACES.........	233	23	-	-	1	1	10	12	15	91	66	28	8	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
KILLINGWORTH																
ALL RACES.........	54	-	-	-	-	-	-	1	1	7	18	19	7	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LEBANON																
ALL RACES.........	74	3	-	-	-	-	-	4	2	15	29	16	7	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LEDYARD																
ALL RACES.........	239	18	-	-	-	-	2	3	7	56	90	58	22	1	-	-
NONWHITE..........	9	2	-	-	-	-	-	1	1	-	6	-	1	-	-	-
LISBON																
ALL RACES.........	22	-	-	-	-	-	1	-	1	5	9	6	-	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LYME																
ALL RACES.........	17	-	-	-	-	1	-	1	-	2	5	7	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES.........	122	4	-	-	1	-	1	2	2	26	46	33	10	1	-	-
NONWHITE..........	15	1	-	-	-	-	-	-	-	2	8	4	1	-	-	-
MIDDLEFIELD																
ALL RACES.........	40	1	-	-	-	1	-	-	-	5	18	14	2	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN																
ALL RACES.........	503	26	1	1	3	8	7	10	13	178	163	93	26	1	-	-
NONWHITE..........	69	7	-	1	1	3	1	1	3	26	18	12	2	1	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MONTVILLE																
ALL RACES..........	248	13	-	1	1	5	6	5	8	95	76	43	8	-	-	-
NONWHITE...........	8	-	-	-	-	-	1	-	-	2	1	4	-	-	-	-
NEW LONDON																
ALL RACES..........	491	47	-	2	1	5	22	13	40	184	135	68	20	1	-	-
NONWHITE...........	126	22	-	2	1	3	6	7	16	33	34	18	5	1	-	-
N STONINGTON																
ALL RACES..........	49	1	-	-	-	-	3	1	1	9	17	16	2	-	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NORWICH																
ALL RACES..........	668	41	-	1	-	16	15	30	36	245	229	72	21	3	-	-
NONWHITE...........	43	5	-	-	-	1	1	3	3	16	13	5	1	-	-	-
OLD LYME																
ALL RACES..........	56	2	1	-	-	-	-	1	1	10	22	18	2	2	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK																
ALL RACES..........	90	3	-	-	1	2	2	2	3	25	26	21	6	2	-	-
NONWHITE...........	4	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-
PLAINFIELD																
ALL RACES..........	199	19	-	-	1	4	3	6	9	89	54	29	4	-	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
POMFRET																
ALL RACES..........	34	2	-	-	-	-	1	1	-	11	13	4	4	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES..........	78	10	-	-	-	-	-	1	2	17	33	21	4	-	-	-
NONWHITE...........	4	1	-	-	-	-	-	-	-	1	1	2	-	-	-	-
PRESTON																
ALL RACES..........	28	1	-	-	-	-	1	1	-	6	12	4	4	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES..........	111	6	-	-	-	2	2	6	5	42	35	16	2	1	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
SALEM																
ALL RACES..........	39	2	-	-	-	-	-	1	2	10	10	14	2	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES..........	13	-	-	-	-	-	-	1	1	6	1	2	2	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES..........	61	4	-	-	-	-	2	-	4	29	21	4	1	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
STERLING																
ALL RACES.........	22	1	-	1	1	-	-	1	1	3	10	5	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES.........	199	6	-	-	1	1	4	3	5	59	61	50	12	2	1	-
NONWHITE..........	5	1	-	-	-	-	1	-	-	2	2	-	-	-	-	-
THOMPSON																
ALL RACES.........	119	9	-	-	-	1	1	5	6	41	43	21	1	-	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-
UNION																
ALL RACES.........	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES.........	28	1	-	-	-	-	-	-	4	10	10	3	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD																
ALL RACES.........	164	7	-	-	-	-	2	5	2	45	54	44	10	2	-	-
NONWHITE..........	8	-	-	-	-	-	1	-	-	1	2	3	1	-	-	-
WESTBROOK																
ALL RACES.........	69	4	-	-	-	2	-	-	-	17	32	13	4	1	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
WILLINGTON																
ALL RACES.........	79	3	-	-	-	-	1	-	2	16	32	25	3	-	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
WINDHAM																
ALL RACES.........	319	24	1	-	2	3	2	14	21	130	92	41	12	2	-	-
NONWHITE..........	14	5	-	-	-	-	-	-	2	6	2	3	1	-	-	-
WOODSTOCK																
ALL RACES.........	63	2	-	-	-	1	1	1	3	12	22	17	5	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES.........	11,830	813	12	34	63	130	220	340	425	3,096	4,111	2,624	713	71	2	1
NONWHITE..........	1,723	213	-	20	25	48	69	101	104	577	461	241	67	9	1	-
ANDOVER																
ALL RACES.........	48	1	1	-	-	-	-	-	1	7	15	22	3	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
AVON																
ALL RACES.........	117	2	-	-	-	-	-	1	-	9	41	43	21	2	-	-
NONWHITE..........	6	1	-	-	-	-	-	-	-	-	3	3	-	-	-	-
BERLIN																
ALL RACES.........	149	2	-	-	-	-	1	2	3	18	64	52	7	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
BLOOMFIELD																
ALL RACES.........	165	13	-	-	-	2	1	7	4	28	55	48	19	1	-	-
NONWHITE..........	72	6	-	-	-	2	1	7	3	14	22	18	5	-	-	-
BOLTON																
ALL RACES.........	46	4	-	-	-	-	-	-	-	7	18	14	7	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL																
ALL RACES.........	790	49	1	-	3	2	12	21	28	258	298	142	25	1	-	-
NONWHITE..........	35	2	-	-	1	-	1	2	5	9	8	9	-	-	-	-
BURLINGTON																
ALL RACES.........	75	2	-	-	-	1	-	-	-	5	32	32	5	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON																
ALL RACES.........	117	9	-	-	-	-	1	-	1	20	47	43	5	-	-	-
NONWHITE..........	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
EAST GRANBY																
ALL RACES.........	50	3	-	-	-	-	-	1	-	6	22	13	7	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD																
ALL RACES.........	580	29	-	-	1	3	7	13	16	187	216	109	26	2	-	-
NONWHITE..........	62	7	-	-	-	1	1	1	2	24	15	12	6	-	-	-
EAST WINDSOR																
ALL RACES.........	112	7	-	-	1	-	-	2	5	34	45	17	6	2	-	-
NONWHITE..........	4	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
ELLINGTON																
ALL RACES.........	138	5	-	-	-	-	1	3	3	29	55	34	11	2	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ENFIELD																
ALL RACES.........	555	33	-	-	-	2	5	11	21	152	222	109	29	2	1	1
NONWHITE..........	16	1	-	-	-	-	-	-	-	2	8	3	3	-	-	-
FARMINGTON																
ALL RACES.........	187	13	-	-	-	-	1	1	3	17	74	74	17	-	-	-
NONWHITE..........	9	1	-	-	-	-	-	-	-	1	3	5	-	-	-	-
GLASTONBURY																
ALL RACES.........	252	11	-	-	-	2	3	2	2	33	69	102	35	4	-	-
NONWHITE..........	8	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-
GRANBY																
ALL RACES.........	131	9	-	-	-	-	2	-	3	23	46	39	16	2	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
HARTFORD																
ALL RACES.........	2,711	290	2	26	44	88	114	170	201	979	687	296	87	18	1	-
NONWHITE..........	1,197	163	-	17	22	39	60	84	85	437	309	107	30	6	1	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HARTLAND																
ALL RACES..........	14	1	-	-	-	-	-	1	-	-	11	1	1	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES..........	107	10	-	-	1	1	1	1	2	27	34	28	11	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANCHESTER																
ALL RACES..........	573	23	1	-	1	2	8	10	9	166	221	116	36	4	-	-
NONWHITE..........	36	2	-	-	-	1	2	-	1	16	9	5	1	1	-	-
MARLBOROUGH																
ALL RACES..........	83	8	-	-	-	-	-	1	1	6	30	40	5	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES..........	1,041	72	5	4	6	19	30	40	50	326	352	174	36	4	-	-
NONWHITE..........	107	15	-	2	2	5	3	4	4	33	36	14	4	-	-	-
NEWINGTON																
ALL RACES..........	248	15	-	-	-	-	1	1	3	37	107	72	25	2	-	-
NONWHITE..........	5	2	-	-	-	-	-	-	-	1	1	3	-	-	-	-
PLAINVILLE																
ALL RACES..........	223	17	-	-	-	-	2	3	4	49	100	54	10	1	-	-
NONWHITE..........	7	2	-	-	-	-	-	-	1	3	-	2	-	1	-	-
PLYMOUTH																
ALL RACES..........	146	15	-	-	-	1	1	5	10	32	54	34	9	-	-	-
NONWHITE..........	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
ROCKY HILL																
ALL RACES..........	172	6	-	-	-	-	-	1	1	40	67	54	8	1	-	-
NONWHITE..........	8	1	-	-	-	-	-	-	-	3	1	4	-	-	-	-
SIMSBURY																
ALL RACES..........	193	11	-	-	-	-	-	1	3	23	58	81	25	2	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SOMERS																
ALL RACES..........	95	9	-	-	-	-	-	3	2	23	33	25	9	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SOUTHINGTON																
ALL RACES..........	441	21	1	-	-	1	1	5	5	100	189	110	27	3	-	-
NONWHITE..........	8	-	-	-	-	-	-	-	1	3	1	2	-	1	-	-
SOUTH WINDSOR																
ALL RACES..........	220	9	-	-	-	1	1	3	5	28	82	79	17	4	-	-
NONWHITE..........	15	-	-	-	-	-	-	-	-	1	6	5	3	-	-	-
STAFFORD																
ALL RACES..........	174	10	-	-	-	-	6	2	9	62	64	28	3	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES	115	7	-	-	-	1	-	2	-	19	53	28	12	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
TOLLAND																
ALL RACES	116	2	-	-	-	-	1	-	2	18	45	37	13	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
VERNON																
ALL RACES	470	39	-	2	-	3	13	16	14	144	166	90	21	1	-	-
NONWHITE	20	3	-	-	-	-	1	-	1	4	7	6	1	-	-	-
WEST HARTFORD																
ALL RACES	523	17	1	-	2	1	1	1	8	54	161	220	69	6	-	-
NONWHITE	26	2	-	-	-	-	-	-	-	4	6	13	3	-	-	-
WETHERSFIELD																
ALL RACES	189	10	-	1	-	-	-	-	1	30	80	58	16	3	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WINDSOR																
ALL RACES	340	22	-	1	-	-	1	8	4	66	138	90	32	-	-	-
NONWHITE	61	3	-	1	-	-	-	3	1	14	17	16	9	-	-	-
WINDSOR LOCKS																
ALL RACES	124	7	-	-	4	-	5	2	1	34	60	16	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	6,347	366	24	8	19	45	70	146	216	1,603	2,312	1,471	402	49	5	1
NONWHITE	456	52	-	1	4	11	13	31	39	148	117	69	21	2	-	-
BARKHAMSTED																
ALL RACES	36	-	-	-	-	-	-	-	1	7	14	12	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES	58	-	-	-	-	-	1	-	1	9	32	12	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES	260	14	1	-	-	-	-	1	6	47	91	94	16	5	-	-
NONWHITE	9	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-
BETHLEHEM																
ALL RACES	35	3	-	1	-	-	-	1	-	3	14	14	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES	13	1	-	-	-	-	-	-	-	2	3	6	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES	130	10	-	-	-	-	-	-	2	22	46	39	18	2	1	-
NONWHITE	5	2	-	-	-	-	-	-	-	2	1	2	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CANAAN																
ALL RACES..........	48	5	-	-	-	-	-	2	2	14	17	9	4	-	-	-
NONWHITE...........	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
CHESHIRE																
ALL RACES..........	239	9	-	-	-	-	-	1	2	26	96	98	13	3	-	-
NONWHITE...........	6	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
COLEBROOK																
ALL RACES..........	12	-	-	-	-	-	-	-	-	3	4	5	-	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES..........	8	-	1	-	-	-	-	-	-	-	3	4	1	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES..........	941	67	4	-	5	5	11	20	33	259	333	215	53	6	-	1
NONWHITE...........	112	16	-	-	2	-	2	8	3	36	33	22	6	-	-	-
GOSHEN																
ALL RACES..........	23	1	-	-	-	-	-	-	-	3	14	3	3	-	-	-
NONWHITE...........	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
HARWINTON																
ALL RACES..........	51	4	-	-	-	-	-	-	1	9	24	11	6	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES..........	25	3	1	-	-	-	1	1	3	5	6	7	2	-	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LITCHFIELD																
ALL RACES..........	89	6	-	-	1	-	-	2	5	22	25	26	3	5	-	-
NONWHITE...........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLEBURY																
ALL RACES..........	60	1	-	-	1	-	-	2	2	9	22	18	6	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES..........	17	-	-	-	-	1	-	-	1	2	7	4	2	-	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK																
ALL RACES..........	400	18	-	-	1	3	3	9	15	122	160	70	17	-	-	-
NONWHITE...........	9	2	-	-	-	-	-	-	-	2	3	-	4	-	-	-
NEW FAIRFIELD																
ALL RACES..........	124	8	1	1	-	-	2	-	5	13	50	42	9	2	-	-
NONWHITE...........	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
NEW HARTFORD																
ALL RACES..........	66	2	-	-	-	1	-	-	1	13	28	19	3	1	-	-
NONWHITE...........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NEW MILFORD																
ALL RACES.........	291	19	1	-	1	5	4	5	7	68	101	66	32	2	-	-
NONWHITE..........	8	-	-	-	-	-	-	1	-	1	2	3	1	-	-	-
NEWTOWN																
ALL RACES.........	223	12	2	1	-	-	-	5	6	36	72	73	30	-	-	-
NONWHITE..........	6	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-
NORFOLK																
ALL RACES.........	35	2	-	-	-	-	-	1	-	3	16	7	8	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES.........	18	-	-	-	-	-	1	-	-	4	8	4	1	-	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PROSPECT																
ALL RACES.........	53	3	-	-	-	-	-	2	-	10	18	19	4	-	-	-
NONWHITE..........	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
REDDING																
ALL RACES.........	78	6	1	-	-	1	1	1	-	4	23	33	13	2	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
RIDGEFIELD																
ALL RACES.........	184	6	3	-	-	-	2	2	-	18	57	75	28	1	1	-
NONWHITE..........	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
ROXBURY																
ALL RACES.........	15	-	1	-	-	-	-	-	-	-	11	4	-	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES.........	42	2	1	-	-	-	-	1	2	9	15	10	5	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON																
ALL RACES.........	36	-	3	-	-	-	-	1	1	3	15	9	7	-	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN																
ALL RACES.........	25	2	1	-	-	1	-	1	2	3	4	11	2	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES.........	105	3	-	-	-	-	1	3	1	11	40	39	9	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMASTON																
ALL RACES.........	83	5	-	-	-	-	3	1	2	28	27	16	5	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON																
ALL RACES.........	391	23	-	-	1	2	4	12	9	135	158	55	14	1	-	-
NONWHITE..........	9	-	-	-	-	-	-	2	1	2	3	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1983-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WARREN																
ALL RACES.........	11	1	-	-	-	-	-	-	-	2	5	2	1	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES.........	38	1	1	-	-	-	-	-	2	9	12	11	3	1	-	-
NONWHITE..........	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES.........	1,541	103	1	4	7	24	32	63	90	552	516	197	45	9	2	-
NONWHITE..........	264	32	-	1	2	11	11	20	33	96	63	21	4	2	-	-
WATERTOWN																
ALL RACES.........	207	7	-	1	1	-	-	2	6	37	89	55	14	2	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
WINCHESTER																
ALL RACES.........	142	5	-	-	1	-	3	2	5	46	57	22	5	1	-	-
NONWHITE..........	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
WOLCOTT																
ALL RACES.........	120	10	-	-	-	2	1	3	3	22	52	31	5	1	-	-
NONWHITE..........	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WOODBURY																
ALL RACES.........	74	4	1	-	-	-	-	2	-	13	27	24	7	-	1	-
NONWHITE..........	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1983

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	265	7	43	61	69	55	25	4	1	-	-	70	2	20	23	14	6	4	1	-	-	-
Sex:																						
Male	146	4	24	30	33	34	17	3	1	-	-	31	-	7	11	4	4	4	1	-	-	-
Female	115	3	18	30	34	21	8	1	-	-	-	37	2	12	11	10	2	-	-	-	-	-
Unknown	4	-	1	1	2	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	260	6	42	60	69	54	24	4	1	-	-	69	2	19	23	14	6	4	1	-	-	-
Other	2	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Unknown	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-27 weeks	79	2	19	18	15	13	11	1	-	-	-	31	-	9	12	5	3	1	1	-	-	-
28-31 weeks	28	-	6	5	9	5	3	-	-	-	-	7	-	4	1	2	-	-	-	-	-	-
32-35 weeks	21	-	3	6	9	3	-	-	-	-	-	5	-	1	1	2	1	-	-	-	-	-
36 weeks	7	-	2	1	2	1	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
37-39 weeks	23	2	1	4	6	6	4	-	-	-	-	6	1	-	2	1	-	2	-	-	-	-
40 weeks or over	19	-	1	5	7	3	2	-	1	-	-	4	-	1	-	2	1	-	-	-	-	-
Unknown	85	3	11	21	20	24	3	3	-	-	-	15	1	5	7	1	1	-	-	-	-	-
Weight at birth:																						
1000 grams or less	115	3	21	27	24	25	13	2	-	-	-	36	1	11	15	5	2	1	1	-	-	-
1001-1500 grams	17	-	3	3	8	3	-	-	-	-	-	8	-	3	2	3	-	-	-	-	-	-
1501-2000 grams	29	-	5	6	12	5	1	-	-	-	-	6	-	2	1	2	-	1	-	-	-	-
2001-2500 grams	23	-	5	5	6	5	1	1	-	-	-	5	-	-	2	1	1	1	-	-	-	-
2501-3000 grams	15	-	2	3	3	3	4	-	-	-	-	4	-	1	-	1	1	1	-	-	-	-
3001-3500 grams	19	-	1	3	5	7	3	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
3501-4000 grams	8	1	1	3	1	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
4001-4500 grams	3	-	-	1	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Over 4500 grams	3	1	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Unknown	33	2	5	9	9	5	3	-	-	-	-	6	-	3	2	-	1	-	-	-	-	-
Plural births:																						
Single	244	5	43	54	62	52	23	4	1	-	-	62	2	20	18	11	6	4	1	-	-	-
Twins	18	1	-	5	7	3	2	-	-	-	-	7	-	-	4	3	-	-	-	-	-	-
Unknown	3	1	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1983

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
Total		265
740	Anencephalus and similar anomalies	6
741	Spina bifida	3
742	Other congenital anomalies of nervous system	2
746	Other congenital anomalies of heart	1
752	Congenital anomalies of genital organs	1
758	Chromosomal anomalies	2
759	Other and unspecified congenital anomalies	8
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	12
761	Fetus affected by maternal complications of pregnancy	26
762	Fetus affected by other complications of placenta, cord and membranes	98
763	Fetus affected by other complications of labor and delivery	3
764	Slow fetal growth and fetal malnutrition	3
765	Disorders relating to short gestation and unspecified low birthweight	15
768	Intrauterine hypoxia and birth asphyxia	16
771	Infections specific to the perinatal period	2
772	Fetal and neonatal hemorrhage	1
775	Endocrine and metabolic disturbances specific to the fetus	3
778	Conditions involving the integument and temperature regulation of fetus	1
779	Other and ill-defined conditions originating in the perinatal period	59
799	Other ill-defined and unknown causes of morbidity and mortality	3

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1983

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	27,129	412	16	16	14	6	464	34	48	180	292	270	270	320	362	487	940	1,535	2,237	2,931	3,348	3,697	3,562	6,149	3
MALE	13,940	241	11	11	10	3	276	26	31	126	231	205	193	205	224	323	574	966	1,371	1,756	1,882	1,953	1,589	2,009	-
FEMALE	13,189	171	5	5	4	3	188	8	17	54	61	65	77	115	138	164	366	569	866	1,175	1,466	1,744	1,973	4,140	3
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
10-18 TUBERCULOSIS																									
MALE	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	2	1	-	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	4	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	2	1	-	-	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-
36 MENINGOCOCCAL INFECTION																									
MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	132	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	5	11	10	13	13	18	20	36	-
FEMALE	116	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	3	6	13	17	21	17	35	-
90-97 SYPHILIS																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	35	-	-	-	-	-	-	-	-	-	2	2	1	-	2	-	3	-	5	2	6	5	4	3	-
FEMALE	37	1	-	-	-	-	1	-	-	1	1	-	2	1	-	2	1	1	3	4	4	1	2	13	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,448	-	-	1	2	-	3	2	7	10	5	13	19	33	43	73	175	314	452	553	563	515	365	303	-
FEMALE	3,112	-	-	-	-	1	1	-	5	7	9	12	18	43	73	84	168	276	370	417	442	405	335	445	2
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	75	-	1	-	-	-	1	1	1	-	2	-	-	4	1	4	3	4	10	14	7	7	5	11	-
FEMALE	63	-	-	-	-	-	-	1	-	-	1	-	1	1	2	1	2	1	9	4	10	15	7	8	-
250 DIABETES MELLITIS																									
MALE	209	-	-	-	-	-	-	-	-	-	-	-	2	7	5	6	8	11	25	38	23	35	26	23	-
FEMALE	291	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	5	6	27	21	44	48	65	68	-
280-285 ANEMIAS																									
MALE	27	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	3	4	1	5	2	7	-
FEMALE	15	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	1	-	3	1	5	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	56	-	-	-	-	-	-	-	-	-	-	2	-	4	3	5	11	12	8	6	3	2	-	-	-
FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	-	5	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
320-322 MENINGITIS																									
MALE	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-
FEMALE	14	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	-	3	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,293	3	1	1	1	-	6	1	1	2	10	12	20	47	72	133	260	439	608	801	950	976	810	1,145	-
FEMALE	6,803	5	1	-	-	-	6	1	-	2	4	5	11	11	22	34	100	159	294	506	688	944	1,208	2,807	1
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	5,184	2	-	1	1	-	4	1	-	2	5	8	10	37	65	123	235	393	532	690	791	784	621	883	-
FEMALE	5,178	4	1	-	-	-	5	1	-	1	1	3	7	7	14	22	76	122	238	401	552	753	895	2,079	1
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	4	2	2	3	2	-
FEMALE	85	1	-	-	-	-	1	-	-	-	-	1	1	1	-	1	1	2	6	13	15	22	10	11	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	114	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	2	14	17	19	9	19	15	13	-
FEMALE	176	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	9	4	20	19	34	25	58	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-
FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	8	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	3,803	-	-	1	-	-	1	-	-	-	-	2	5	26	48	82	179	301	401	511	618	570	435	624	-
FEMALE	3,676	-	-	-	-	-	-	-	-	-	-	1	2	3	6	15	48	70	165	277	394	550	645	1,499	1
415-429 OTHER HEART DISEASE																									
MALE	1,242	2	-	-	1	-	3	1	-	2	5	5	5	10	16	34	54	77	114	155	162	192	167	240	-
FEMALE	1,227	3	1	-	-	-	4	1	-	1	1	1	4	3	7	5	22	41	62	90	124	147	211	503	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	69	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	4	3	9	9	9	11	4	14	-
FEMALE	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	11	5	12	12	28	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	731	1	1	-	-	-	2	-	1	-	3	4	7	9	6	8	17	29	41	61	105	129	142	167	-
FEMALE	1,193	1	-	-	-	-	1	-	-	-	3	1	3	3	7	11	18	24	44	75	100	147	233	523	-
440 ATHEROSCLEROSIS																									
MALE	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	9	16	21	23	52	-
FEMALE	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	7	14	15	45	136	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	178	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	10	21	32	29	31	20	29	-
FEMALE	128	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	5	3	4	12	17	17	23	41	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1981-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
480-486 PNEUMONIA																									
MALE	404	1	2	1	-	-	4	-	-	1	1	1	4	3	2	2	5	10	12	28	43	65	77	146	-
FEMALE	424	3	-	1	-	-	4	-	-	-	-	1	-	1	1	2	2	7	9	24	28	45	66	234	-
487 INFLUENZA																									
MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	512	-	-	-	-	1	1	1	-	-	-	1	1	-	-	1	8	21	56	80	97	94	78	73	-
FEMALE	312	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	8	23	30	40	47	56	52	50	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	37	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	1	1	7	2	10	5	6	-
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	4	4	3	4	20	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	5	2	8	-
FEMALE	49	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	7	7	6	26	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	242	-	-	-	-	-	-	-	-	-	-	2	8	6	15	22	14	30	51	34	23	20	14	3	-
FEMALE	143	-	-	-	-	-	-	-	-	-	-	-	1	7	9	6	16	19	16	20	17	18	9	5	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	116	-	-	-	-	-	-	-	-	-	-	2	3	2	-	1	1	7	8	14	14	11	18	35	-
FEMALE	102	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	3	3	7	15	19	19	30	-
590 INFECTIONS OF KIDNEY																									
MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	3	-
600 HYPERPLASIA OF PROSTATE																									
MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-
740-759 CONGENITAL ANOMALIES																									
MALE	83	58	2	1	-	-	61	2	1	1	1	3	1	2	1	-	2	-	-	3	2	2	-	1	-
FEMALE	55	35	1	1	-	-	37	2	-	-	2	2	-	-	1	2	2	-	1	-	3	1	1	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	132	132	-	-	-	-	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	96	95	-	-	-	-	95	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	28	28	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	18	18	-	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E800-E949 ACCIDENTS																									
MALE........................	665	4	1	5	3	2	15	13	16	60	134	75	51	32	32	25	23	26	33	33	18	20	28	31	-
FEMALE......................	305	3	1	2	2	1	9	1	6	22	23	15	16	10	1	10	10	9	18	21	24	24	31	55	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE........................	280	1	-	-	-	1	2	5	5	40	89	41	17	12	12	12	6	9	8	11	2	2	4	3	-
FEMALE......................	100	-	1	1	1	-	3	-	4	17	17	7	9	4	1	4	4	5	8	6	4	1	4	2	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE........................	41	-	-	1	-	1	2	-	2	2	6	2	7	2	2	3	5	2	1	3	1	-	1	-	-
FEMALE......................	5	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE........................	221	-	-	-	-	-	-	-	-	23	29	27	21	21	11	18	9	12	10	15	7	6	10	2	-
FEMALE......................	55	-	-	-	-	-	-	-	1	3	5	3	6	6	5	4	3	6	4	4	-	4	1	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE........................	114	-	1	1	2	-	4	2	2	16	26	25	11	9	7	4	2	3	2	-	1	-	-	-	-
FEMALE......................	34	2	-	-	-	1	3	-	1	8	6	1	5	2	2	1	-	1	2	-	1	1	-	-	-
ALL OTHER CAUSES																									
MALE........................	1,056	14	3	1	2	-	20	4	1	13	21	38	50	34	25	25	42	60	75	105	102	154	122	165	-
FEMALE......................	1,061	5	2	1	-	-	8	2	3	10	9	25	15	27	12	15	42	47	65	81	111	120	146	323	-

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	1,477	100	2	5	4	4	115	6	9	19	27	43	46	50	57	63	108	142	147	149	143	119	112	122	-
MALE	872	64	2	3	4	2	75	5	5	11	23	28	34	38	36	41	62	82	101	86	73	68	57	47	-
FEMALE	605	36	-	2	-	2	40	1	4	8	4	15	12	12	21	22	46	60	46	63	70	51	55	75	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	2	2	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	-
90-97 SYPHILIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	203	-	-	-	-	-	-	-	2	-	-	-	2	3	3	11	14	26	38	32	26	22	17	7	-
FEMALE	152	-	-	-	-	1	1	-	1	-	-	3	-	4	7	11	18	22	16	18	19	14	7	11	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
250 DIABETES MELLITIS																									
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	2	-	2	-	1	-
FEMALE	18	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	4	2	1	3	2	2	1	-
280-285 ANEMIAS																									
MALE	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	1	-	1	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
320-322 MENINGITIS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	302	-	-	-	-	-	-	-	-	1	3	1	5	7	12	17	24	37	38	39	32	35	25	26	-
FEMALE	250	1	-	-	-	-	1	-	-	1	-	1	4	-	7	3	13	21	19	34	33	24	38	51	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	243	-	-	-	-	-	-	-	-	1	1	1	3	4	9	15	21	34	30	30	29	27	16	22	-
FEMALE	181	1	-	-	-	-	1	-	-	1	-	1	1	-	5	2	10	13	16	24	25	15	29	38	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	-	1	3	1	-	-
FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	2	4	2	4	-	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	146	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	11	21	24	16	20	15	11	16	-
FEMALE	110	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	6	11	11	15	11	19	27	-
415-429 OTHER HEART DISEASE																									
MALE	83	-	-	-	-	-	-	-	-	1	1	1	2	1	5	6	9	12	5	14	8	9	4	5	-
FEMALE	49	1	-	-	-	-	1	-	-	1	-	-	-	-	3	1	2	2	4	11	5	2	6	11	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	2	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	40	-	-	-	-	-	-	-	-	-	2	-	-	3	3	2	2	2	5	3	2	7	7	2	-
FEMALE	46	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	3	3	7	7	7	6	6	-
440 ATHEROSCLEROSIS																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	1	1	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	-	-	-	1	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	1	4	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
480-486 PNEUMONIA																									
MALE	18	1	1	1	-	-	3	-	-	-	-	-	-	1	-	-	2	2	1	1	-	3	2	3	-
FEMALE	10	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	1	-	1	1	-	3	-
487 INFLUENZA																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	19	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	3	2	5	4	-	1	1	1	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	-	1	-	-	1	1	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	18	-	-	-	-	-	-	-	-	-	-	1	4	1	4	1	2	-	3	1	-	1	-	-	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	1	-	-	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	2	-	-
FEMALE	12	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	3	3	1	-	-
590 INFECTIONS OF KIDNEY																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600 HYPERPLASIA OF PROSTATE																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																									
MALE	11	9	1	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	7	5	-	1	-	-	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	39	39	-	-	-	-	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	21	21	-	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	8	8	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1983-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E800-E949 ACCIDENTS																									
MALE..........................	56	1	-	-	3	1	5	3	2	3	7	4	7	8	3	4	2	2	2	-	2	-	2	-	-
FEMALE........................	22	-	-	1	-	-	1	-	2	3	-	2	2	-	-	2	-	1	1	2	3	1	2	-	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE..........................	15	-	-	-	-	-	-	1	1	1	2	2	2	2	-	1	1	-	2	-	-	-	-	-	-
FEMALE........................	8	-	-	-	-	-	-	-	2	2	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE..........................	11	-	-	-	-	1	1	-	1	1	2	-	1	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE........................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE..........................	6	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE........................	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE..........................	46	-	-	1	-	-	1	-	-	5	11	15	2	5	3	1	1	1	1	-	-	-	-	-	-
FEMALE........................	8	-	-	-	-	1	1	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																									
MALE..........................	92	6	-	1	1	-	8	-	-	1	1	4	11	11	7	2	7	3	7	7	10	2	6	5	-
FEMALE........................	57	2	-	-	-	-	2	1	-	-	2	7	3	4	1	3	4	4	2	5	5	5	3	6	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT	412	100	191	78	48	47	48	93	227	38	16	46	46
HSA 1 SOUTHWESTERN	76	24	41	11	3	9	12	14	42	14	5	10	10
BRIDGEPORT	32	11	16	4	-	7	5	5	15	3	4	9	3
DARIEN	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	2	-	-	1	-	-	1	1	-	-	-	1	-
GREENWICH	2	-	1	1	-	-	-	-	2	1	-	-	-
MONROE	1	-	1	-	-	-	-	-	-	-	-	-	1
NEW CANAAN	1	-	1	-	-	-	-	-	1	-	-	-	-
NORWALK	9	3	5	1	1	-	2	3	4	1	-	-	2
STAMFORD	19	9	11	2	1	2	3	4	12	7	-	-	3
STRATFORD	5	1	2	1	1	-	1	-	4	-	-	-	1
TRUMBULL	3	-	2	1	-	-	-	1	2	-	1	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	2	-	2	-	-	-	-	-	2	2	-	-	-
WILTON	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 2 SOUTH CENTRAL	86	31	38	19	10	10	9	17	49	6	5	10	10
ANSONIA	2	-	1	1	-	-	-	-	2	-	-	-	-
BETHANY	1	-	1	-	-	-	-	-	1	-	-	-	-
BRANFORD	2	-	-	1	-	1	-	-	1	-	-	1	-
DERBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAVEN	1	-	1	-	-	-	-	-	1	-	-	-	-
GUILFORD	2	-	-	2	-	-	-	-	2	-	1	-	-
HAMDEN	4	2	1	1	-	-	2	1	1	-	1	1	1
MADISON	1	-	1	-	-	-	-	1	-	-	-	-	-
MERIDEN	8	-	4	1	-	2	1	2	4	1	1	2	-
MILFORD	5	-	2	1	-	2	-	-	3	1	1	1	1
NEW HAVEN	40	23	19	7	6	3	5	10	23	4	1	4	3
NORTH BRANFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	2	-	-	1	-	1	-	-	-	-	-	-	2
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR	-	-	-	-	-	-	-	-	-	-	-	-	-
SHELTON	5	-	3	1	1	-	-	-	5	-	-	-	-
WALLINGFORD	2	-	-	2	-	-	-	1	1	-	-	-	-
WEST HAVEN	10	6	5	1	2	1	1	1	5	-	-	1	3
WOODBRIDGE	1	-	-	-	1	-	-	1	-	-	-	-	-
HSA 3 EASTERN	77	6	33	19	7	10	8	21	36	8	2	10	10
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	1	-	-	-	-	1	-	1	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	1	-	1	-	-	-	-	-	1	-	-	-	-
CLINTON	2	-	1	1	-	-	-	1	1	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
COLCHESTER	2	-	-	2	-	-	-	1	1	-	-	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	2	-	2	-	-	-	-	-	2	1	-	-	-
CROMWELL	-	-	-	-	-	-	-	-	-	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	3	-	1	1	-	1	-	-	1	-	-	2	-
EAST HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST LYME	2	-	-	1	-	1	-	-	1	-	-	1	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	1	-	-	1	-	-	-	-	1	-	-	-	-
GROTON	8	-	5	-	1	1	1	3	2	1	-	1	2
HADDAM	1	-	1	-	-	-	-	-	1	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	1	-	-	1	-	-	-	-	1	-	-	-	-
KILLINGWORTH	2	-	-	-	1	-	1	1	-	-	-	-	1
LEBANON	1	-	-	-	-	-	1	-	-	-	-	1	-
LEDYARD	1	-	1	-	-	-	-	-	1	-	1	-	-
LISBON	2	-	-	-	-	1	1	1	-	-	-	1	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	5	1	2	2	-	1	-	1	3	1	-	-	1
MONTVILLE	5	-	-	1	3	-	1	2	1	-	-	1	1
NEW LONDON	5	3	2	3	-	-	-	2	2	1	1	-	1
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	9	-	3	2	1	3	-	2	4	2	-	3	-
OLD LYME	1	-	-	1	-	-	-	1	-	-	-	-	-
OLD SAYBROOK	1	-	1	-	-	-	-	-	1	-	-	-	-
PLAINFIELD	4	-	3	1	-	-	-	2	2	1	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	1	-	1	-	-	-	-	-	1	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	1	-	1	-	-	-	-	-	1	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	1	1	1	-	-	-	-	-	1	-	-	-	-
STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMPSON	2	-	1	-	-	-	1	-	1	-	-	-	1
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	2	-	1	1	-	-	-	-	2	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WESTBROOK	1	-	1	-	-	-	-	-	1	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	9	1	4	1	1	1	2	3	3	1	-	-	3
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL.	118	31	57	18	19	8	16	28	68	5	4	11	11
ANDOVER	1	-	-	1	-	-	-	-	1	-	-	-	-
AVON	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN	1	-	1	-	-	-	-	1	-	-	-	-	-
BLOOMFIELD	6	4	4	1	-	-	1	1	4	-	-	1	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	8	-	3	2	1	1	1	2	4	-	-	-	2
BURLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON	1	-	1	-	-	-	-	1	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	7	1	2	-	1	2	2	2	3	-	-	-	2
EAST WINDSOR	1	-	1	-	-	-	-	1	-	-	-	-	-
ELLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
ENFIELD	5	-	5	-	-	-	-	1	4	-	-	-	-
FARMINGTON	3	-	2	-	1	-	-	2	1	-	-	-	-
GLASTONBURY	2	-	1	1	-	-	-	-	2	1	-	-	-
GRANBY	1	-	1	-	-	-	-	1	-	-	-	-	-
HARTFORD	43	23	19	8	7	2	7	7	27	1	1	4	5
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	-	-	1	-	-	-	-	-	1	-
MANCHESTER	3	1	2	-	-	-	1	1	1	-	1	-	1
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	7	1	4	1	1	-	1	2	4	2	-	1	-
NEWINGTON	3	-	3	-	-	-	-	-	3	-	1	-	-
PLAINVILLE	1	1	-	1	-	-	-	-	1	-	-	-	-
PLYMOUTH	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY HILL	3	-	1	1	-	-	1	1	2	-	-	-	-
SIMSBURY	3	-	2	1	-	-	-	-	3	-	1	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	4	-	2	-	1	1	-	1	2	-	-	1	-
SOUTH WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
STAFFORD	1	-	1	-	-	-	-	-	1	-	-	-	-
SUFFIELD	1	-	-	-	1	-	-	-	1	-	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	2	-	1	-	1	-	-	1	1	1	-	-	-
WEST HARTFORD	4	-	-	-	2	1	1	1	-	-	-	3	-
WETHERSFIELD	2	-	1	-	1	-	-	-	1	-	-	-	1
WINDSOR	3	-	-	1	1	-	1	1	2	-	-	-	-
WINDSOR LOCKS	1	-	-	-	1	-	-	1	-	-	-	-	-
HSA 5 NORTHWESTERN..	55	8	22	11	9	10	3	13	32	5	-	5	5
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1983-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	2	-	2	-	-	-	-	-	2	1	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	3	-	3	-	-	-	-	-	3	-	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	8	4	5	1	1	1	-	3	4	1	-	1	-
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	4	-	1	1	1	1	-	2	2	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	3	-	-	1	1	1	-	1	1	-	-	-	1
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	1	-	-	-	1	-	-	-	1	-	-	-	-
NEWTOWN	3	-	1	-	1	-	1	1	2	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	-	1	-	-	-	-	-	1	-	-	-	-
THOMASTON	2	-	1	1	-	-	-	-	2	-	-	-	-
TORRINGTON	3	-	1	2	-	-	-	-	3	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	2	-	1	-	-	1	-	1	1	1	-	-	-
WATERBURY	17	4	4	3	3	6	1	5	5	-	-	4	3
WATERTOWN	2	-	1	1	-	-	-	-	2	1	-	-	-
WINCHESTER	1	-	-	-	-	-	1	-	-	-	-	-	1
WOLCOTT	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODBURY	3	-	1	1	1	-	-	-	3	1	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	412	191	78	25	13	10	317	28	19	8	4	9	6	7	4	5	1	4
MALE	241	112	46	15	9	6	188	18	13	4	2	6	-	2	3	-	1	4
FEMALE	171	79	32	10	4	4	129	10	6	4	2	3	6	5	1	5	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE	4	-	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	3	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
487 INFLUENZA																		
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	58	17	16	6	4	3	46	3	1	1	-	2	-	2	1	-	-	2
FEMALE	35	14	8	4	1	3	30	1	-	2	-	-	1	-	-	1	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	132	89	28	8	2	-	127	2	1	1	-	-	-	-	-	-	-	1
FEMALE	95	64	21	4	3	-	92	1	1	-	1	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	21	21	-	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE	17	14	2	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	10	8	2	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE	6	5	-	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	28	2	-	1	3	2	8	8	9	-	-	2	-	-	1	-	-	-
FEMALE	18	-	1	1	-	1	3	3	4	1	1	2	2	1	-	1	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E800-E949 ACCIDENTS																		
MALE........................	4	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	1
FEMALE......................	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
UNKNOWN.....................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE........................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE........................	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN.....................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE........................	14	3	1	-	-	-	4	3	1	2	2	1	-	-	-	-	1	-
FEMALE......................	10	1	1	1	-	-	3	2	1	-	-	-	2	-	1	1	-	-
UNKNOWN.....................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.............	100	56	15	4	1	2	78	8	3	1	2	2	1	2	1	1	-	1
MALE..........................	64	38	8	3	1	1	51	5	2	-	2	1	-	1	1	-	-	1
FEMALE........................	36	18	7	1	-	1	27	3	1	1	-	1	1	1	-	1	-	-
UNKNOWN.......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE....................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN...................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE....................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN...................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE....................	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
UNKNOWN...................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE......................	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE....................	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
UNKNOWN...................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE......................	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE....................	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
UNKNOWN...................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
487 INFLUENZA																		
MALE......................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE....................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN...................	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	9	4	3	-	-	-	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE	5	3	1	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	39	31	4	3	-	-	38	1	-	-	-	-	-	-	-	-	-	-
FEMALE	21	15	6	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	7	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	8	2	-	-	1	1	4	3	1	-	-	-	-	-	-	-	-	-
FEMALE	5	-	-	1	-	-	1	1	-	-	-	1	1	-	-	1	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1983-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E800-E949 ACCIDENTS																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	5	1	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1983

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Male Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Female Age Group
All Causes (under 1 year)*	412	10.0	100.0	241	11.3	100.0	171	8.7	100.0
Certain conditions originating in perinatal period (760-779)	227	552.9	55.1	132	619.0	54.8	95	481.5	55.6
Congenital anomalies (740-759)	93	226.5	22.6	58	272.0	24.1	35	177.4	20.5
Sudden infant death syndrome (798.0)	46	112.0	11.2	28	131.3	11.6	18	91.2	10.5
Accidents, total (E800-E949)	7	17.0	1.7	4	18.8	1.7	3	15.2	1.8
Diseases of the heart (390-398, 402, 404-429)	6	14.6	1.5	2	9.4	0.8	4	20.3	2.3
All other causes	33	80.4	8.0	17	79.7	7.1	16	81.1	9.4
All Causes (1-14 years)	134	23.3	100.0	92	31.4	100.0	42	14.9	100.0
Accidents, total (E800-E949)	53	9.2	39.6	40	13.7	43.5	13	4.6	31.0
Malignant neoplasms (140-208)	18	3.1	13.4	12	4.1	13.0	6	2.1	14.3
Congenital anomalies (740-759)	10	1.7	7.5	6	2.0	6.5	4	1.4	9.5
Homicides and legal intervention (E960-E978)	10	1.7	7.5	8	2.7	8.7	2	0.7	4.8
Diseases of the heart (390-398, 402, 404-429)	5	0.9	3.7	3	1.0	3.3	2	0.7	4.8
All other causes	38	6.6	28.4	23	7.9	25.0	15	5.3	35.7
All Causes (15-24 years)	472	87.3	100.0	357	131.3	100.0	115	42.8	100.0
Accidents, total (E800-E949)	239	44.2	50.6	194	71.3	54.3	45	16.7	39.1
Suicides (E950-E959)	60	11.1	12.7	52	19.1	14.6	8	3.0	7.0
Homicides and legal intervention (E960-E978)	56	10.4	11.9	42	15.4	11.8	14	5.2	12.2
Malignant neoplasms (140-208)	31	5.7	6.6	15	5.5	4.2	16	6.0	13.9
Diseases of the heart (390-398, 402, 404-429)	9	1.7	1.9	7	2.6	2.0	2	0.7	1.7
Cerebrovascular disease (430-438)	6	1.1	1.3	3	1.1	0.8	3	1.1	2.6
All other causes	71	13.1	15.0	44	16.2	12.3	27	10.0	23.5
All Causes (25-44)	1,222	132.4	100.0	827	183.0	100.0	395	83.8	100.0
Malignant Neoplasms (140-208)	254	27.5	20.8	108	23.9	13.1	146	31.0	37.0
Accidents, total (E800-E949)	232	25.1	19.0	190	42.1	23.0	42	8.9	10.6
Diseases of the heart (390-398, 402, 404-429)	151	16.4	12.4	120	26.6	14.5	31	6.6	7.8
Suicides (E950-E959)	100	10.8	8.2	80	17.7	9.7	20	4.2	5.1
Homicides and legal intervention (E960-E978)	62	6.7	5.1	52	11.5	6.3	10	2.1	2.5
Chronic liver disease and cirrhosis (571)	48	5.2	3.9	31	6.9	3.7	17	3.6	4.3
Cerebrovascular disease (430-438)	40	4.3	3.3	26	5.8	3.1	14	3.0	3.5
Diabetes mellitus (250)	20	2.2	1.6	14	3.1	1.7	6	1.3	1.5
All other causes	315	34.1	25.8	206	45.6	24.9	109	23.1	27.6

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1983 cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Male Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Female Age Group
All Causes (45-64 years)	5,199	788.3	100.0	3,234	1025.0	100.0	1,965	571.2	100.0
Malignant neoplasms (140-208)	1,912	289.9	36.8	1,014	321.4	31.4	898	261.0	45.7
Diseases of the heart (390-398, 402, 404-429)	1,741	264.0	33.5	1,283	406.7	39.7	458	133.1	23.3
Cerebrovascular disease (430-438)	192	29.1	3.7	95	30.1	2.9	97	28.2	4.9
Chronic liver disease and cirrhosis (571)	174	26.4	3.3	117	37.1	3.6	57	16.6	2.9
Accidents, total (E800-E949)	154	23.3	3.0	107	33.9	3.3	47	13.7	2.4
Chronic obstructive pulmonary disease and allied conditions (490-496)	147	22.3	2.8	86	27.3	2.7	61	17.7	3.1
Diabetes mellitus (250)	88	13.3	1.7	50	15.8	1.5	38	11.0	1.9
Suicide (E950-E959)	66	10.0	1.3	49	15.5	1.5	17	4.9	0.9
Pneumonia and influenza (480-487)	49	7.4	0.9	29	9.2	0.9	20	5.8	1.0
All other causes	676	102.5	13.0	414	131.2	12.8	272	79.1	13.8
All Causes (65 years and over)	19,687	4,939.4	100.0	9,189	5871.6	100.0	10,498	4336.8	100.0
Diseases of the heart (390-398, 402, 404-429)	8,449	2,119.8	42.9	3,769	2408.3	41.0	4,680	1933.3	44.6
Malignant neoplasms (140-208)	4,343	1,089.6	22.1	2,299	1469.0	25.0	2,044	844.4	19.5
Cerebrovascular disease (430-438)	1,682	422.0	8.5	604	385.9	6.6	1,078	445.3	10.3
Influenza and pneumonia (480-487)	767	192.4	3.9	363	231.9	4.0	404	166.9	3.8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	667	167.3	3.4	422	269.6	4.6	245	101.2	2.3
Diabetes Mellitus (250)	391	98.1	2.0	145	92.7	1.6	246	101.6	2.3
Atherosclerosis (440)	338	84.8	1.7	121	77.3	1.3	217	89.6	2.1
Accidents, total (E800-E949)	285	71.5	1.4	130	83.1	1.4	155	64.0	1.5
Septicemia (038)	203	50.9	1.0	100	63.9	1.1	103	42.5	1.0
All other causes	2,562	642.8	13.0	1,236	789.8	13.5	1,326	547.8	12.6

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1983

Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Sixth	Unknown
TOTAL	26,844	18.244	7,356	1,064	122	14	1	43
First	18,918	15,640	2,950	280	26	1	-	21
Second	6,793	2,352	3.791	570	59	7	-	14
Third	947	200	524	185	30	6	1	1
Fourth	111	20	63	23	5	-	-	-
Fifth	16	2	8	4	2	-	-	-
Sixth	2	1	1	-	-	-	-	-
Seventh	1	-	1	-	-	-	-	-
Unknown	56	29	18	2	-	-	-	7

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1983

	Previous Marital Status of Groom					
Previous Marital Status of Bride	TOTAL	Single	Widowed	Divorced	Annulled	Unknown
TOTAL	26,844	18,244	771	7,580	121	128
Single	18,918	15.640	118	3,021	78	61
Widowed	732	128	313	284	4	3
Divorced	6,890	2.315	334	4,177	30	34
Annulled	102	61	1	32	8	-
Unknown	202	100	5	66	1	30

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES CONNECTICUT, 1983

COUNTY	TOTAL
CONNECTICUT, TOTAL	12,027
Fairfield	2,675
Hartford	3,052
Litchfield	514
Middlesex	583
New Haven	2,975
New London	1,236
Tolland	632
Windham	360
Sex of Complainant:	
Male	3,872
Female	7,887
Not Stated	268

TABLE 15: CHILDREN UNDER 18 AFFECTED BY MARRIAGE DISSOLUTION CONNECTICUT, 1983

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	12,027
No children	5,293
One child	2,993
Two children	2,454
Three children	723
Four children	160
Five children	33
Six or more children	11
Not Stated	360

TABLE 16: DURATION OF MARRIAGES DISSOLVED CONNECTICUT, 1983

Year Marriage Was Contracted	Number Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	12,027	1969	370
1983	61	1968	316
1982	521	1967	312
1981	853	1966	264
1980	970	1965	259
1979	903	1964-1960	1,028
1978	794	1959-1955	655
1977	689	1954-1950	333
1976	633	1949-1945	154
1975	512	1944-1940	60
1974	486	1939-1935	20
1973	501	1934-1930	6
1972	473	Prior to 1930	8
1971	402	Unknown	52
1970	392		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1,000$
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1,000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1,000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1,000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1,000$
Infant Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1,000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1,000$